

Phase 2 Site Assessments:

Alternatives (sites not included in preferred options)

Draft Local Plan Full Update Preferred Options
June 2024

Contents

089 - Land West of Hale Road, Ashill

199 - Land West of Hale Road (Phase 2), Ashill

229 - Land East of Hale Road, Ashill

235 - Land West of Hale Road (Phase 1). Ashill

318 - Old Hall, Ashill

318 - Old Hall, Ashill

321 - Firs Field, Ashill

322 - Dunnett's Close, Ashill

323 - Swaffham Road, Ashill

022 - The Hollies

, Ashill

023 - The Hollies (Paddock)

, Ashill

037 - Land at Nursery Lane, Banham

075 - The Granary, Wash Lane, Banham

191 - East of Mill Road, Banham

265 - North of Community Centre, Banham

270 - Crown Street, Banham

271 - West of Mill Road, Banham

328 - Heath Road, Banham

161 - North of Foxley Road, Bawdeswell

210 - Dereham Road, Bawdeswell

210 - Dereham Road, Bawdeswell

329 - Adjacent Meadowbank, Bawdeswell

053 - Herne Hill Cottage, Beeston

168 - Herne Lane, Beeston

201 - Fiddles Field, Beeston

330 - The Orchard, Herne Lane, Beeston

330 - The Orchard, Herne Lane, Beeston

030 - The Paddocks, Beetley

104 - North of High House Road, Beetley

194 - South of High House Farm, Beetley

292 - High House Farm, Beetley

331 - Land East of Abram Court High House Road, Beetley

073 - Land North of Drury Lane, Carbrooke

222 - Land East of Shrublands, Carbrooke

339 - Shrublands, Carbrooke

340 - Shrublands (2), Carbrooke

024 - Home Farm, North Acre, Caston

014 - Land at Hoe Lodge Farm, Dereham

097 - Land at Grange Farm, Etling Green, Dereham

166 - Land North of Swanton Road, Dereham

241 - Moat Field, Northall Green, Dereham

309 - West of Golf Course, Dereham

341 - Fieldfare Etling Green, Dereham

342 - Meadoway Etling Green, Dereham

343 - Sandy Lane, Dereham

344 - Swanton Road

, Dereham

345 - Quebec Farm, Dereham

057 - Land to the North of Smallworth Lane, Garboldisham

169 - Land at Back Street, Garboldisham

287 - Former Nursery, Garboldisham

288 - Land to East of Hopton Road, Garboldisham

124 - Land East of B1111, Garboldisham, Garboldisham

402 - Old Mill House

- , Garboldisham
- 078 Land to rear of The Horse Shoes, Gressenhall
- 268 Land to the rear of greenacres, church road.
- , Griston
- 348 Paynes Meadow, Griston
- 395 South Of Caston Road, Griston
- 012 Land to North of Quidenham Road, Harling
- 102 Land to South of Allotments NR16 2L2 Option 2, Harling
- 133 Land at Garboldisham Road, Harling
- 212 Land off Lopham Road, Harling
- 213 Land off Lopham Road, Harling
- 273 Land to South of allotments NR16 2LZ option 1, Harling
- 349 Quidenham Road, Harling
- 350 South Quidenham Road, Harling
- 398 Roundham Road (Potentially not mapped - Open space at junction of Harling and Roudham Roads, Harling Road), Harling
- 018 Land North of Sloe Berry Lane, Hockering
- 351 West Heath Row, Hockering
- 031 Kings Oak, Kenninghall
- 196 Land at Smallholding, Kenninghall
- 399 Land at 5. Garboldisham Road (includes LPRC4SDEV196), Kenninghall
- 353 GP Surgery
- , Kenninghall
- 258 Land East of Pound Lane, Litcham
- 019 South of Maxwell House
- , Mattishall
- 095 Land Next to Ivy Barn, Mattishall
- 156 Poplar Farm: Phase 2, Mattishall

- 157 Land adjoining South Green Park, Mattishall
- 157 Land adjoining South Green Park, Mattishall
- 307 Thynnes Lane, Mattishall
- 357 149 Dereham Road, Mattishall
- 216 Mussel Hill, Narborough
- 217 Point House, Narborough
- 005 Brackenwoods, Necton
- 005 Brackenwoods, Necton
- 008 Field South of St Andrews Lane, Necton
- 149 Land West of Tuns Road, Necton
- 302 North of Pickenham Road Phase 3, Necton
- 027 East of Dereham Road, North Elmham
- 120 Land North of Billingford Road, North Elmham
- 215 Station Yard, North Elmham
- 283 Land at the Corner of Station Road and Worthing Road North Elmham, North Elmham
- 266 Snetterton Heath (Parcel R2), Quidenham
- 277 Land North of Station Road, Ouidenham
- 278 Land South-east of Station Road, Ouidenham
- 363 East of Station Road and North of Wilby Road, Quidenham
- 364 Land to the West of Station Road and North of Heath Road, Quidenham
- 062 East of Rectory Road, Rocklands
- 365 North of Chapel Street, Rocklands
- 403 Area 2 West of Rectory Road, Rocklands
- 404 Area 1 West of Rectory Road, Rocklands

- 362 Land at Barkers Farm, Roudham and Larling
- 020 Bell Lane, Saham Toney
- 069 Pound Hill, Saham Toney
- 070 Pages Place Farm, Saham Toney
- 071 South of Pages Lane, Saham Toney
- 072 Hills Road, Saham Toney
- 090 Saham Tythe Chequers Lane, Saham Toney
- 126 West of Swaffham Road, Saham Toney
- 306 Grange Farm, Saham Toney
- 311 Ovington Road, Saham Toney
- 068 Previous Nurseries, Scarning
- 068 Previous Nurseries, Scarning
- 165 Land South of Dereham Road, Scarning
- 219 Land at Jessop Close, Scarning
- 220 Land South of Dereham Road site 2, Scarning
- 221 Land West of Shipdham Lane, Scarning
- 248 Land at East Oaks, Scarning
- 401 Fen Road, Scarning
- 016 Cedar House, Shipdham
- 029 Old Post Office, Shipdham
- 099 68 Market Street, Shipdham
- 193 Land South of Dereham Road, Shipdham
- 255 Bradenham Road, Shipdham
- 291 Church Lane, Shipdham
- 295 Fieldfare Loke Phase 4, Shipdham
- 296 Fieldfare Loke Phase 5, Shipdham
- 141 Land West of Rocklands Road, Shropham
- 143 Land North of Watton Road, Shropham

- 067 Block Norton Road, South Lopham
- 063 Land East of The Street, Sporle
- 066 Ladys Wood, Sporle
- 076 114 The Street, Sporle
- 145 Land West of The Street (Stud Farm) Site 1, Sporle
- 147 Land East of The Street, Sporle
- 148 Land East of Newton Road, Sporle
- 189 West of Newton Road, Sporle
- 299 East Priory Close, Sporle
- 370 Bunkers Hill (LHS), Sporle
- 389 Sporle Elephant Castle Crossroads, Sporle
- 390 Sporle Elephant Castle Crossroads (100m), Sporle
- 392 Sporle 96 The Street (rear), Sporle
- 025 Land west of South Pickenham Road,, Swaffham
- 119 The Antinghams, Swaffham
- 137 West Acre Road, Swaffham
- 152 Snails Pit Farm, Swaffham
- 153 Manor Farm, Swaffham
- 181 Beachamwell Road, Swaffham
- 182 Cley Road, Swaffham
- 183 (Submitted Site 139) Land West of Dulgate Lane., Swaffham
- 244 Land off New Sporle Road Site 2, Swaffham
- 281 Land South of Princes Street, Swaffham
- 315 Land South of Norwich Road, Swaffham
- 367 Manor Farm Site 1, Swaffham
- 369 Manor Farm Site 2, Swaffham
- 051 Woodgate Road 2, Swanton Morley

- 052 Land at Woodgate Road, Swanton Morley
- 121 Lincoln House, Swanton Morley
- 175 West of Woodgate Road, Swanton Morley
- 176 East Woodgate Lane, Swanton Morley
- 250 Greengate House
- , Swanton Morley
- 252 Rectory Road, Swanton Morley
- 254 Coneyhills Farm. East of Robertson Barracks, Worthing Road, Swanton Morley
- 373 South of Elsing Road, Swanton Morley
- 374 Strudwick Dereham Road, Swanton Morley
- 282 Abbey Estate, Thetford
- 108 Land to the east of Watton Road, Thompson, Thompson
- 140 Woodside Farm, Thompson
- 170 Land Off Tottington Road, Thompson, Thompson
- 171 Marlpit Road, Thompson
- 004 Willow Farm, Dereham Road, Watton
- 042 Church Road, Watton
- 122 St. Giles Road Car Park, Watton
- 289 Land at Thetford Road, Watton, Watton
- 316 Town Green Road, Watton
- 375 Little Hudson Hall Farm, Watton
- 378 Bells Field, Watton
- 379 South of Mallard Road, Watton
- 380 Pigeon Loft Swaffham Road, Watton
- 381 Marley Road, Watton
- 376a Bunker 25 Elworthy Close (Former RAF Watton Bunker - may not be mapped), Watton
- 098 Church Lane, Weasenham

- 227 School Road (See also 245), Weasenham
- 080 Elm Close, Yaxham
- 093 Land at Beech Farm Norwich Road Clint Road, Yaxham
- 094 Norwich Road, Yaxham
- 135 Paper Street 2, Yaxham

Alternative 089 - Land West of Hale Road, Ashill Address: Land West side of Hale Road, IP25 7AX Greenfield Estimated capacity: 15 Site area: 0.79ha dwellings Broad accessibility assessment Settlement Hierarchy: Local Service Centre Dentist Together Dental: 4363 metres (R >) Doctor Watton Medical Practice: 4590 metres (R >) • Leisure Centre Watton Sports and Social Club: 4213 metres (R >) Library Watton Library: 4381 metres (R >) Primary School Ashill VC Primary school: 51 metres (G <) • Secondary School Wayland Academy Norfolk: 4967 metres (R >) Overall ranking Amber: One to three core facilities within threshold accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Local Service Centre location. Category - Allotments Or Community Growing Spaces: 0 Open Space Recycling facilities Ashill Recycling Centre: 1331 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Listed Building The Glebe (Grade II): 232 metres Registered Park Pickenham Hall: 2392 metres Scheduled Site of Panworth Hall and medieval settlement: 847 Monument metres **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Ancient Woodland Site Name Blank: 2720 metres Newton-by-Castle Acre Chalk Pit: 11494 metres Geodiversity site Brettenham Heath: 17992 metres National Nature Reserve County Wildlife Site County Council Tip: 1336 metres Great Eastern Pingo Trail: 9372 metres Local Nature Reserve Ramsar Roydon Common: 26060 metres Special Protection Breckland 4323 metres. (Site Beyond 1.5km, HRA unlikely to be required.) Area (SPA) Within Stone Curlew buffer: No Great Cressingham Fen 4192 metres SSSI

Special Area of Conservation (SAC)	Norfolk Valley Fens: 4192 metres
Conservation (SAC)	
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Watton. Currently no available headroom, but permit awaited to increase capacity for growth to come forward.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

199 - Land West of Hale Road (Phase | Alternative 2), Ashill

Address: Land West of Hale Road (Phase 2), IP25 7BG

Estimated capacity: 15 Site area: 2.97ha Greenfield dwellings

Broad accessibility assessment

Settlement Hierarchy: Local Service Centre

L	Section and the first city, Escar service serial c	
	• Dentist	Together Dental: 4974 metres (R >)
	 Doctor 	Oak Farm Surgery: 4110 metres (R >)
	 Leisure Centre 	Watton Sports and Social Club: 4806 metres (R >)
	• Library	Watton Library: 4994 metres (R >)
	 Primary School 	Ashill VC Primary school: 596 metres (G <)
	 Secondary School 	Wayland Academy Norfolk: 5583 metres (R >)
	Overall ranking	Amber: One to three core facilities within threshold
	accessibility	distance

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services

Red 0 core services	
Walking and cycling	Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Local Service Centre location.
Open Space	Category - Playing Field: 0 metres
Recycling facilities	Ashill Recycling Centre: 1151 metres
Heritage (nearest design production)	nated heritage asset analysis – Heritage Impact Assessment in
Conservation Area	Not within a CA
Listed Building	Church Of St Nicholas (Grade I): 637 metres
Registered Park	Pickenham Hall: 2157 metres
Scheduled	Devil's Dyke: 943 metres
Monument	
Natural Environment	(nearest designated geo / biodiversity sites and features. Local Plan
HRA will assess subsequent Local Plan policy and proposals)	
Nutrient Neutrality	No
Catchment Area	
Ancient Woodland	Site Name Blank: 2996 metres

Nutrient Neutrality	No
Catchment Area	
Ancient Woodland	Site Name Blank: 2996 metres
Geodiversity site	Newton-by-Castle Acre Chalk Pit: 10799 metres
National Nature	Brettenham Heath: 18609 metres
Reserve	
County Wildlife Site	County Council Tip: 1139 metres
Local Nature Reserve	Great Eastern Pingo Trail: 9987 metres
Ramsar	Roydon Common: 25367 metres
Special Protection	Breckland 4162 metres. (Site Beyond 1.5km, HRA
Area (SPA)	unlikely to be required.)
	Within Stone Curlew buffer: No
SSSI	Breckland Forest 4162 metres

Special Area of Conservation (SAC)	Norfolk Valley Fens: 4178 metres
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Watton. Currently no available headroom, but permit awaited to increase capacity for growth to come forward.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

Alternative 229 - Land East of Hale Road, Ashill Address: Land East of Hale Road, IP25 7ED Greenfield Site area: 0.50ha Estimated capacity: 10 dwellings Broad accessibility assessment Settlement Hierarchy: Local Service Centre Together Dental: 5353 metres (R >) Dentist Doctor Oak Farm Surgery: 3679 metres (R >) • Leisure Centre Watton Sports and Social Club: 5140 metres (R >) Watton Library: 5380 metres (R >) Library • Primary School Ashill VC Primary school: 1073 metres (G <) Wayland Academy Norfolk: 5974 metres (R >) Secondary School Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Local Service Centre location. Category - Playing Field: 505 metres Open Space Recycling facilities Ashill Recycling Centre: 1718 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Bury's Hall (Grade II): 599 metres Listed Building Pickenham Hall: 2613 metres Registered Park Scheduled Devil's Dyke: 694 metres Monument **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Site Name Blank: 2957 metres Ancient Woodland Newton-by-Castle Acre Chalk Pit: 10477 metres Geodiversity site National Nature Brettenham Heath: 19112 metres Reserve County Wildlife Site Disused Railway: 1628 metres Local Nature Reserve Great Eastern Pingo Trail: 10368 metres Roydon Common: 25237 metres Ramsar Breckland 4397 metres. (Site Beyond 1.5km, HRA **Special Protection** unlikely to be required.) Area (SPA) Within Stone Curlew buffer: No Breckland Forest 4397 metres SSSI Special Area of Norfolk Valley Fens: 4743 metres Conservation (SAC)

Agricultural Land	Grade 3
-------------------	---------

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Watton. Currently no available headroom, but permit awaited to increase capacity for growth to come forward.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

235 - Land West of Hale Road (Phase | Alternative 1), Ashill

Address: Land West of Hale Road (Phase 1), IP25 7BG

Greenfield Site area: 4.15ha Estimated capacity: 25 dwellings

Broad accessibility assessment

Settlement Hierarchy: Local Service Centre

Section and the critical and the control		ZOCCO CONTROL CONTROL
•	Dentist	Together Dental: 4913 metres (R >)
•	Doctor	Oak Farm Surgery: 4071 metres (R >)
•	Leisure Centre	Watton Sports and Social Club: 4728 metres (R >)
•	Library	Watton Library: 4935 metres (R >)
•	Primary School	Ashill VC Primary school: 569 metres (G <)
•	Secondary School	Wayland Academy Norfolk: 5527 metres (R >)
ó	verall ranking	Amber: One to three core facilities within threshold
ac	cessibility	distance

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services

Special Protection

Area (SPA)

SSSI

Red 0 core services	
Walking and cycling	Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Local Service Centre location.
Open Space	Category - Playing Field: 0 metres
Recycling facilities	Ashill Recycling Centre: 1292 metres
Heritage (nearest design production)	nated heritage asset analysis – Heritage Impact Assessment in
Conservation Area	Not within a CA
Listed Building	Church Of St Nicholas (Grade I): 661 metres
Registered Park	Pickenham Hall: 2299 metres
Scheduled	Devil's Dyke: 724 metres
Monument	
Natural Environment HRA will assess subsequen	(nearest designated geo / biodiversity sites and features. Local Plan t Local Plan policy and proposals)
Nutrient Neutrality Catchment Area	No
Ancient Woodland	Site Name Blank: 2820 metres
Geodiversity site	Newton-by-Castle Acre Chalk Pit: 10815 metres
National Nature Reserve	Brettenham Heath: 18609 metres
County Wildlife Site	County Council Tip: 1281 metres
Local Nature Reserve	Great Eastern Pingo Trail: 9929 metres
Ramsar	Roydon Common: 25431 metres

unlikely to be required.)

Within Stone Curlew buffer: No Breckland Forest 4284 metres

Breckland 4284 metres. (Site Beyond 1.5km, HRA

Special Area of Conservation (SAC)	Norfolk Valley Fens: 4314 metres
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%	
Flood Zone 2	Proportion of site area 0.00%	

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Watton. Currently no available headroom, but permit awaited to increase capacity for growth to come forward.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

318 - Old Hall, Ashill **Alternative** Address: Area 1, Old Hall, Ashall, IP25 7BZ Estimated capacity: 5 dwellings Mostly Green Site area: 0.48ha **Broad accessibility assessment** Settlement Hierarchy: Local Service Centre Together Dental: 4200 metres (R >) Dentist Doctor Watton Medical Practice: 4462 metres (R >) Leisure Centre Watton Sports and Social Club: 4152 metres (R >) Watton Library: 4201 metres (R >) Library • Primary School Ashill VC Primary school: 891 metres (G <) Wayland Academy Norfolk: 4760 metres (R >) Secondary School Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Local Service Centre location. Category - Church: 536 metres Open Space Recycling facilities Ashill Recycling Centre: 909 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA The Glebe (Grade II): 552 metres Listed Building Pickenham Hall: 1722 metres Registered Park Site of Panworth Hall and medieval settlement: 1681 Scheduled Monument metres **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Site Name Blank: 3326 metres Ancient Woodland Geodiversity site Newton-by-Castle Acre Chalk Pit: 11978 metres National Nature Brettenham Heath: 17459 metres Reserve County Wildlife Site County Council Tip: 927 metres Great Eastern Pingo Trail: 9136 metres Local Nature Reserve Roydon Common: 26210 metres Ramsar Breckland 3697 metres. (Site Beyond 1.5km, HRA **Special Protection** unlikely to be required.) Area (SPA) Within Stone Curlew buffer: No SSSI Great Cressingham Fen 3345 metres Special Area of Norfolk Valley Fens: 3345 metres Conservation (SAC)

Agricultural Land	Grade 3
-------------------	---------

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Watton. Currently no available headroom, but permit awaited to increase capacity for growth to come forward.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

318 - Old Hall, Ashill **Alternative** Address: Area 2, Old Hall, Ashill, IP25 7BZ Estimated capacity: 5 dwellings Mostly Green Site area: 0.83ha **Broad accessibility assessment** Settlement Hierarchy: Local Service Centre Together Dental: 4200 metres (R >) Dentist Doctor Watton Medical Practice: 4462 metres (R >) Leisure Centre Watton Sports and Social Club: 4152 metres (R >) Watton Library: 4201 metres (R >) Library • Primary School Ashill VC Primary school: 891 metres (G <) Wayland Academy Norfolk: 4760 metres (R >) Secondary School Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Local Service Centre location. Category - Church: 536 metres Open Space Recycling facilities Ashill Recycling Centre: 909 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA The Glebe (Grade II): 552 metres Listed Building Pickenham Hall: 1722 metres Registered Park Site of Panworth Hall and medieval settlement: 1681 Scheduled Monument metres **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Site Name Blank: 3326 metres Ancient Woodland Geodiversity site Newton-by-Castle Acre Chalk Pit: 11978 metres National Nature Brettenham Heath: 17459 metres Reserve County Wildlife Site County Council Tip: 927 metres Great Eastern Pingo Trail: 9136 metres Local Nature Reserve Roydon Common: 26210 metres Ramsar Breckland 3697 metres. (Site Beyond 1.5km, HRA **Special Protection** unlikely to be required.) Area (SPA) Within Stone Curlew buffer: No SSSI Great Cressingham Fen 3345 metres Special Area of Norfolk Valley Fens: 3345 metres Conservation (SAC)

Agricultural Land	Grade 3
-------------------	---------

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Watton. Currently no available headroom, but permit awaited to increase capacity for growth to come forward.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

321 - Firs Field	, Ashill		Alternative
Address: Firs Field, Ash	nill, IP25 7BF		
Greenfield	Site area: 11.13ha	Estimated dwellings	capacity: 45
Broad accessibility as	sessment		
Settlement Hierarchy:			
 Dentist 	Together Dental: 3813	metres (R >)	
 Doctor 	Watton Medical Practice: 4024 metres (R >)		
 Leisure Centre 	Watton Sports and Social Club: 3628 metres (R >)		
 Library 	Watton Library: 3837 metres (R >)		
 Primary School 	Ashill VC Primary school: 170 metres (G <)		
 Secondary School 	Wayland Academy Norfolk: 4430 metres (R >)		
Overall ranking accessibility	Amber: One to three core facilities within threshold distance		
800m/10 minutes walking distan employment.	ce of the site in town centres; 1,200)m elsewhere and	d 2,000m for school access and
 Green 4+ core services v Amber 1 to 3 core services Red 0 core services 			
Walking and cycling	Opportunities for walking and cycling access / enhancement based on accessibility to facilities and		
0	Local Service Centre loc		
Open Space	Category - General: 35 metres Ashill Recycling Centre: 1497 metres		
Recycling facilities	ated heritage asset analysis –		
production)	ateu nemage asset anatysis –	neritage impa	act Assessment in
Conservation Area	Not within a CA		
Listed Building	The Glebe (Grade II): 44	1 metres	
Registered Park	Pickenham Hall: 2575 metres		
Scheduled	Site of Panworth Hall and medieval settlement: 515		
Monument	metres		
Natural Environment	(nearest designated geo / bio	diversity sites	and features. Local Plan
	t Local Plan policy and propos	als)	
Nutrient Neutrality	No		
Catchment Area	C'L N. D. L. 2200		
Ancient Woodland	Site Name Blank: 2208 r		1420
Geodiversity site	Newton-by-Castle Acre Chalk Pit: 11430 metres		
National Nature	Brettenham Heath: 176	u <i>i</i> metres	
Reserve	Cauahi Canadi Tian 450	0	
County Wildlife Site	County Council Tip: 150		
Local Nature Reserve	Great Eastern Pingo Tra		ies
Ramsar Special Deptaction	Roydon Common: 26097		d 1 Ekm LIDA
Special Protection	Breckland 4025 metres. (Site Beyond 1.5km, HRA		
Area (SPA)	unlikely to be required.) Within Stone Curlew buffer: No		
SSSI	Breckland Farmland 402		
Special Area of	Norfolk Valley Fens: 433		
Conservation (SAC)	NOTION VAILEY FEIIS, 433	יי ווופנופט	
COUSEL AQUIOU (SMC)			

Agricultural Land	Grade 3
-------------------	---------

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Watton. Currently no available headroom, but permit awaited to increase capacity for growth to come forward.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

Alternative 322 - Dunnett's Close, Ashill Address: Dunnett's Close, Ashill, IP25 7FQ Greenfield Site area: 4.28ha Estimated capacity: 65 dwellings Broad accessibility assessment Settlement Hierarchy: Local Service Centre Together Dental: 4807 metres (R >) Dentist Doctor Oak Farm Surgery: 3922 metres (R >) • Leisure Centre Watton Sports and Social Club: 4581 metres (R >) Watton Library: 4836 metres (R >) Library • Primary School Ashill VC Primary school: 637 metres (G <) Wayland Academy Norfolk: 5432 metres (R >) Secondary School Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Local Service Centre location. Category - Public Park Or Garden: 232 metres Open Space Recycling facilities Ashill Recycling Centre: 1749 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Bury's Hall (Grade II): 865 metres Listed Building Pickenham Hall: 2780 metres Registered Park Scheduled Devil's Dyke: 344 metres Monument **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Site Name Blank: 2463 metres Ancient Woodland Newton-by-Castle Acre Chalk Pit: 10764 metres Geodiversity site National Nature Brettenham Heath: 18615 metres Reserve County Wildlife Site Disused Railway: 1462 metres Local Nature Reserve Great Eastern Pingo Trail: 9818 metres Roydon Common: 25551 metres Ramsar Breckland 4668 metres. (Site Beyond 1.5km, HRA **Special Protection** unlikely to be required.) Area (SPA) Within Stone Curlew buffer: No Breckland Forest 4668 metres SSSI Special Area of Norfolk Valley Fens: 4754 metres Conservation (SAC)

Agricultural Land	Grade 3
-------------------	---------

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Watton. Currently no available headroom, but permit awaited to increase capacity for growth to come forward.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

323 - Swaffham Road, Ashill **Alternative** Address: Swaffham Road, Ashill. Greenfield Site area: 0.27ha Estimated capacity: 7 dwellings Broad accessibility assessment Settlement Hierarchy: Local Service Centre Together Dental: 4653 metres (R >) Dentist Doctor Watton Medical Practice: 4906 metres (R >) • Leisure Centre Watton Sports and Social Club: 4572 metres (R >) Watton Library: 4659 metres (R >) Library • Primary School Ashill VC Primary school: 693 metres (G <) Wayland Academy Norfolk: 5228 metres (R >) Secondary School Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Local Service Centre location. Category - Church: 288 metres Open Space Recycling facilities Ashill Recycling Centre: 704 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Church Of St Nicholas (Grade I): 336 metres Listed Building Pickenham Hall: 1750 metres Registered Park Site of Panworth Hall and medieval settlement: 1485 Scheduled Monument metres **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Site Name Blank: 3361 metres Ancient Woodland Geodiversity site Newton-by-Castle Acre Chalk Pit: 11436 metres National Nature Brettenham Heath: 17988 metres Reserve County Wildlife Site County Council Tip: 714 metres Local Nature Reserve Great Eastern Pingo Trail: 9616 metres Roydon Common: 25782 metres Ramsar Breckland 3921 metres. (Site Beyond 1.5km, HRA **Special Protection** unlikely to be required.) Area (SPA) Within Stone Curlew buffer: No SSSI Great Cressingham Fen 3570 metres Special Area of Norfolk Valley Fens: 3570 metres Conservation (SAC)

Agricultural Land	Grade 3
-------------------	---------

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Watton. Currently no available headroom, but permit awaited to increase capacity for growth to come forward.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

022 - The Hollies , Ashill

Alternative

Address: Site 2 - Outbuildings/Sheds and Garden Land, The Hollies, Ashill, IP25 7DB

Brownfield Site area: 0.18ha Estimated capacity: 0 dwellings

Broad accessibility assessment

Settlement Hierarchy: Local Service Centre

•	Dentist	Together Dental: 4350 metres (R >)
•	Doctor	Watton Medical Practice: 4595 metres (R >)
•	Leisure Centre	Watton Sports and Social Club: 4248 metres (R >)
•	Library	Watton Library: 4359 metres (R >)
•	Primary School	Ashill VC Primary school: 450 metres (G <)
•	Secondary School	Wayland Academy Norfolk: 4935 metres (R >)
	verall ranking	Amber: One to three core facilities within threshold
a	ccessibility	distance

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

Walking and cycling	Opportunities for walking and cycling access /	
	enhancement based on accessibility to facilities and	
	Local Service Centre location.	
Open Space	Category - Church: 74 metres	
Recycling facilities	Ashill Recycling Centre: 1031 metres	
Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production)		
Conservation Area	Not within a CA	
Listed Building	The Glebe (Grade II): 99 metres	
Registered Park	Pickenham Hall: 2048 metres	
Scheduled	Site of Panworth Hall and medieval settlement: 1278	
Monument	Nonument metres	
Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals)		

Nutrient Neutrality	No
Catchment Area	
Ancient Woodland	Site Name Blank: 3041 metres
Geodiversity site	Newton-by-Castle Acre Chalk Pit: 11692 metres
National Nature	Brettenham Heath: 17814 metres
Reserve	
County Wildlife Site	County Council Tip: 1043 metres
Local Nature Reserve	Great Eastern Pingo Trail: 9334 metres
Ramsar	Roydon Common: 26106 metres

Special Protection Area (SPA)	Breckland 4122 metres. (Site Beyond 1.5km, HRA unlikely to be required.) Within Stone Curlew buffer: No
SSSI	Great Cressingham Fen 3816 metres
Special Area of	Norfolk Valley Fens: 3816 metres
Conservation (SAC)	
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Data for settlement not provided. Data for settlement not provided

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

023 - The Hollies (Paddock) , Ashill

Alternative

Address: Site 1 - Paddock Land/Hard Standing, Land South of The Hollies, IP25 7DB

Greenfield Site area: 0.90ha Estimated capacity: 0 dwellings

Broad accessibility assessment

Settlement Hierarchy: Local Service Centre

•	Dentist	Together Dental: 4262 metres (R >)
•	Doctor	Watton Medical Practice: 4510 metres (R >)
•	Leisure Centre	Watton Sports and Social Club: 4171 metres (R >)
•	Library	Watton Library: 4270 metres (R >)
•	Primary School	Ashill VC Primary school: 473 metres (G <)
•	Secondary School	Wayland Academy Norfolk: 4843 metres (R >)
Overall ranking Amber: One to three core facilities		Amber: One to three core facilities within threshold
a	ccessibility	distance

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

Walking and cycling		
	enhancement based on accessibility to facilities and	
	Local Service Centre location.	
Open Space	Category - Church: 129 metres	
Recycling facilities		
Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production)		
Consequation Assa	Not within a CA	

Conservation Area	Not within a CA
Listed Building	The Glebe (Grade II): 122 metres
Registered Park	Pickenham Hall: 2005 metres
Scheduled	Site of Panworth Hall and medieval settlement: 1297
Monument	metres

Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals)

Nutrient Neutrality	No
Catchment Area	
Ancient Woodland	Site Name Blank: 3053 metres
Geodiversity site	Newton-by-Castle Acre Chalk Pit: 11726 metres
National Nature	Brettenham Heath: 17698 metres
Reserve	
County Wildlife Site	County Council Tip: 1013 metres
Local Nature Reserve	Great Eastern Pingo Trail: 9239 metres
Ramsar	Roydon Common: 26118 metres

Special Protection	Breckland 4005 metres. (Site Beyond 1.5km, HRA	
Area (SPA)	unlikely to be required.)	
	Within Stone Curlew buffer: No	
SSSI	Great Cressingham Fen 3739 metres	
Special Area of	Norfolk Valley Fens: 3739 metres	
Conservation (SAC)		
Agricultural Land	Grade 3	

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Data for settlement not provided. Data for settlement not provided

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

037 - Land at Nursery Lane, Banham **Alternative** Address: Land at Nursey Lane, Rushford, IP24 2SE Greenfield Site area: 0.53ha Estimated capacity: 5 dwellings **Broad accessibility assessment** Settlement Hierarchy: Local Service Centre mydentist: 5349 metres (R >) Dentist Doctor Grove Surgery: 5386 metres (R >) • Leisure Centre Breckland Leisure Centre: 5750 metres (R >) Thetford Library: 5473 metres (R >) Library Primary School Raleigh Infant School and Nursery: 5105 metres (R >) Secondary School The Thetford Academy: 5666 metres (R >) Red: No facilities within threshold distance Overall ranking accessibility 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Relative isolation from facilities make location less Walking and cycling attractive for walking and cycling. Local Service Centre location provides some opportunity for enhancement. Category - General: 410 metres Open Space Recycling facilities Thetford Main Recycling Centre Plus: 6438 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA The Old School House (Grade II): 69 metres Listed Building Shadwell Park: 376 metres Registered Park Scheduled Rushford Bridge Monument See also SUFFOLK 242: 515 metres Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** Nο Catchment Area Ancient Woodland Fakenham Wood: 3202 metres Geodiversity site Hockham: 11046 metres National Nature Brettenham Heath: 3414 metres Reserve County Wildlife Site Adjacent River Little Ouse: 214 metres Local Nature Reserve Barnham Cross Common: 5357 metres Ramsar Redgrave & South Lopham Fens: 11698 metres **Special Protection** Breckland 1144 metres. (Site Less than 1.5km, HRA Area (SPA) required.) Within Stone Curlew buffer: Yes SSSI Breckland Farmland 1144 metres Special Area of Breckland: 3414 metres Conservation (SAC) Agricultural Land Grade 4

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Attleborough STW. Unlikely to be capacity for additional growth above Attleborough SUE.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

Alternative 075 - The Granary, Wash Lane, **Banham** Address: The Granary, Wash Lane, NR16 2HD Estimated capacity: 2 dwellings Greenfield Site area: 1.08ha **Broad accessibility assessment** Settlement Hierarchy: Local Service Centre Rookwood Dental Practice: 7944 metres (R >) Dentist Doctor Kings Ride Surgery: 2808 metres (R >) Leisure Centre Attleborough Sports Hall: 8265 metres (R >) Attleborough Library: 8129 metres (R >) Library Primary School Kenninghall Primary School: 3146 metres (R >) Secondary School Old Buckenham High School: 4305 metres (R >) Overall ranking Red: No facilities within threshold distance accessibility 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Relative isolation from facilities make location less. Walking and cycling attractive for walking and cycling. Local Service Centre location provides some opportunity for enhancement. Category - General: 253 metres Open Space Recycling facilities Snetterton Part-time Recycling Centre: 5755 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Wash Farmhouse (Grade II): 59 metres Listed Building Registered Park Breccles Hall: 12143 metres Scheduled Double moat called The Candle Yards: 1603 metres Monument **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Ancient Woodland Lopham Grove: 3180 metres Geodiversity site Hockham: 12081 metres National Nature Redgrave & Lopham Fen: 6974 metres Reserve County Wildlife Site Copince's Fen: 1500 metres Local Nature Reserve Roydon Fen: 8137 metres Redgrave & South Lopham Fens: 6974 metres Ramsar **Special Protection** Breckland 7808 metres. (Site Beyond 1.5km, HRA Area (SPA) unlikely to be required.) Within Stone Curlew buffer: No Kenninghall & Banham Fens with Quidenham Mere 1900 SSSI metres

Special Area of	Waveney & Little Ouse Valley Fens: 6974 metres
Conservation (SAC)	
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Attleborough STW. Unlikely to be capacity for additional growth above Attleborough SUE.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

191 - East of Mill Road, Banham **Alternative** Address: Land East of Mill Road, Banham, NR16 2HU Greenfield Site area: 1.53ha Estimated capacity: 45 dwellings **Broad accessibility assessment** Settlement Hierarchy: Local Service Centre Rookwood Dental Practice: 6867 metres (R >) Dentist Doctor Kings Ride Surgery: 4003 metres (R >) • Leisure Centre Attleborough Sports Hall: 7174 metres (R >) Attleborough Library: 7024 metres (R >) Library Primary School Old Buckenham Primary School: 3031 metres (R >) Secondary School Old Buckenham High School: 3011 metres (R >) Red: No facilities within threshold distance Overall ranking accessibility 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Relative isolation from facilities make location less Walking and cycling attractive for walking and cycling. Local Service Centre location provides some opportunity for enhancement. Category - General: 335 metres Open Space Recycling facilities Snetterton Part-time Recycling Centre: 5899 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Hillcrest (Grade II): 214 metres Listed Building Breccles Hall: 12019 metres Registered Park Tumulus W of Leader's Spinney: 1143 metres Scheduled Monument **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** Nο Catchment Area Ancient Woodland Lopham Grove: 4616 metres Geodiversity site Hockham: 12213 metres National Nature Redgrave & Lopham Fen: 8453 metres Reserve County Wildlife Site Jubilee Plantation: 798 metres Local Nature Reserve Roydon Fen: 9175 metres Ramsar Redgrave & South Lopham Fens: 8453 metres **Special Protection** Breckland 8925 metres. (Site Beyond 1.5km, HRA unlikely to be required.) Area (SPA) Within Stone Curlew buffer: No SSSI New Buckenham Common 2539 metres Special Area of Norfolk Valley Fens: 6617 metres Conservation (SAC) Agricultural Land Grade 2

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Attleborough STW. Unlikely to be capacity for additional growth above Attleborough SUE.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

265 - North of Community Centre, **Alternative** Banham Address: Land West of Crown Street, North of Community Centre, Banham, NR16 2HB Site area: 2.70ha Greenfield Estimated capacity: 20 dwellings **Broad accessibility assessment** Settlement Hierarchy: Local Service Centre Rookwood Dental Practice: 7498 metres (R >) Dentist Doctor Kings Ride Surgery: 2856 metres (R >) Attleborough Sports Hall: 7821 metres (R >) Leisure Centre Attleborough Library: 7687 metres (R >) Library Primary School Kenninghall Primary School: 3228 metres (R >) • Secondary School Old Buckenham High School: 3874 metres (R >) Red: No facilities within threshold distance Overall ranking accessibility 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Relative isolation from facilities make location less Walking and cycling attractive for walking and cycling. Local Service Centre location provides some opportunity for enhancement. Category - General: 0 metres Open Space Recycling facilities Snetterton Part-time Recycling Centre: 5434 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Banham Listed Building Kings Head Cottage (Grade II*): 11 metres Registered Park Breccles Hall: 11779 metres Scheduled Tumulus W of Leader's Spinney: 1648 metres Monument Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Ancient Woodland Lopham Grove: 3666 metres Geodiversity site Hockham: 11775 metres National Nature Redgrave & Lopham Fen: 7426 metres Reserve County Wildlife Site Copince's Fen: 1207 metres Local Nature Reserve Roydon Fen: 8593 metres Redgrave & South Lopham Fens: 7426 metres Ramsar **Special Protection** Breckland 7833 metres. (Site Beyond 1.5km, HRA unlikely to be required.) Area (SPA) Within Stone Curlew buffer: No SSSI Kenninghall & Banham Fens with Quidenham Mere 1725 metres

Special Area of Conservation (SAC)	Norfolk Valley Fens: 6598 metres
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Attleborough STW. Unlikely to be capacity for additional growth above Attleborough SUE.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

Alternative 270 - Crown Street, Banham Address: 27-31 Crown Street, Banham, NR16 2EX Mostly Green Site area: 0.19ha Estimated capacity: 6 dwellings Broad accessibility assessment Settlement Hierarchy: Local Service Centre Rookwood Dental Practice: 7486 metres (R >) Dentist Doctor Kings Ride Surgery: 3109 metres (R >) • Leisure Centre Attleborough Sports Hall: 7806 metres (R >) Attleborough Library: 7668 metres (R >) Library • Primary School Kenninghall Primary School: 3484 metres (R >) Old Buckenham High School: 3822 metres (R >) Secondary School Red: No facilities within threshold distance Overall ranking accessibility 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Relative isolation from facilities make location less Walking and cycling attractive for walking and cycling. Local Service Centre location provides some opportunity for enhancement. Category - General: 85 metres Open Space Recycling facilities Snetterton Part-time Recycling Centre: 5614 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Banham Stinton Lodge (Grade II): 15 metres Listed Building Registered Park Breccles Hall: 11934 metres Scheduled Tumulus W of Leader's Spinney: 1618 metres Monument Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** Nο Catchment Area Ancient Woodland Lopham Grove: 3825 metres Geodiversity site Hockham: 11958 metres Redgrave & Lopham Fen: 7614 metres National Nature Reserve County Wildlife Site Copince's Fen: 1401 metres Local Nature Reserve Roydon Fen: 8703 metres Ramsar Redgrave & South Lopham Fens: 7614 metres **Special Protection** Breckland 8080 metres. (Site Beyond 1.5km, HRA unlikely to be required.) Area (SPA) Within Stone Curlew buffer: No SSSI Kenninghall & Banham Fens with Quidenham Mere 1954 metres Special Area of Norfolk Valley Fens: 6711 metres Conservation (SAC)

Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Attleborough STW. Unlikely to be capacity for additional growth above Attleborough SUE.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

271 - West of Mill Road, Banham **Alternative** Address: Land West of Mill Road, Banham, NR16 2HU Estimated capacity: 26 Mostly Green Site area: 0.61ha dwellings Broad accessibility assessment Settlement Hierarchy: Local Service Centre Rookwood Dental Practice: 6919 metres (R >) Dentist Doctor Kings Ride Surgery: 3664 metres (R >) Leisure Centre Attleborough Sports Hall: 7233 metres (R >) Attleborough Library: 7089 metres (R >) Library Primary School Old Buckenham Primary School: 3157 metres (R >) Secondary School Old Buckenham High School: 3171 metres (R >) Red: No facilities within threshold distance Overall ranking accessibility 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Relative isolation from facilities make location less. Walking and cycling attractive for walking and cycling. Local Service Centre location provides some opportunity for enhancement. Category - General: 0 metres Open Space Recycling facilities Snetterton Part-time Recycling Centre: 5605 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Row Of 4 Cottages At 0681 8846 About 30 Metres South Listed Building South East Of Police House (Grade II): 74 metres Registered Park Breccles Hall: 11794 metres Scheduled Tumulus W of Leader's Spinney: 1074 metres Monument Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Ancient Woodland Lopham Grove: 4323 metres Geodiversity site Hockham: 11936 metres National Nature Redgrave & Lopham Fen: 8146 metres Reserve County Wildlife Site Jubilee Plantation: 905 metres Local Nature Reserve Rovdon Fen: 9050 metres Ramsar Redgrave & South Lopham Fens: 8146 metres **Special Protection** Breckland 8571 metres. (Site Beyond 1.5km, HRA Area (SPA) unlikely to be required.) Within Stone Curlew buffer: No SSSI Kenninghall & Banham Fens with Quidenham Mere 2298 metres

Special Area of Conservation (SAC)	Norfolk Valley Fens: 6447 metres
Conservation (SAC)	
Agricultural Land	Grade 2

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Attleborough STW. Unlikely to be capacity for additional growth above Attleborough SUE.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

328 - Heath Ro	ad, Banham		Alternative
Address: Heath Road,	•		
Greenfield	Site area: 1.22ha	Estimated	capacity: 4 dwellings
Broad accessibility as			
Settlement Hierarchy:		. 7464	. (5.)
Dentist	Rookwood Dental Pract		• •
• Doctor	Kings Ride Surgery: 386	•	•
Leisure Centre	Attleborough Sports Ha		
Library Deign on Calcada	Attleborough Library: 7		· ·
Primary School Secondary School	Old Buckenham Primary		
Secondary School	Old Buckenham High Sc		
Overall ranking accessibility	Red: No facilities within threshold distance		
employment.	ce of the site in town centres; 1,200	m elsewhere and	d 2,000m for school access and
 Green 4+ core services Amber 1 to 3 core services Red 0 core services 			
Walking and cycling	Relative isolation from f		
	attractive for walking ar		
	location provides some		for enhancement.
Open Space	Category - General: 569	metres	
Recycling facilities	Snetterton Part-time Re		
production)	ated heritage asset analysis –	Heritage Impa	ct Assessment in
Conservation Area	Not within a CA		
Listed Building	Barn At Mill Farm (Grade		tres
Registered Park	Breccles Hall: 12472 me		
Scheduled	Tumulus W of Leader's S	Spinney: 170	1 metres
Monument			
	(nearest designated geo / biog t Local Plan policy and proposa		and features. Local Plan
Nutrient Neutrality	No		
Catchment Area			
Ancient Woodland	Lopham Grove: 4055 me	etres	
Geodiversity site	Hockham: 12593 metres	<u> </u>	
National Nature	Redgrave & Lopham Fer	n: 7901 metr	es
Reserve			
County Wildlife Site	Jubilee Plantation: 1393	metres	
Local Nature Reserve	Roydon Fen: 8582 metre		
Ramsar	Redgrave & South Lopha	am Fens: 79	01 metres
Special Protection	Breckland 8858 metres.	•	d 1.5km, HRA
Area (SPA)	unlikely to be required.		
	Within Stone Curlew bu		
SSSI	Kenninghall & Banham F	ens with Qu	uidenham Mere 2745
-	metres		
Special Area of	Norfolk Valley Fens: 712	24 metres	
Conservation (SAC)			

Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Attleborough STW. Unlikely to be capacity for additional growth above Attleborough SUE.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

161 - North of Foxley Road, Bawdeswell

Alternative

Address: Land North of Foxley Road, Bawdeswell,

Greenfield Site area: 7.36ha Estimated capacity: 140 dwellings

Broad accessibility assessment

Settlement Hierarchy: Local Service Centre

Norfolk PCT Dental Services: 8216 metres (R >) Dentist Elmham Surgery: 5366 metres (R >) Doctor Leisure Centre Dereham Leisure Centre: 9341 metres (R >) Dereham Library: 9373 metres (R >) Library Bawdeswell Community Primary School: 38 metres (G <) Primary School • Secondary School Northgate High School: 8563 metres (R >) Amber: One to three core facilities within threshold Overall ranking accessibility distance

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

Walking and cycling	Opportunities for walking and cycling access /
	enhancement based on accessibility to facilities and
	Local Service Centre location.
Open Space	Category - Playing Field: 212 metres
Recycling facilities	Dereham Main Recycling Centre Plus: 9760 metres
	ated heritage asset analysis – Heritage Impact Assessment in
production)	
Conservation Area	Bawdeswell
Listed Building	Chaucer House (Grade II): 249 metres
Registered Park	Elmham House: 5192 metres
Scheduled	A Roman roadside settlement 150m south-west of
Monument	Billingford Hall: 3103 metres
Natural Environment	(nearest designated geo / biodiversity sites and features. Local Plan
HRA will assess subsequen	Local Plan policy and proposals)
Nutrient Neutrality	Yes River Wensum SAC
Catchment Area	
Ancient Woodland	Foxley Wood: 1222 metres
Geodiversity site	Hempton Quarry: 15355 metres
National Nature	Foxley Wood: 1224 metres
Reserve	
County Wildlife Site	Gibbet Hill Platn & Bawd Heath: 981 metres
Local Nature Reserve	Litcham Common: 15352 metres
Ramsar	Broadland: 21992 metres
Special Protection	Broadland 21992 metres. (Site Beyond 1.5km, HRA
Area (SPA)	unlikely to be required.)
	Within Stone Curlew buffer: No
SSSI	Foxley Wood 1224 metres

Special Area of	River Wensum: 2584 metres
Conservation (SAC)	
Agricultural Land	Grade 2

Flood Zone 3 Proportion of site area 0.00%
Flood Zone 2 Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice No major surface water issues / constraints identified (Green RAG)

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Bylaugh Near Church. Capacity for growth of around 400 dwellings without investment

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

Bidwells on behalf of Abel Homes Abel Homes are promoting land north of Foxley Road, Bawdeswell for residential development

(LPR/CS4/DEV/161). The Site Profile assessment undertaken by the Council in relation to the site

concludes that:

The site is within Bawdeswell a Local Service Centre and is Greenfield Adjacent to the existing built-up

area.

All scenarios in the Development Scenarios consultation align with the site.

Accordingly, the site will be considered by the Council as part of their Phase 2 Assessment; a position

supported by Abel Homes. However, in undertaking the high level assessment of the site, it is evident that

certain incorrect assumptions have been made by the Council. To ensure that the Phase 2 Assessment is

robust and based on correct information these matters are addressed below

Other objections

Alternative 210 - Dereham Road, Bawdeswell Address: Land Off Dereham Road, Bawdeswell, NR20 4RR Greenfield Site area: 0.73ha Estimated capacity: 15 dwellings Broad accessibility assessment Settlement Hierarchy: Local Service Centre Norfolk PCT Dental Services: 8069 metres (R >) Dentist Doctor Swanton Morley PMS Practice: 5559 metres (R >) Leisure Centre Dereham Leisure Centre: 9179 metres (R >) Dereham Library: 9218 metres (R >) Library Primary School Bawdeswell Community Primary School: 141 metres (G Secondary School Northgate High School: 8416 metres (R >) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Local Service Centre location. Open Space Category - General: 374 metres Recycling facilities Dereham Main Recycling Centre Plus: 9587 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Mileham Conservation Area Listed Building Chaucer House (Grade II): 350 metres Registered Park Elmham House: 5456 metres A Roman roadside settlement 150m south-west of Scheduled Billingford Hall: 3200 metres Monument Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** Yes River Wensum SAC Catchment Area Ancient Woodland Foxley Wood: 1510 metres Geodiversity site Hempton Quarry: 15767 metres National Nature Foxley Wood: 1511 metres Reserve County Wildlife Site Gibbet Hill Platn & Bawd Heath: 831 metres Local Nature Reserve Litcham Common: 15447 metres Broadland: 21968 metres Ramsar Special Protection Broadland 21968 metres. (Site Beyond 1.5km, HRA Area (SPA) unlikely to be required.) Within Stone Curlew buffer: No Foxley Wood 1511 metres SSSI

Special Area of Conservation (SAC)	River Wensum: 2418 metres
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Bylaugh Near Church. Capacity for growth of around 400 dwellings without investment

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

210 - Dereham Road, Bawdeswell **Alternative** Address: South of The Street, Mileham, PE32 2RA Greenfield Estimated capacity: 15 Site area: 0.50ha dwellings Broad accessibility assessment Settlement Hierarchy: Local Service Centre Norfolk PCT Dental Services: 8069 metres (R >) Dentist Doctor Swanton Morley PMS Practice: 5559 metres (R >) Leisure Centre Dereham Leisure Centre: 9179 metres (R >) Dereham Library: 9218 metres (R >) Library Primary School Bawdeswell Community Primary School: 141 metres (G Secondary School Northgate High School: 8416 metres (R >) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Local Service Centre location. Open Space Category - General: 374 metres Recycling facilities Dereham Main Recycling Centre Plus: 9587 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Mileham Conservation Area Listed Building Chaucer House (Grade II): 350 metres Registered Park Elmham House: 5456 metres A Roman roadside settlement 150m south-west of Scheduled Billingford Hall: 3200 metres Monument Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** Yes River Wensum SAC Catchment Area Ancient Woodland Foxley Wood: 1510 metres Geodiversity site Hempton Quarry: 15767 metres National Nature Foxley Wood: 1511 metres Reserve County Wildlife Site Gibbet Hill Platn & Bawd Heath: 831 metres Local Nature Reserve Litcham Common: 15447 metres Broadland: 21968 metres Ramsar Special Protection Broadland 21968 metres. (Site Beyond 1.5km, HRA Area (SPA) unlikely to be required.) Within Stone Curlew buffer: No Foxley Wood 1511 metres SSSI

Special Area of	River Wensum: 2418 metres
Conservation (SAC)	
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%	
Flood Zone 2	Proportion of site area 0.00%	

Norfolk Local Lead Flood Authority advice Major surface water issues / constraints identified which will require further assessment by LPA (Red RAG)

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Bylaugh Near Church. Capacity for growth of around 400 dwellings without investment

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

329 - Adjacent Meadowbank, **Alternative Bawdeswell** Address: Adjacent Meadowbank, Bawdeswell, Estimated capacity: 4 dwellings Greenfield Site area: 3.50ha **Broad accessibility assessment** Settlement Hierarchy: Local Service Centre Norfolk PCT Dental Services: 7710 metres (R >) Dentist Doctor Swanton Morley PMS Practice: 5156 metres (R >) Leisure Centre Dereham Leisure Centre: 8784 metres (R >) Dereham Library: 8837 metres (R >) Library Primary School Bawdeswell Community Primary School: 487 metres (G Secondary School Northgate High School: 8056 metres (R >) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Local Service Centre location. Category - Cemetery: 493 metres Open Space Recycling facilities Dereham Main Recycling Centre Plus: 9184 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Chaucer House (Grade II): 643 metres Listed Building Elmham House: 5568 metres Registered Park Scheduled A Roman roadside settlement 150m south-west of Monument Billingford Hall: 3191 metres **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) Yes River Wensum SAC **Nutrient Neutrality** Catchment Area Ancient Woodland Sparham Grove: 1256 metres Geodiversity site Hempton Quarry: 16000 metres National Nature Foxley Wood: 1782 metres Reserve County Wildlife Site Gibbet Hill Platn & Bawd Heath: 587 metres Local Nature Reserve Litcham Common: 15384 metres Ramsar Broadland: 21796 metres Special Protection Broadland 21796 metres. (Site Beyond 1.5km, HRA Area (SPA) unlikely to be required.) Within Stone Curlew buffer: No SSSI Foxley Wood 1782 metres

Special Area of Conservation (SAC)	River Wensum: 1986 metres
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%	
Flood Zone 2	Proportion of site area 0.00%	

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Bylaugh Near Church. Capacity for growth of around 400 dwellings without investment

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

053 - Herne Hill Cottage, Beeston **Alternative** Address: Beeston, PE32 2NB Mostly Green Site area: 0.56ha Estimated capacity: 5 dwellings Broad accessibility assessment Settlement Hierarchy: Local Service Centre Beech House Dental Surgery: 8397 metres (R >) Dentist Doctor Litcham Health Centre: 3214 metres (R >) Leisure Centre Dereham Leisure Centre: 8885 metres (R >) Dereham Library: 8432 metres (R >) Library • Primary School Beeston Primary School: 781 metres (G <) Secondary School Litcham School: 3160 metres (R >) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Local Service Centre location. Category - Playing Field: 786 metres Open Space Recycling facilities Dereham Main Recycling Centre Plus: 9222 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Not within a CA Conservation Area Old Rectory And Moat House (Grade II): 358 metres Listed Building Lexham Hall: 3898 metres Registered Park Old Hall moated site 100m north west of Almshouse Scheduled Monument Bungalow: 2334 metres **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Honeypot Wood: 2403 metres Ancient Woodland Geodiversity site Newton-by-Castle Acre Chalk Pit: 6800 metres National Nature Foxley Wood: 15716 metres Reserve County Wildlife Site Church Farm Pond: 1223 metres Local Nature Reserve Litcham Common: 2527 metres Roydon Common: 21902 metres Ramsar Breckland 11180 metres. (Site Beyond 1.5km, HRA **Special Protection** Area (SPA) unlikely to be required.) Within Stone Curlew buffer: No SSSI Honeypot Wood, Wendling 2403 metres Norfolk Valley Fens: 7853 metres Special Area of Conservation (SAC)

Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%	
Flood Zone 2	Proportion of site area 0.00%	

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Beeston-Bitt-Dykewood Farm. Unlikely to be capacity for additional growth without investment.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

168 - Herne Lane, Beeston Alternative			
Address: Land at Hern	e Lane, Beeston,		
Greenfield	Site area: 1.82ha	Estimated dwellings	capacity: 30
Broad accessibility as	sessment		
Settlement Hierarchy:			
Dentist	Beech House Dental Su	гаегу: 7996	metres (R >)
 Doctor 	Litcham Health Centre:		, ,
Leisure Centre	Dereham Leisure Centr		•
• Library	Dereham Library: 8032		
Primary School	Beeston Primary Schoo		
 Secondary School 	Litcham School: 3371 m		•
Overall ranking accessibility	Amber: One to three co distance	re facilities v	within threshold
800m/10 minutes walking distant employment.	l ice of the site in town centres; 1,200	Om elsewhere and	2,000m for school access and
 Green 4+ core services Amber 1 to 3 core servi Red 0 core services 			
Walking and cycling	Opportunities for walki	ng and cyclir	ng access /
	enhancement based on	accessibility	to facilities and
	Local Service Centre loc	ation.	
Open Space	Category - Playing Field	: 802 metres	3
Recycling facilities	Dereham Main Recyclin	g Centre Plu	s: 8822 metres
Heritage (nearest design production)	nated heritage asset analysis –	Heritage Impa	ct Assessment in
Conservation Area	Not within a CA		
Listed Building	Old Rectory And Moat H	· · · · · · · · · · · · · · · · · · ·	e II): 592 metres
Registered Park	Lexham Hall: 4204 metr		
Scheduled	Old Hall moated site 10		est of Almshouse
Monument	Bungalow: 1975 metres		
	(nearest designated geo / bio		and features. Local Plan
	t Local Plan policy and propos Yes The Broads SAC	als)	
Nutrient Neutrality Catchment Area	res me broads sac		
Ancient Woodland	Honeypot Wood: 2004 r	metres	
			61 metres
Geodiversity site	Newton-by-Castle Acre	Chalk Pit: 71	61 metres
Geodiversity site National Nature		Chalk Pit: 71	61 metres
Geodiversity site National Nature Reserve	Newton-by-Castle Acre Foxley Wood: 15384 me	Chalk Pit: 71 etres	61 metres
Geodiversity site National Nature Reserve County Wildlife Site	Newton-by-Castle Acre Foxley Wood: 15384 me Church Farm Pond: 1583	Chalk Pit: 71 etres 3 metres	61 metres
Geodiversity site National Nature Reserve County Wildlife Site Local Nature Reserve	Newton-by-Castle Acre Foxley Wood: 15384 me Church Farm Pond: 1583 Litcham Common: 2748	Chalk Pit: 71 etres 3 metres metres	61 metres
Geodiversity site National Nature Reserve County Wildlife Site Local Nature Reserve Ramsar	Newton-by-Castle Acre Foxley Wood: 15384 me Church Farm Pond: 1583 Litcham Common: 2748 Roydon Common: 22233	Chalk Pit: 71 etres 3 metres metres 2 metres	
Geodiversity site National Nature Reserve County Wildlife Site Local Nature Reserve Ramsar Special Protection	Newton-by-Castle Acre Foxley Wood: 15384 me Church Farm Pond: 1583 Litcham Common: 2748 Roydon Common: 22233 Breckland 11352 metre	Chalk Pit: 71 etres 3 metres metres 2 metres s. (Site Beyo	
Geodiversity site National Nature Reserve County Wildlife Site Local Nature Reserve Ramsar	Newton-by-Castle Acre Foxley Wood: 15384 me Church Farm Pond: 1583 Litcham Common: 2748 Roydon Common: 22233	Chalk Pit: 71 etres metres metres 2 metres s. (Site Beyo	
Geodiversity site National Nature Reserve County Wildlife Site Local Nature Reserve Ramsar Special Protection	Newton-by-Castle Acre Foxley Wood: 15384 me Church Farm Pond: 1583 Litcham Common: 2748 Roydon Common: 22233 Breckland 11352 metre unlikely to be required. Within Stone Curlew bu	Chalk Pit: 71 etres 3 metres metres 2 metres s. (Site Beyo) ffer: No	nd 1.5km, HRA
Geodiversity site National Nature Reserve County Wildlife Site Local Nature Reserve Ramsar Special Protection Area (SPA)	Newton-by-Castle Acre Foxley Wood: 15384 me Church Farm Pond: 1583 Litcham Common: 2748 Roydon Common: 2223 Breckland 11352 metre unlikely to be required.	Chalk Pit: 71 etres metres 2 metres s. (Site Beyo) ffer: No ling 2004 me	nd 1.5km, HRA

Agricultural Land	Grade 3
-------------------	---------

Flood Zone 3	Proportion of site area 0.00%		
Flood Zone 2	Proportion of site area 0.00%		

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Beeston-Bitt-Dykewood Farm. Unlikely to be capacity for additional growth without investment.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

Bidwells on behalf of Breckland Bridge Breckland Bridge are promoting land north of Herne Lane, Beeston for residential development

(LPR/CS4/DEV/168). The Site Profile assessment undertaken by the Council in relation to the site

concludes that:

The site is within Beeston a Local Service Centre and is Greenfield Adjacent to the existing built-up area.

Scenarios A, B, D, E and F in the Development Scenarios consultation align with the site.

Accordingly, the site will be considered by the Council as part of their Phase 2 Assessment; a position

supported by Breckland Bridge.

As detailed elsewhere in this representation, Breckland Bridge support, in principle, the proposed

methodology to be adopted by the Council when undertaking the Phase 2 Assessments, including the

identification of matters at paragraph 5.3, against which sites will be considered

Other objections

201 - Fiddles Field, Beeston Alternativ			Alternative
Address: Beeston, PE3	2 2NQ		
Greenfield	Site area: 0.66ha	Estimated dwellings	capacity: 20
Broad accessibility as	sessment		
Settlement Hierarchy:			
• Dentist	Norfolk PCT Dental Ser	vices: 8086 r	metres (R >)
 Doctor 	Litcham Health Centre:	3173 metre	s (R >)
 Leisure Centre 	Dereham Leisure Centre	e: 8610 met	res (R >)
 Library 	Dereham Library: 8150	metres (R >)	
 Primary School 	Beeston Primary Schoo	l: 269 metre	s (G <)
 Secondary School 	Litcham School: 3074 m		
Overall ranking accessibility	verall ranking Amber: One to three core facilities within threshold		within threshold
800m/10 minutes walking distan employment.	ce of the site in town centres; 1,200	Om elsewhere and	d 2,000m for school access and
 Green 4+ core services Amber 1 to 3 core servi Red 0 core services 			
Walking and cycling	Opportunities for walking enhancement based on Local Service Centre loc	accessibility	
Open Space	Category - Playing Field		5
Recycling facilities	Dereham Main Recycling		
	nated heritage asset analysis –		
production)			
Conservation Area	Not within a CA		
Listed Building	Old Rectory And Moat H		e II): 620 metres
Registered Park	Lexham Hall: 4072 metr		
Scheduled	Old Hall moated site 10		est of Almshouse
Monument	Bungalow: 1802 metres		and fortunes I and Disc
	(nearest designated geo / bio t Local Plan policy and proposi		and reacures. Local Plan
Nutrient Neutrality	No		
Catchment Area			
Ancient Woodland	Honeypot Wood: 2161 r	netres	
Geodiversity site	Newton-by-Castle Acre		262 metres
National Nature	Foxley Wood: 15086 me	tres	
Reserve	_		
County Wildlife Site	Church Farm Pond: 1734	4 metres	
Local Nature Reserve	Litcham Common: 2476	metres	
Ramsar	Roydon Common: 2213	7 metres	
Special Protection	Breckland 11894 metres	•	nd 1.5km, HRA
Area (SPA)	unlikely to be required.	•	
	Within Stone Curlew bu		
SSSI	Honeypot Wood, Wendl		etres
Special Area of	Norfolk Valley Fens: 765	5 metres	
Conservation (SAC)			

Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%	
Flood Zone 2	Proportion of site area 0.00%	

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Beeston-Bitt-Dykewood Farm. Unlikely to be capacity for additional growth without investment.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

330 - The Orchard, Herne Lane, Beeston

Alternative

Address: The Orchard, Beeston, PE32 2NB

Greenfield Site area: 0.18ha Estimated capacity: 2 dwellings

Broad accessibility assessment

Settlement Hierarchy: Local Service Centre

Settlement including: Local Service Centre		Local Sci vice Centre
• [Dentist	Beech House Dental Surgery: 8321 metres (R >)
• [Doctor	Litcham Health Centre: 3530 metres (R >)
• [Leisure Centre	Dereham Leisure Centre: 8806 metres (R >)
• [Library	Dereham Library: 8357 metres (R >)
• [Primary School	Beeston Primary School: 1126 metres (G <)
•	Secondary School	Litcham School: 3486 metres (R >)
Ove	erall ranking	Amber: One to three core facilities within threshold
acc	essibility	distance
I		

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

Walking and cycling	Opportunities for walking and cycling access /
	enhancement based on accessibility to facilities and
	Local Service Centre location.
Open Space	Category - Playing Field: 1141 metres
Recycling facilities	Dereham Main Recycling Centre Plus: 9126 metres
Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in	
production)	
Conservation Area	North Elmham
Listed Building	Old Rectory And Moat House (Grade II): 708 metres
Registered Park	Lexham Hall: 4143 metres
Scheduled	Old Hall moated site 100m north west of Almshouse
Monument	Bungalow: 2434 metres
Natural Environment (nearest designated geo / biodiversity sites and features. Local Pla	
HRA will assess subsequen	t Local Plan policy and proposals)
Nutrient Neutrality	Yes River Wensum SAC
Catchment Area	
Ancient Woodland	Honeypot Wood: 2354 metres
Geodiversity site	Newton-by-Castle Acre Chalk Pit: 6874 metres
National Nature	Foxley Wood: 15876 metres
Reserve	
County Wildlife Site	Church Farm Pond: 1344 metres
Local Nature Reserve	Litcham Common: 2851 metres
Ramsar	Roydon Common: 22092 metres
Special Protection	Breckland 10959 metres. (Site Beyond 1.5km, HRA
Area (SPA)	unlikely to be required.)
	Within Stone Curlew buffer: No
SSSI	Honeypot Wood, Wendling 2354 metres

Special Area of Conservation (SAC)	Norfolk Valley Fens: 7742 metres
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Beeston-Bitt-Dykewood Farm. Unlikely to be capacity for additional growth without investment.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

Brown and Co land off Back Lane, North Elmham (site reference LPRC4SDEV330 In response to the Phase 1 Assessment, the following points are noted:

- The existing footway on Back Lane adjoins the south-western corner of the site and so significant improvements to pedestrian facilities would not be required.; - It is also noted that there is potential for a new pedestrian link to Eastgate Street (as noted in the original call-for-sites submission).; - The site would lend itself to a phased or reduced scale development if necessary to address concerns about the size of the proposal.; - The proposed site does adjoin the current settlement boundary.

Other objections

Alternative 330 - The Orchard, Herne Lane, **Beeston** Address: Back Lane, NR20 5HU Site area: 2.45ha Estimated capacity: 2 dwellings Greenfield Broad accessibility assessment Settlement Hierarchy: Local Service Centre Beech House Dental Surgery: 8321 metres (R >) Dentist Litcham Health Centre: 3530 metres (R >) Doctor Leisure Centre Dereham Leisure Centre: 8806 metres (R >) Library Dereham Library: 8357 metres (R >) Primary School Beeston Primary School: 1126 metres (G <) • Secondary School Litcham School: 3486 metres (R >) Overall ranking Amber: One to three core facilities within threshold accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Opportunities for walking and cycling access / Walking and cycling enhancement based on accessibility to facilities and Local Service Centre location. Open Space Category - Playing Field: 1141 metres Recycling facilities Dereham Main Recycling Centre Plus: 9126 metres **Heritage** (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area North Elmham Listed Building Old Rectory And Moat House (Grade II): 708 metres Registered Park Lexham Hall: 4143 metres Scheduled Old Hall moated site 100m north west of Almshouse Monument Bungalow: 2434 metres Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) Yes River Wensum SAC **Nutrient Neutrality** Catchment Area Ancient Woodland Honeypot Wood: 2354 metres Geodiversity site Newton-by-Castle Acre Chalk Pit: 6874 metres National Nature Foxley Wood: 15876 metres Reserve Church Farm Pond: 1344 metres County Wildlife Site Local Nature Reserve Litcham Common: 2851 metres Roydon Common: 22092 metres Ramsar **Special Protection** Breckland 10959 metres. (Site Beyond 1.5km, HRA unlikely to be required.) Area (SPA) Within Stone Curlew buffer: No

Honeypot Wood, Wendling 2354 metres

SSSI

Special Area of Conservation (SAC)	Norfolk Valley Fens: 7742 metres
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Beeston-Bitt-Dykewood Farm. Unlikely to be capacity for additional growth without investment.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

Brown and Co land off Back Lane, North Elmham (site reference LPRC4SDEV330 In response to the Phase 1 Assessment, the following points are noted:

- The existing footway on Back Lane adjoins the south-western corner of the site and so significant improvements to pedestrian facilities would not be required.; - It is also noted that there is potential for a new pedestrian link to Eastgate Street (as noted in the original call-for-sites submission).; - The site would lend itself to a phased or reduced scale development if necessary to address concerns about the size of the proposal.; - The proposed site does adjoin the current settlement boundary.

Other objections

Alternative 030 - The Paddocks, Beetley Address: The Paddocks, Green Lane, Beetley, NR20 4DL Greenfield Site area: 1.31ha Estimated capacity: 15 dwellings Broad accessibility assessment Settlement Hierarchy: Secondary village Norfolk PCT Dental Services: 3479 metres (R >) Dentist Doctor Elmham Surgery: 3432 metres (R >) • Leisure Centre Dereham Leisure Centre: 4954 metres (R >) Dereham Library: 4648 metres (R >) Library • Primary School St Marys Community Primary School: 704 metres (G <) Secondary School Northgate High School: 3694 metres (R >) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Some accessible facilities create opportunity to enhance walking and cycling access. Open Space Category - Play Space: 400 metres Recycling facilities Dereham Main Recycling Centre Plus: 5568 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Mill House (Grade II): 873 metres Listed Building Registered Park Elmham House: 2925 metres Moated site 280m south east of Spong Bridge: 1261 Scheduled Monument metres Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) Yes River Wensum SAC **Nutrient Neutrality** Catchment Area Ancient Woodland Great Wood: 1886 metres Geodiversity site Hempton Quarry: 13133 metres National Nature Foxley Wood: 8013 metres Reserve County Wildlife Site Beetley & Hoe Meadows: 17 metres Local Nature Reserve Litcham Common: 8866 metres North Norfolk Coast: 26096 metres Ramsar **Special Protection** Breckland 18195 metres. (Site Beyond 1.5km, HRA unlikely to be required.) Area (SPA) Within Stone Curlew buffer: No SSSI Beetley & Hoe Meadows 88 metres Special Area of River Wensum: 3119 metres Conservation (SAC) Agricultural Land Grade 3

Flood Zone 3	Proportion of site area 0.00%
	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Dereham Rushmeadow Road. Capacity for future growth dependent on location of allocations and whether drains to Dereham or Swanton Morley. Further evidence required.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

104 - North of High House Road, **Alternative Beetley** Address: Land North of High House Road, Beetley, NR20 4BY Greenfield Site area: 0.84ha Estimated capacity: 15 dwellings **Broad accessibility assessment** Settlement Hierarchy: Secondary village Norfolk PCT Dental Services: 4083 metres (R >) Dentist Elmham Surgery: 3564 metres (R >) Doctor Leisure Centre Dereham Leisure Centre: 5488 metres (R >) Dereham Library: 5125 metres (R >) Library • Primary School St Marys Community Primary School: 566 metres (G <) • Secondary School Northgate High School: 4234 metres (R >) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Some accessible facilities create opportunity to enhance walking and cycling access. Category - Playing Field: 21 metres Open Space Recycling facilities Dereham Main Recycling Centre Plus: 6100 metres **Heritage** (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Not within a CA Conservation Area Listed Building Church Of St Mary Magdalene (Grade I): 670 metres Elmham House: 2996 metres Registered Park Scheduled Moated site 280m south east of Spong Bridge: 1719 Monument metres Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) Yes River Wensum SAC **Nutrient Neutrality** Catchment Area Ancient Woodland Great Wood: 1688 metres Geodiversity site Hempton Quarry: 12424 metres National Nature Foxley Wood: 8743 metres Reserve County Wildlife Site Gressenhall Green Marshes: 732 metres Local Nature Reserve Litcham Common: 7863 metres North Norfolk Coast: 25870 metres Ramsar **Special Protection** Breckland 17542 metres. (Site Beyond 1.5km, HRA unlikely to be required.) Area (SPA) Within Stone Curlew buffer: No SSSI Beetley & Hoe Meadows 1042 metres

Special Area of Conservation (SAC)	River Wensum: 3612 metres
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Dereham Rushmeadow Road. Capacity for future growth dependent on location of allocations and whether drains to Dereham or Swanton Morley. Further evidence required.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

194 - South of High House Farm, Beetley

Alternative

Address: South of High House Road, Beetley, NR20 4BY

Greenfield Site area: 0.95ha Estimated capacity: 15 dwellings

Broad accessibility assessment

Settlement Hierarchy: Secondary village

)		secondary vinage
•	Dentist	Norfolk PCT Dental Services: 4083 metres (R >)
•	Doctor	Elmham Surgery: 3713 metres (R >)
•	Leisure Centre	Dereham Leisure Centre: 5469 metres (R >)
•	Library	Dereham Library: 5097 metres (R >)
•	Primary School	St Marys Community Primary School: 570 metres (G <)
•	Secondary School	Northgate High School: 4221 metres (R >)
0	verall ranking	Amber: One to three core facilities within threshold
accessibility		distance

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

Walking and cycling	Some accessible facilities create opportunity to enhance walking and cycling access.
Open Space	Category - Playing Field: 0 metres
Recycling facilities	Dereham Main Recycling Centre Plus: 6079 metres
Heritage (nearest design	ated heritage asset analysis – Heritage Impact Assessment in
production)	
Conservation Area	Not within a CA
Listed Building	Church Of St Mary Magdalene (Grade I): 829 metres
Registered Park	Elmham House: 3133 metres
Scheduled	Moated site 280m south east of Spong Bridge: 1913
Monument	metres
Natural Environment	(nearest designated geo / biodiversity sites and features. Local Plan
HRA will assess subsequen	t Local Plan policy and proposals)
Nutrient Neutrality	Yes River Wensum SAC
Catchment Area	
Ancient Woodland	Great Wood: 1751 metres
Geodiversity site	Hempton Quarry: 12422 metres
National Nature	Foxley Wood: 8934 metres
Reserve	
County Wildlife Site	Gressenhall Green Marshes: 602 metres
Local Nature Reserve	Litcham Common: 7747 metres
Ramsar	North Norfolk Coast: 25926 metres
Special Protection	Breckland 17427 metres. (Site Beyond 1.5km, HRA
Area (SPA)	unlikely to be required.)
	Within Stone Curlew buffer: No
SSSI	Beetley & Hoe Meadows 1139 metres
Special Area of	River Wensum: 3806 metres
Conservation (SAC)	

Agricultural Land	Grade 3
-------------------	---------

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Dereham Rushmeadow Road. Capacity for future growth dependent on location of allocations and whether drains to Dereham or Swanton Morley. Further evidence required.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

Alternative 292 - High House Farm, Beetley Address: Land opposite High House Farm, High House Road, Beetley, Greenfield Site area: 4.08ha Estimated capacity: 95 dwellings **Broad accessibility assessment** Settlement Hierarchy: Secondary village Norfolk PCT Dental Services: 3596 metres (R >) Dentist Elmham Surgery: 3487 metres (R >) Doctor • Leisure Centre Dereham Leisure Centre: 5047 metres (R >) Library Dereham Library: 4716 metres (R >) Primary School St Marys Community Primary School: 351 metres (G <) Secondary School Northgate High School: 3784 metres (R >) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Some accessible facilities create opportunity to enhance Walking and cycling walking and cycling access. Category - Playing Field: 376 metres Open Space Recycling facilities Dereham Main Recycling Centre Plus: 5662 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Union House (Grade II): 630 metres Listed Building Registered Park Elmham House: 2955 metres Scheduled Moated site 280m south east of Spong Bridge: 1345 Monument metres Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) Yes River Wensum SAC **Nutrient Neutrality** Catchment Area Ancient Woodland Great Wood: 1803 metres Geodiversity site Hempton Quarry: 12877 metres National Nature Foxley Wood: 8202 metres Reserve County Wildlife Site Beetley & Hoe Meadows: 151 metres Local Nature Reserve Litcham Common: 8473 metres Ramsar North Norfolk Coast: 26045 metres Special Protection Breckland 17845 metres. (Site Beyond 1.5km, HRA Area (SPA) unlikely to be required.) Within Stone Curlew buffer: No SSSI Beetley & Hoe Meadows 342 metres Special Area of River Wensum: 3230 metres Conservation (SAC) Agricultural Land Grade 3

Flood Zone 3	Proportion of site area 0.00%
	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Dereham Rushmeadow Road. Capacity for future growth dependent on location of allocations and whether drains to Dereham or Swanton Morley. Further evidence required.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

331 - Land East of Abram Court High | Alternative House Road, Beetley Address: Abram Court, Beetley, Greenfield Estimated capacity: 15 Site area: 0.54ha dwellings **Broad accessibility assessment** Settlement Hierarchy: Secondary village Norfolk PCT Dental Services: 3889 metres (R >) Dentist Elmham Surgery: 3491 metres (R >) Doctor Leisure Centre Dereham Leisure Centre: 5322 metres (R >) Dereham Library: 4975 metres (R >) Library St Marys Community Primary School: 483 metres (G <) Primary School Northgate High School: 4061 metres (R >) • Secondary School

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

Amber: One to three core facilities within threshold

Green 4+ core services within above threshold

distance

- Amber 1 to 3 core services
- Red 0 core services

Overall ranking accessibility

Walking and cycling	Some accessible facilities create opportunity to enhance walking and cycling access.	
Open Space	Category - Playing Field: 100 metres	
Recycling facilities	Dereham Main Recycling Centre Plus: 5936 metres	
Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production)		
Conservation Area	Not within a CA	
Listed Building	Church Of St Mary Magdalene (Grade I): 657 metres	
Registered Park	Elmham House: 2943 metres	
Scheduled	Moated site 280m south east of Spong Bridge: 1492	
Monument	metres	
Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals)		
Nutrient Neutrality	Yes River Wensum SAC	
Catchment Area		
Ancient Woodland	Great Wood: 1724 metres	
Geodiversity site	Hempton Quarry: 12650 metres	
National Nature	Foxley Wood: 8473 metres	
Reserve		
County Wildlife Site	Beetley & Hoe Meadows: 493 metres	
Local Nature Reserve	Litcham Common: 8213 metres	
Ramsar	North Norfolk Coast: 25936 metres	
Special Protection	Breckland 17780 metres. (Site Beyond 1.5km, HRA	
Area (SPA)	unlikely to be required.)	
	Within Stone Curlew buffer: No	
SSSI	Beetley & Hoe Meadows 734 metres	
Special Area of	River Wensum: 3402 metres	
Conservation (SAC)		

Agricultural Land	Grade 3
-------------------	---------

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Dereham Rushmeadow Road. Capacity for future growth dependent on location of allocations and whether drains to Dereham or Swanton Morley. Further evidence required.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

073 - Land North of Drury Lane, Carbrooke

Alternative

Address: Land North of Drury Lane, Carbrooke, IP25 6SJ

Greenfield Site area: 0.54ha Estimated capacity: 9 dwellings

Broad accessibility assessment

Settlement Hierarchy: Secondary village

_		<i>y y</i>
•	Dentist	Together Dental: 3132 metres (R >)
•	Doctor	Watton Medical Practice: 2859 metres (R >)
•	Leisure Centre	Watton Sports and Social Club: 2727 metres (R >)
•	Library	Watton Library: 3209 metres (R >)
•	Primary School	St Peter and St Paul School Carbrooke: 618 metres (G <)
•	Secondary School	Wayland Academy Norfolk: 3207 metres (R >)
	Overall ranking	Amber: One to three core facilities within threshold
	accessibility	distance

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

Conservation (SAC)

Walking and cycling	Some accessible facilities create opportunity to enhance walking and cycling access.	
Open Space	Category - Public Park Or Garden: 290 metres	
Recycling facilities	Ashill Recycling Centre: 7361 metres	
Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production)		
Conservation Area	Not within a CA	
Listed Building	Caudle Green Farmhouse (Grade II): 263 metres	
Registered Park	Breccles Hall: 7420 metres	
Scheduled	Site of Commandry of St John of Jerusalem: 586 metres	
Monument		
Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals)		
Nutrient Neutrality	No	
Catchment Area		
Ancient Woodland	Wayland Wood: 2440 metres	
Geodiversity site	Hockham: 9304 metres	
National Nature	Brettenham Heath: 15105 metres	
Reserve		
County Wildlife Site	Caudlesprings: 141 metres	
Local Nature Reserve	Great Eastern Pingo Trail: 5230 metres	
Ramsar	Redgrave & South Lopham Fens: 24109 metres	
Special Protection	Breckland 4932 metres. (Site Beyond 1.5km, HRA	
Area (SPA)	unlikely to be required.)	
	Within Stone Curlew buffer: No	
SSSI	Wayland Wood, Watton 2440 metres	
Special Area of	Norfolk Valley Fens: 4808 metres	

Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Carbrooke Church End. Insufficient capacity for large scale growth - e.g. circa 200 home. Some capacity for small scale growth

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

222 - Land East of Shrublands, Carbrooke

Alternative

Address: Land East of Shrublands, Carbrooke, IP25 6TJ

Greenfield Site area: 18.87ha Estimated capacity: 500 dwellings

Broad accessibility assessment

Settlement Hierarchy: Secondary village

_	<i>y y y y</i>		
•	Dentist	Together Dental: 2613 metres (R >)	
•	Doctor	Watton Medical Practice: 2309 metres (R >)	
•	Leisure Centre	Watton Sports and Social Club: 2331 metres (R >)	
•	Library	Watton Library: 2676 metres (R >)	
Primary School		St Peter and St Paul School Carbrooke: 901 metres (G <)	
Secondary School Wayland Academy Norfolk: 2528 metres (R >)		Wayland Academy Norfolk: 2528 metres (R >)	
Overall ranking		Amber: One to three core facilities within threshold	
accessibility		distance	
 Secondary School Wayland Academy Norfolk: 2528 metres (R >) Overall ranking Amber: One to three core facilities within threshold 			

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

Conservation (SAC)

Walking and cycling	Some accessible facilities create opportunity to enhance walking and cycling access.	
Open Space	Category - General: 50 metres	
Recycling facilities	Ashill Recycling Centre: 7279 metres	
Heritage (nearest design production)	nated heritage asset analysis – Heritage Impact Assessment in	
Conservation Area	Not within a CA	
Listed Building	The White House (Grade II): 374 metres	
Registered Park	Breccles Hall: 6428 metres	
Scheduled	Site of Commandry of St John of Jerusalem: 831 metres	
Monument		
Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals)		
Nutrient Neutrality	No	
Catchment Area		
Ancient Woodland	Wayland Wood: 1588 metres	
Geodiversity site	Hockham: 8319 metres	
National Nature	Brettenham Heath: 14127 metres	
Reserve		
County Wildlife Site	Watton Airfield (Army Training Area: 328 metres	
Local Nature Reserve	Great Eastern Pingo Trail: 4250 metres	
Ramsar	Redgrave & South Lopham Fens: 23155 metres	
Special Protection	Breckland 4198 metres. (Site Beyond 1.5km, HRA	
Area (SPA)	unlikely to be required.)	
	Within Stone Curlew buffer: No	
SSSI	Wayland Wood, Watton 1588 metres	
Special Area of	Norfolk Valley Fens: 3847 metres	
1		

Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Carbrooke Church End. Insufficient capacity for large scale growth - e.g. circa 200 home. Some capacity for small scale growth

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

339 - Shrublands, Carbrooke **Alternative** Address: Shrublands (1) Carbrooke, IP25 6TJ Greenfield Site area: 0.77ha Estimated capacity: 9 dwellings **Broad accessibility assessment** Settlement Hierarchy: Secondary village Together Dental: 2883 metres (R >) Dentist Doctor Watton Medical Practice: 2579 metres (R >) Leisure Centre Watton Sports and Social Club: 2590 metres (R >) Watton Library: 2946 metres (R >) Library Primary School St Peter and St Paul School Carbrooke: 1328 metres (G • Secondary School <) Wayland Academy Norfolk: 2765 metres (R >) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Some accessible facilities create opportunity to enhance Walking and cycling walking and cycling access. Category - General: 129 metres Open Space Ashill Recycling Centre: 7587 metres Recycling facilities Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Caudle Green Farmhouse (Grade II): 655 metres Listed Building Breccles Hall: 6503 metres Registered Park Scheduled Site of Commandry of St John of Jerusalem: 1264 Monument metres **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Wayland Wood: 1756 metres Ancient Woodland Geodiversity site Hockham: 8342 metres National Nature Brettenham Heath: 14120 metres Reserve County Wildlife Site Watton Airfield (Army Training Area: 500 metres Great Eastern Pingo Trail: 4246 metres Local Nature Reserve Redgrave & South Lopham Fens: 23295 metres Ramsar Breckland 4403 metres. (Site Beyond 1.5km, HRA **Special Protection** unlikely to be required.) Area (SPA) Within Stone Curlew buffer: No SSSI Wayland Wood, Watton 1756 metres Special Area of Norfolk Valley Fens: 3834 metres Conservation (SAC)

Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Carbrooke Church End. Insufficient capacity for large scale growth - e.g. circa 200 home. Some capacity for small scale growth

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

340 - Shrublands (2), Carbrooke **Alternative** Address: Shrublands (2) Carbrooke, IP25 6TJ Greenfield Site area: 1.30ha Estimated capacity: 18 dwellings Broad accessibility assessment Settlement Hierarchy: Secondary village Together Dental: 2910 metres (R >) Dentist Doctor Watton Medical Practice: 2604 metres (R >) Leisure Centre Watton Sports and Social Club: 2625 metres (R >) Watton Library: 2971 metres (R >) Library Primary School St Peter and St Paul School Carbrooke: 1291 metres (G • Secondary School <) Wayland Academy Norfolk: 2788 metres (R >) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Some accessible facilities create opportunity to enhance Walking and cycling walking and cycling access. Category - General: 154 metres Open Space Ashill Recycling Centre: 7619 metres Recycling facilities Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Caudle Green Farmhouse (Grade II): 664 metres Listed Building Breccles Hall: 6502 metres Registered Park Scheduled Site of Commandry of St John of Jerusalem: 1225 Monument metres **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Wayland Wood: 1776 metres Ancient Woodland Geodiversity site Hockham: 8339 metres National Nature Brettenham Heath: 14120 metres Reserve County Wildlife Site Watton Airfield (Army Training Area: 469 metres Great Eastern Pingo Trail: 4245 metres Local Nature Reserve Redgrave & South Lopham Fens: 23287 metres Ramsar Breckland 4424 metres. (Site Beyond 1.5km, HRA **Special Protection** unlikely to be required.) Area (SPA) Within Stone Curlew buffer: No SSSI Wayland Wood, Watton 1776 metres Special Area of Norfolk Valley Fens: 3838 metres Conservation (SAC)

Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Carbrooke Church End. Insufficient capacity for large scale growth - e.g. circa 200 home. Some capacity for small scale growth

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

024 - Home Farm, North Acre, Caston | Alternative Address: Home Farm, North Acre, Caston, NR17 1DG Greenfield Site area: 0.47ha Estimated capacity: 5 dwellings **Broad accessibility assessment** Settlement Hierarchy: Secondary village Together Dental: 4810 metres (R >) Dentist Doctor Watton Medical Practice: 4522 metres (R >) Leisure Centre Watton Sports and Social Club: 4806 metres (R >) Watton Library: 4830 metres (R >) Library • Primary School Caston Primary School: 409 metres (G <) Secondary School Wayland Academy Norfolk: 4364 metres (R >) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Some accessible facilities create opportunity to enhance walking and cycling access. Open Space Category - General: 887 metres Recycling facilities Snetterton Part-time Recycling Centre: 9970 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Willow Farmhouse (Grade II): 313 metres Listed Building Registered Park Breccles Hall: 3782 metres Village cross, 70m north west of the Holy Cross Church: Scheduled Monument 839 metres **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Site Name Blank: 2180 metres Ancient Woodland Geodiversity site Hockham: 5791 metres National Nature Brettenham Heath: 11874 metres Reserve County Wildlife Site Land north of Northacre: 319 metres Local Nature Reserve Great Eastern Pingo Trail: 2293 metres Redgrave & South Lopham Fens: 20507 metres Ramsar Breckland 4466 metres. (Site Beyond 1.5km, HRA Special Protection unlikely to be required.) Area (SPA) Within Stone Curlew buffer: No SSSI Thompson Water, Carr and Common 2286 metres Norfolk Valley Fens: 2286 metres Special Area of Conservation (SAC)

Agricultural Land

Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Watton. Currently no available headroom, but permit awaited to increase capacity for growth to come forward.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

014 - Land at Hoe Lodge Farm, **Alternative** Dereham Address: Land at Hoe Lodge Farm, Hoe Lodge Road, Northall Green, NR19 2DQ Site area: 0.39ha Greenfield Estimated capacity: 6 dwellings **Broad accessibility assessment** Settlement Hierarchy: Market Town Dentist Norfolk PCT Dental Services: 726 metres (G <) Doctor Theatre Royal Surgery: 1471 metres (R >) Dereham Leisure Centre: 2137 metres (R >) Leisure Centre Dereham Library: 1987 metres (R >) Library • Primary School Dereham Church Infant School: 1925 metres (G <) Secondary School Northgate High School: 1069 metres (G <) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Market Town location. Category - General: 628 metres Open Space Recycling facilities Dereham Main Recycling Centre Plus: 2719 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Northall Farmhouse (Grade II): 136 metres Listed Building Registered Park Elmham House: 5764 metres Three Pickett-Hamilton forts at Swanton Morley airfield: Scheduled Monument 3462 metres **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) Yes River Wensum SAC **Nutrient Neutrality** Catchment Area Ancient Woodland Old Carr: 2523 metres Geodiversity site Newton-by-Castle Acre Chalk Pit: 15650 metres National Nature Foxley Wood: 8885 metres Reserve County Wildlife Site Hoe Marsh: 1768 metres Local Nature Reserve Litcham Common: 10585 metres Ramsar Broadland: 26425 metres Special Protection Breckland 17836 metres. (Site Beyond 1.5km, HRA Area (SPA) unlikely to be required.) Within Stone Curlew buffer: No

Dereham Rush Meadow 1957 metres

SSSI

Special Area of Conservation (SAC)	Norfolk Valley Fens: 3009 metres
Agricultural Land	Grade 2

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Dereham Rushmeadow Road. Capacity for future growth dependent on location of allocations and whether drains to Dereham or Swanton Morley. Further evidence required.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

097 - Land at Grange Farm, Etling **Alternative** Green, Dereham Address: Land at Grange Farm, Etling Green, Dereham, NR20 3ET Greenfield Site area: 2.04ha Estimated capacity: 60 dwellings **Broad accessibility assessment** Settlement Hierarchy: Market Town **Dentist** Norfolk PCT Dental Services: 2130 metres (R >) Doctor Swanton Morley PMS Practice: 2031 metres (R >) Leisure Centre Dereham Leisure Centre: 2042 metres (R >) Dereham Library: 2361 metres (R >) Library Primary School Dereham Church Infant School: 2557 metres (R >) • Secondary School Dereham Neatherd High School: 1355 metres (G <) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Market Town location. Category - General: 0 metres Open Space Recycling facilities Dereham Main Recycling Centre Plus: 2162 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Grange Farmhouse Including Front Railings (Grade II): 20 Listed Building Registered Park Elmham House: 7596 metres Scheduled Three Pickett-Hamilton forts at Swanton Morley airfield: 4964 metres Monument Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) Yes The Broads SAC **Nutrient Neutrality** Catchment Area Ancient Woodland Yaxham Wood: 4193 metres Geodiversity site Newton-by-Castle Acre Chalk Pit: 17444 metres National Nature Foxley Wood: 8961 metres Reserve County Wildlife Site Pasture Adjacent to Badley Moor: 1835 metres Local Nature Reserve Litcham Common: 12607 metres Broadland: 24656 metres Ramsar Special Protection Breckland 18147 metres. (Site Beyond 1.5km, HRA unlikely to be required.) Area (SPA)

Within Stone Curlew buffer: No

SSSI	Badley Moor 1708 metres
Special Area of Conservation (SAC)	Norfolk Valley Fens: 1708 metres
Agricultural Land	Grade 2

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice LLFA Assessment: Moderate surface water issues / constraints identified which will require further assessment by LPA

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Dereham Rushmeadow Road. Capacity for future growth dependent on location of allocations and whether drains to Dereham or Swanton Morley. Further evidence required.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Dereham Town Council highway access from green would be negative, site doesn't appear to be adjacent to the built up area. Development would have a serious impact on form and character of existing hamlet of Etling Green.

Landowner/Site promoter comment:

None

Other objections

Alternative 166 - Land North of Swanton Road, Dereham Address: Land North of Swanton Road, Dereham, Greenfield Site area: 16.36ha Estimated capacity: 250 dwellings **Broad accessibility assessment** Settlement Hierarchy: Market Town Norfolk PCT Dental Services: 302 metres (G <) Dentist Theatre Royal Surgery: 531 metres (G <) Doctor Leisure Centre Dereham Leisure Centre: 1055 metres (R >) Library Dereham Library: 951 metres (R >) Primary School Dereham Church Infant School: 972 metres (G <) • Secondary School Northgate High School: 447 metres (G <) Overall ranking Amber: One to three core facilities within threshold accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Opportunities for walking and cycling access / Walking and cycling enhancement based on accessibility to facilities and Market Town location. Category - Allotments Or Community Growing Spaces: 17 Open Space metres Recycling facilities Dereham Main Recycling Centre Plus: 1645 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Northall Farmhouse (Grade II): 79 metres Listed Building Registered Park Elmham House: 6000 metres Three Pickett-Hamilton forts at Swanton Morley airfield: Scheduled Monument 3668 metres **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) Yes River Wensum SAC **Nutrient Neutrality** Catchment Area Ancient Woodland Old Carr: 2426 metres Geodiversity site Newton-by-Castle Acre Chalk Pit: 15617 metres National Nature Foxley Wood: 8983 metres Reserve County Wildlife Site Rushmeadow Road Meadow: 1014 metres Local Nature Reserve Litcham Common: 10729 metres Ramsar Broadland: 26218 metres Special Protection Breckland 17225 metres. (Site Beyond 1.5km, HRA Area (SPA) unlikely to be required.)

Within Stone Curlew buffer: No

SSSI

Dereham Rush Meadow 1595 metres

Special Area of Conservation (SAC)	Norfolk Valley Fens: 2028 metres
Agricultural Land	Grade 2

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Dereham Rushmeadow Road. Capacity for future growth dependent on location of allocations and whether drains to Dereham or Swanton Morley. Further evidence required.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Dereham Town Council Would lead to potential coalescence, connecting settlement of Dereham with Hamlet of Northall Green.

Landowner/Site promoter comment:

None

Other objections

241 - Moat Field, Northall Green, Dereham

Alternative

Address: Moat Field, Northall Green, Dereham, NR20 4BA

Greenfield Site area: 2.08ha Estimated capacity: 40 dwellings

Broad accessibility assessment

Settlement Hierarchy: Market Town

Š	Section in the latery. Market 10Wil	
•	Dentist	Norfolk PCT Dental Services: 743 metres (G <)
•	Doctor	Theatre Royal Surgery: 1480 metres (R >)
•	Leisure Centre	Dereham Leisure Centre: 2123 metres (R >)
•	Library	Dereham Library: 1988 metres (R >)
•	Primary School	Dereham Church Infant School: 1937 metres (G <)
•	Secondary School	Northgate High School: 1089 metres (G <)
O	verall ranking	Amber: One to three core facilities within threshold
ac	cessibility	distance
l		

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

Walking and cycling	Opportunities for walking and cycling access /
	enhancement based on accessibility to facilities and
	Market Town location.
Open Space	Category - General: 671 metres
Recycling facilities	Dereham Main Recycling Centre Plus: 2699 metres
	ated heritage asset analysis – Heritage Impact Assessment in
production)	
Conservation Area	Not within a CA
Listed Building	Northall Farmhouse (Grade II): 64 metres
Registered Park	Elmham House: 5676 metres
Scheduled	Three Pickett-Hamilton forts at Swanton Morley airfield:
Monument	3325 metres
Natural Environment	(nearest designated geo / biodiversity sites and features. Local Plan
HRA will assess subsequen	Local Plan policy and proposals)
Nutrient Neutrality	Yes River Wensum SAC
Catchment Area	
Ancient Woodland	Old Carr: 2600 metres
Geodiversity site	Newton-by-Castle Acre Chalk Pit: 15742 metres
National Nature	Foxley Wood: 8703 metres
Reserve	
County Wildlife Site	Hoe Marsh: 1664 metres
Local Nature Reserve	Litcham Common: 10658 metres
Ramsar	Broadland: 26268 metres
Special Protection	Breckland 17886 metres. (Site Beyond 1.5km, HRA
Area (SPA)	unlikely to be required.)
	Within Stone Curlew buffer: No
SSSI	Dereham Rush Meadow 2012 metres

Special Area of Conservation (SAC)	Norfolk Valley Fens: 3021 metres
Agricultural Land	Grade 2

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Dereham Rushmeadow Road. Capacity for future growth dependent on location of allocations and whether drains to Dereham or Swanton Morley. Further evidence required.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Dereham Town Council Access via narrow land, not adjacent to build up area of Dereham. Negative development impact on form and character of existing hamlet of Northall Green.

Landowner/Site promoter comment:

None

Other objections

Alternative 309 - West of Golf Course, Dereham Address: West of Golf Course, Sandy Lane, Dereham, **NR19 2RY** Greenfield Site area: 0.88ha Estimated capacity: 5 dwellings **Broad accessibility assessment** Settlement Hierarchy: Market Town Norfolk PCT Dental Services: 1101 metres (R >) Dentist Theatre Royal Surgery: 1272 metres (R >) Doctor Leisure Centre Dereham Leisure Centre: 2118 metres (R >) Library Dereham Library: 1701 metres (R >) • Primary School Dereham Church Infant School: 1448 metres (G <) Secondary School Northgate High School: 1005 metres (G <) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Opportunities for walking and cycling access / Walking and cycling enhancement based on accessibility to facilities and Market Town location. Open Space Category - Golf Course: 10 metres Recycling facilities Dereham Main Recycling Centre Plus: 2706 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Dereham Conservation Area Heathfield Cottage (Grade II): 79 metres Listed Building Registered Park Elmham House: 6078 metres Three Pickett-Hamilton forts at Swanton Morley airfield: Scheduled 4332 metres Monument **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** Yes River Wensum SAC Catchment Area Ancient Woodland Old Carr: 967 metres Geodiversity site Newton-by-Castle Acre Chalk Pit: 14154 metres National Nature Foxley Wood: 10227 metres Reserve County Wildlife Site Pump House Woods: 522 metres Local Nature Reserve Litcham Common: 9245 metres Broadland: 27889 metres Ramsar Breckland 16322 metres. (Site Beyond 1.5km, HRA Special Protection Area (SPA) unlikely to be required.) Within Stone Curlew buffer: No Dereham Rush Meadow 439 metres SSSI Special Area of Norfolk Valley Fens: 2217 metres Conservation (SAC)

Agricultural Land	Grade 3
-------------------	---------

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Dereham Rushmeadow Road. Capacity for future growth dependent on location of allocations and whether drains to Dereham or Swanton Morley. Further evidence required.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Dereham Town Council Built up area assessment - site doesn't appear to be adjacent to the built up area.

Landowner/Site promoter comment:

None

Other objections

341 - Fieldfare Etling Green, Dereham

Alternative

Address: Field Fare, Etling Green, NR20 3ET

Greenfield Site area: 0.29ha Estimated capacity: 7 dwellings

Broad accessibility assessment

Settlement Hierarchy: Market Town

L	Section of the facility. Market 10Wil	
	 Dentist 	Norfolk PCT Dental Services: 2213 metres (R >)
	 Doctor 	Swanton Morley PMS Practice: 1805 metres (R >)
	 Leisure Centre 	Dereham Leisure Centre: 2262 metres (R >)
	 Library 	Dereham Library: 2553 metres (R >)
	 Primary School 	Dereham Church Infant School: 2737 metres (R >)
	 Secondary School 	Dereham Neatherd High School: 1561 metres (G <)
	Overall ranking	Amber: One to three core facilities within threshold
	accessibility	distance

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

SSSI

Walking and cycling	Opportunities for walking and cycling access / enhancement based on accessibility to facilities and	
	Market Town location.	
Open Space	Category - General: 207 metres	
Recycling facilities	Dereham Main Recycling Centre Plus: 2447 metres	
Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production)		
Conservation Area	Not within a CA	
Listed Building	Grange Farmhouse Including Front Railings (Grade II): 155 metres	
Registered Park	Elmham House: 7440 metres	
Scheduled	Three Pickett-Hamilton forts at Swanton Morley airfield:	
Monument	4773 metres	
Natural Environment	(nearest designated geo / biodiversity sites and features. Local Plan	
	t Local Plan policy and proposals)	
Nutrient Neutrality	Yes The Broads SAC	
Catchment Area		
Ancient Woodland	Old Carr: 4360 metres	
Geodiversity site	Newton-by-Castle Acre Chalk Pit: 17568 metres	
National Nature	Foxley Wood: 8756 metres	
Reserve		
County Wildlife Site	North Tuddenham Common: 1857 metres	
Local Nature Reserve	Litcham Common: 12681 metres	
Ramsar	Broadland: 24639 metres	
Special Protection	Breckland 18461 metres. (Site Beyond 1.5km, HRA	
Area (SPA)	unlikely to be required.)	
	Within Stone Curlew buffer: No	

Badley Moor 2046 metres

Special Area of Conservation (SAC)	Norfolk Valley Fens: 2046 metres
Agricultural Land	Grade 2

Trisk to the second control of the second co		
Flood Zone 3	Proportion of site area 0.00%	
Flood Zone 2	Proportion of site area 0.00%	

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Dereham Rushmeadow Road. Capacity for future growth dependent on location of allocations and whether drains to Dereham or Swanton Morley. Further evidence required.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Dereham Town Council Etling Green should not be considered an existing built up area, site is not adjacent to Dereham. No pedestrian access to any services. Not adjacent to highways.

Landowner/Site promoter comment:

None

Other objections

342 - Meadoway Etling Green, Dereham

Alternative

Address: Meadoway, Etling Green, NR20 3ET

Greenfield Site area: 0.35ha Estimated capacity: 3 dwellings

Broad accessibility assessment

Settlement Hierarchy: Market Town

Section in the far city.	Market 10WII
 Dentist 	Norfolk PCT Dental Services: 2257 metres (R >)
 Doctor 	Swanton Morley PMS Practice: 1727 metres (R >)
 Leisure Centre 	Dereham Leisure Centre: 2352 metres (R >)
• Library	Dereham Library: 2644 metres (R >)
 Primary School 	Dereham Church Infant School: 2821 metres (R >)
 Secondary School 	Dereham Neatherd High School: 1651 metres (G <)
Overall ranking	Amber: One to three core facilities within threshold
accessibility	distance

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

SSSI

Walking and cycling	Opportunities for walking and cycling access / enhancement based on accessibility to facilities and	
	Market Town location.	
Open Space	Category - General: 294 metres	
Recycling facilities	Dereham Main Recycling Centre Plus: 2528 metres	
Heritage (nearest design production)	nated heritage asset analysis – Heritage Impact Assessment in	
Conservation Area	Not within a CA	
Listed Building	Grange Farmhouse Including Front Railings (Grade II): 220 metres	
Registered Park	Elmham House: 7394 metres	
Scheduled	Three Pickett-Hamilton forts at Swanton Morley airfield:	
Monument	4717 metres	
Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan		
HRA will assess subsequen	t Local Plan policy and proposals)	
Nutrient Neutrality	Yes The Broads SAC	
Catchment Area		
Ancient Woodland	Old Carr: 4409 metres	
Geodiversity site	Newton-by-Castle Acre Chalk Pit: 17620 metres	
National Nature	Foxley Wood: 8667 metres	
Reserve		
County Wildlife Site	North Tuddenham Common: 1773 metres	
Local Nature Reserve	Litcham Common: 12716 metres	
Ramsar	Broadland: 24560 metres	
Special Protection	Breckland 18536 metres. (Site Beyond 1.5km, HRA	
Агеа (SPA)	unlikely to be required.)	
	Within Stone Curlew buffer: No	

Badley Moor 2068 metres

Special Area of Conservation (SAC)	Norfolk Valley Fens: 2068 metres
Conservation (SAC)	
Agricultural Land	Grade 2

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice No major surface water issues / constraints identified

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Dereham Rushmeadow Road. Capacity for future growth dependent on location of allocations and whether drains to Dereham or Swanton Morley. Further evidence required.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Dereham Town Council Etling Green should not be considered an existing built up area, site is not adjacent to Dereham. No pedestrian access to any services. Not adjacent to highways.

Landowner/Site promoter comment:

None

Other objections

Alternative 343 - Sandy Lane, Dereham Address: Sandy Lane, NR19 2QB Greenfield Site area: 1.09ha Estimated capacity: 6 dwellings **Broad accessibility assessment** Settlement Hierarchy: Market Town Norfolk PCT Dental Services: 1182 metres (R >) Dentist Doctor Theatre Royal Surgery: 1375 metres (R >) • Leisure Centre Dereham Leisure Centre: 2221 metres (R >) Dereham Library: 1803 metres (R >) Library • Primary School Dereham Church Infant School: 1550 metres (G <) Secondary School Northgate High School: 1102 metres (G <) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Market Town location. Category - Golf Course: 12 metres Open Space Recycling facilities Dereham Main Recycling Centre Plus: 2809 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Heathfield (Grade II): 104 metres Listed Building Elmham House: 5979 metres Registered Park Scheduled Moated site 280m south east of Spong Bridge: 4252 Monument metres **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) Yes River Wensum SAC **Nutrient Neutrality** Catchment Area Old Carr: 887 metres Ancient Woodland Geodiversity site Newton-by-Castle Acre Chalk Pit: 14056 metres National Nature Foxley Wood: 10219 metres Reserve County Wildlife Site Pump House Woods: 587 metres Local Nature Reserve Litcham Common: 9118 metres Broadland: 27948 metres Ramsar Breckland 16315 metres. (Site Beyond 1.5km, HRA **Special Protection** unlikely to be required.) Area (SPA) Within Stone Curlew buffer: No SSSI Dereham Rush Meadow 460 metres Special Area of Norfolk Valley Fens: 2306 metres Conservation (SAC)

Agricultural Land	Grade 3
-------------------	---------

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Dereham Rushmeadow Road. Capacity for future growth dependent on location of allocations and whether drains to Dereham or Swanton Morley. Further evidence required.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Dereham Town Council Not adjacent to existing built up area.

Landowner/Site promoter comment:

None

Other objections

344 - Swanton Road **Alternative** , Dereham Address: Swanton Road Dereham, Greenfield Site area: 9.79ha Estimated capacity: 0 dwellings **Broad accessibility assessment** Settlement Hierarchy: Market Town Norfolk PCT Dental Services: 615 metres (G <) Dentist Doctor Theatre Royal Surgery: 995 metres (R >) Leisure Centre Dereham Leisure Centre: 1304 metres (R >) Library Dereham Library: 1339 metres (R >) Primary School Dereham Church Infant School: 1413 metres (G <) • Secondary School Dereham Neatherd High School: 783 metres (G <) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Market Town location. Category - Public Park Or Garden: 0 metres Open Space Recycling facilities Dereham Main Recycling Centre Plus: 1801 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Not within a CA Conservation Area Northall Farmhouse (Grade II): 553 metres Listed Building Registered Park Elmham House: 6466 metres Three Pickett-Hamilton forts at Swanton Morley airfield: Scheduled Monument 4022 metres Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) Yes River Wensum SAC **Nutrient Neutrality** Catchment Area Ancient Woodland Old Carr: 2774 metres Newton-by-Castle Acre Chalk Pit: 15986 metres Geodiversity site National Nature Foxley Wood: 9010 metres Reserve County Wildlife Site Rushmeadow Road Meadow: 1485 metres Local Nature Reserve Litcham Common: 11073 metres Broadland: 25926 metres Ramsar Breckland 17634 metres. (Site Beyond 1.5km, HRA Special Protection Area (SPA) unlikely to be required.) Within Stone Curlew buffer: No Dereham Rush Meadow 2052 metres SSSI

Special Area of Conservation (SAC)	Norfolk Valley Fens: 2392 metres
Agricultural Land	Grade 2

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Dereham Rushmeadow Road. Capacity for future growth dependent on location of allocations and whether drains to Dereham or Swanton Morley. Further evidence required.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Dereham Town Council Site not assessed at Phase 1 stage.

Landowner/Site promoter comment:

Bidwells on behalf of Abel Homes Abel Homes are promoting land south of Swanton Road, Dereham, for residential development

(LPR/C4S/DEV/344). Based on the information available, we cannot see that a Site Profile Assessment

has been undertaken for the site.

Given the close proximity of the site to land being promoted to land north of Swanton Road, Dereham

(LPR/C4S/DEV/166), it is assumed that the site will be assessed in a similar manner. On this basis, it is

assumed that the site will be considered by the Council as part of their Phase 2 Assessment; a position

supported by Abel Homes.

Other objections

345 - Quebec F	arm, Dereham		Alternative
Address: Quebec Farm	n Dereham,		
Greenfield	Site area: 15.47ha	Estimated dwellings	capacity: 400
Broad accessibility as	sessment	, ,	
Settlement Hierarchy:			
Dentist	Norfolk PCT Dental Ser	vices: 119 m	etres (G <)
 Doctor 	Theatre Royal Surgery:		· · ·
Leisure Centre	Dereham Leisure Centr		` '
 Library 	Dereham Library: 1397		• •
Primary School	Dereham Church Infant	• •	
 Secondary School 	Northgate High School:		· · ·
Overall ranking accessibility	Amber: One to three co distance		· ·
800m/10 minutes walking distant employment.	l ace of the site in town centres; 1,200	Om elsewhere and	d 2,000m for school access and
 Green 4+ core services Amber 1 to 3 core servi Red 0 core services 			
Walking and cycling	Opportunities for walki	ng and cyclir	ng access /
	enhancement based on		
	Market Town location.	_	
Open Space	Category - General: 11 r	netres	
Recycling facilities	Dereham Main Recyclin	g Centre Plu	s: 2132 metres
Heritage (nearest design production)	nated heritage asset analysis –	Heritage Impa	ect Assessment in
Conservation Area	Not within a CA		
Listed Building	Water Tower (Grade II):	240 metres	
Registered Park	Elmham House: 5834 m		
Scheduled	Three Pickett-Hamilton	forts at Swa	inton Morley airfield:
Monument	3654 metres		
	(nearest designated geo / bio		and features. Local Plan
	t Local Plan policy and propos Yes River Wensum SAC	als)	
Nutrient Neutrality Catchment Area	res River Wellsulli SAC		
Ancient Woodland	Old Carr: 1890 metres		
Geodiversity site	Newton-by-Castle Acre	Chalk Dit: 15	5052 metres
National Nature	Foxley Wood: 9210 met		JOJZ IIIECIES
Reserve	Toxicy Wood. 32 to ffice	.1 C 3	
County Wildlife Site	Rushmeadow Road Mea	adow: 1164 r	metres
Local Nature Reserve	Litcham Common: 1005		Hecies
Ramsar	Broadland: 26500 metre		
Special Protection	Breckland 17221 metre		nd 1.5km. HRA
Area (SPA)	unlikely to be required.		
\ 7	Within Stone Curlew bu	•	
	I WICHIN SCONE CONCESS DO		
SSSI	Dereham Rush Meadow		es
SSSI Special Area of		/ 1337 metre	25

Agricultural Land	Grade 2

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice LLFA Assessment: No major surface water issues / constraints identified

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Dereham Rushmeadow Road. Capacity for future growth dependent on location of allocations and whether drains to Dereham or Swanton Morley. Further evidence required.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Dereham Town Council Site is greenfield - not brownfield. Poor road network.

Landowner/Site promoter comment:

None

Other objections

057 - Land to the North of Smallworth Lane, Garboldisham

Alternative

Address: North of Smallworth Lane, Garboldisham, IP22 2QW

Greenfield Site area: 0.38ha Estimated capacity: 8 dwellings

Broad accessibility assessment

Settlement Hierarchy: Local Service Centre

- Dentist
 Doctor
 Leisure Centre
 Library
 Primary School
 Secondary School
 mydentist: 13291 metres (R >)
 East Harling and Kenninghall Medical Practice: 5371 metres (R >)
 Breckland Leisure Centre: 13606 metres (R >)
 Thetford Library: 13414 metres (R >)
 Garboldisham Church Primary School: 641 metres (G <)
- Old Buckenham High School: 12441 metres (R >)

 Overall ranking
 accessibility

 Old Buckenham High School: 12441 metres (R >)

 Amber: One to three core facilities within threshold distance

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

Walking and cycling	Opportunities for walking and cycling access / enhancement based on accessibility to facilities and
	Local Service Centre location.
Open Space	Category - General: 10 metres
Recycling facilities	Snetterton Part-time Recycling Centre: 9180 metres
Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production)	
Conservation Area	Not within a CA
Listed Building	Pear Tree Cottage And Compton (Grade II): 264 metres
Registered Park	Shadwell Park: 7064 metres
Scheduled	Tower of All Saints' Church: 872 metres
Monument	
Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan	
	t Local Plan policy and proposals)
Nutrient Neutrality	No
Catchment Area	
Ancient Woodland	Hollands Wood: 4607 metres
Geodiversity site	Hockham: 12566 metres
National Nature	Redgrave & Lopham Fen: 3857 metres
Reserve	
County Wildlife Site	Old Fen: 106 metres
Local Nature Reserve	Roydon Fen: 9394 metres
Ramsar	Redgrave & South Lopham Fens: 3857 metres
Special Protection Area (SPA)	Breckland 2233 metres. (Site Beyond 1.5km, HRA unlikely to be required.)

Within Stone Curlew buffer: No

SSSI	Hopton Fen 1391 metres
Special Area of	Waveney & Little Ouse Valley Fens: 2140 metres
Conservation (SAC)	
Agricultural Land	Grade 4

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Garboldisham, Disham Back Lane, Garboldisham-Elm Grove, Garboldisham-The Common. Area has 3 very small WRCs. Unlikely that significant growth (over 50 dwellings) could be accommodated without further significant investment.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

169 - Land at Back Street, **Alternative** Garboldisham Address: Back Street, Garboldisham, IP22 2RQ Estimated capacity: 80 Greenfield Site area: 2.65ha dwellings **Broad accessibility assessment** Settlement Hierarchy: Local Service Centre mydentist: 12954 metres (R >) Dentist East Harling and Kenninghall Medical Practice: 4388 Doctor Leisure Centre metres (R >) Breckland Leisure Centre: 13212 metres (R >) Library Thetford Library: 13075 metres (R >) Primary School Secondary School Garboldisham Church Primary School: 168 metres (G <) Old Buckenham High School: 11688 metres (R >) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Local Service Centre location. Category - General: 74 metres Open Space Recycling facilities Snetterton Part-time Recycling Centre: 8237 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Garboldisham Mulberry Cottage (Grade II): 17 metres Listed Building Registered Park Shadwell Park: 6630 metres Tower of All Saints' Church: 107 metres Scheduled Monument **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Ancient Woodland Downhill Grove: 4316 metres Geodiversity site Hockham: 11597 metres National Nature Redgrave & Lopham Fen: 4386 metres Reserve County Wildlife Site Old Fen: 863 metres Local Nature Reserve Roydon Fen: 9672 metres Ramsar Redgrave & South Lopham Fens: 4386 metres Special Protection Breckland 1401 metres. (Site Less than 1.5km, HRA Area (SPA) required.) Within Stone Curlew buffer: No Breckland Forest 1401 metres SSSI

Special Area of Conservation (SAC)	Waveney & Little Ouse Valley Fens: 2937 metres
Agricultural Land	Grade 2

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Garboldisham, Disham Back Lane, Garboldisham-Elm Grove, Garboldisham-The Common. Area has 3 very small WRCs. Unlikely that significant growth (over 50 dwellings) could be accommodated without further significant investment.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

Bidwells on behalf of Breckland Bridge Breckland Bridge are promoting land at Back Street, Garboldisham for residential development

(LPR/CS4/DEV/169). The Site Profile assessment undertaken by the Council in relation to the site

concludes that:

The site is within Garboldisham a Local Service Centre and is Greenfield Adjacent to the existing built-up

area.

Scenarios A, B, D, E and F in the Development Scenarios consultation align with the site.

Accordingly, the site will be considered by the Council as part of their Phase 2 Assessment; a position

supported by Breckland Bridge. However, in undertaking the high level assessment of the site, it is

evident that certain incorrect assumptions have been made by the Council. To ensure that the Phase 2

Assessment is robust and based on correct information, these matters are addressed below.

Other objections

Alternative 287 - Former Nursery, Garboldisham Address: Former Nursery Site, Hopton Road, Garboldisham, IP22 2RQ Estimated capacity: 6 dwellings Mostly Green Site area: 1.06ha **Broad accessibility assessment** Settlement Hierarchy: Local Service Centre mydentist: 13210 metres (R >) Dentist East Harling and Kenninghall Medical Practice: 5920 Doctor Leisure Centre metres (R >) Library Breckland Leisure Centre: 13563 metres (R >) • Primary School Thetford Library: 13334 metres (R >) Garboldisham Church Primary School: 1236 metres (G <) Secondary School Old Buckenham High School: 13024 metres (R >) Overall ranking Amber: One to three core facilities within threshold accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Opportunities for walking and cycling access / Walking and cycling enhancement based on accessibility to facilities and Local Service Centre location. Category - General: 396 metres Open Space Recycling facilities Snetterton Part-time Recycling Centre: 9787 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Garboldisham Windmill (Grade II*): 75 metres Listed Building Shadwell Park: 7078 metres Registered Park Scheduled Tower of All Saints' Church: 1475 metres Monument **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Site Name Blank: 4402 metres Ancient Woodland Geodiversity site Hockham: 13034 metres National Nature Redgrave & Lopham Fen: 3771 metres Reserve County Wildlife Site **Broomscott Common: 8 metres** Local Nature Reserve Roydon Fen: 9469 metres Redgrave & South Lopham Fens: 3771 metres Ramsar Breckland 2626 metres. (Site Beyond 1.5km, HRA **Special Protection** Area (SPA) unlikely to be required.) Within Stone Curlew buffer: No Hopton Fen 915 metres SSSI

Special Area of Conservation (SAC)	Waveney & Little Ouse Valley Fens: 1734 metres
Agricultural Land	Grade 4

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Garboldisham, Disham Back Lane, Garboldisham-Elm Grove, Garboldisham-The Common. Area has 3 very small WRCs. Unlikely that significant growth (over 50 dwellings) could be accommodated without further significant investment.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

288 - Land to East of Hopton Road, **Alternative** Garboldisham Address: Land East of Hopton Road, Garboldisham, IP22 2RQ Greenfield Site area: 2.48ha Estimated capacity: 60 dwellings **Broad accessibility assessment** Settlement Hierarchy: Local Service Centre Dentist mydentist: 13370 metres (R >) East Harling and Kenninghall Medical Practice: 5964 Doctor metres (R >) Leisure Centre Breckland Leisure Centre: 13724 metres (R >) Library • Primary School Thetford Library: 13494 metres (R >) Garboldisham Church Primary School: 1241 metres (G <) • Secondary School Old Buckenham High School: 12911 metres (R >) Amber: One to three core facilities within threshold Overall ranking distance accessibility 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Opportunities for walking and cycling access / Walking and cycling enhancement based on accessibility to facilities and Local Service Centre location. Open Space Category - General: 393 metres Recycling facilities Snetterton Part-time Recycling Centre: 9782 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Garboldisham Windmill (Grade II*): 135 metres Listed Building Shadwell Park: 7241 metres Registered Park Scheduled Tower of All Saints' Church: 1476 metres Monument Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Ancient Woodland Site Name Blank: 4323 metres Geodiversity site Hockham: 13124 metres National Nature Redgrave & Lopham Fen: 3534 metres Reserve County Wildlife Site Broomscott Common: 0 metres Local Nature Reserve Roydon Fen: 9212 metres Redgrave & South Lopham Fens: 3534 metres Ramsar Breckland 2739 metres. (Site Beyond 1.5km, HRA **Special Protection** unlikely to be required.) Area (SPA)

Within Stone Curlew buffer: No

SSSI	Bugg's Hole Fen, Thelnetham 958 metres
Special Area of	Waveney & Little Ouse Valley Fens: 1579 metres
Conservation (SAC)	
Agricultural Land	Grade 4

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Garboldisham, Disham Back Lane, Garboldisham-Elm Grove, Garboldisham-The Common. Area has 3 very small WRCs. Unlikely that significant growth (over 50 dwellings) could be accommodated without further significant investment.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

124 - Land East of B1111, Garboldisham, Garboldisham

Alternative

Address: Land East of B1111, Garboldisham, IP22 2RQ

distance

Greenfield Site area: 3.54ha Estimated capacity: 0 dwellings

Broad accessibility assessment

Settlement Hierarchy: Local Service Centre

Dentist mydentist: 13359 metres (R >)
 Doctor East Harling and Kenninghall Medical Practice: 5953 metres (R >)
 Leisure Centre metres (R >)
 Library Breckland Leisure Centre: 13711 metres (R >)
 Primary School Thetford Library: 13483 metres (R >)
 Secondary School Garboldisham Church Primary School: 1239 metres (G <) Old Buckenham High School: 12911 metres (R >)
 Overall ranking Amber: One to three core facilities within threshold

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

accessibility

Walking and cycling	Opportunities for walking and cycling access / enhancement based on accessibility to facilities and
0 6	Local Service Centre location.
Open Space	Category - General: 393 metres
Recycling facilities	Snetterton Part-time Recycling Centre: 9781 metres
Heritage (nearest design production)	nated heritage asset analysis – Heritage Impact Assessment in
Conservation Area	Not within a CA
Listed Building	Garboldisham Windmill (Grade II*): 94 metres
Registered Park	Shadwell Park: 7222 metres
Scheduled	Tower of All Saints' Church: 1476 metres
Monument	
	(nearest designated geo / biodiversity sites and features. Local Plan
HRA will assess subsequen	t Local Plan policy and proposals)
Nutrient Neutrality	No
Catchment Area	
Ancient Woodland	Site Name Blank: 4193 metres
Geodiversity site	Hockham: 13101 metres
National Nature	Redgrave & Lopham Fen: 3537 metres
Reserve	
County Wildlife Site	Broomscott Common: 0 metres
Local Nature Reserve	Roydon Fen: 9218 metres
Ramsar	Redgrave & South Lopham Fens: 3537 metres
Special Protection	Breckland 2709 metres. (Site Beyond 1.5km, HRA
Area (SPA)	unlikely to be required.)
	Within Stone Curlew buffer: No

SSSI	Bugg's Hole Fen, Thelnetham 829 metres
Special Area of	Waveney & Little Ouse Valley Fens: 1583 metres
Conservation (SAC)	
Agricultural Land	Grade 4

,	
Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Data for settlement not provided. Data for settlement not provided

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

402 - Old Mill House , Garboldisham

Alternative

Address: Old Mill Farm, Hopton Road, Garboldisham, IP22

Greenfield Site area: 1.08ha Estimated capacity: 0 dwellings

Broad accessibility assessment

Settlement Hierarchy: Local Service Centre

•	Dentist	mydentist: 13172 metres (R >)
•	Doctor	East Harling and Kenninghall Medical Practice: 5751
•	Leisure Centre	metres (R >)
•	Library	Breckland Leisure Centre: 13515 metres (R >)
•	Primary School	Thetford Library: 13296 metres (R >)
•	Secondary School	Garboldisham Church Primary School: 1058 metres (G <)
		Old Buckenham High School: 12869 metres (R >)
	verall ranking	Amber: One to three core facilities within threshold
ad	ccessibility	distance

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

Walking and cycling	Opportunities for walking and cycling access / enhancement based on accessibility to facilities and
	Local Service Centre location.
Open Space	Category - General: 217 metres
Recycling facilities	Snetterton Part-time Recycling Centre: 9608 metres
	nated heritage asset analysis – Heritage Impact Assessment in
production)	
Conservation Area	Not within a CA
Listed Building	Garboldisham Windmill (Grade II*): 51 metres
Registered Park	Shadwell Park: 7012 metres
Scheduled	Tower of All Saints' Church: 1295 metres
Monument	
Natural Environment	(nearest designated geo / biodiversity sites and features. Local Plan
HRA will assess subsequent Local Plan policy and proposals)	
Nutrient Neutrality	No
Catchment Area	
Ancient Woodland	Site Name Blank: 4484 metres
Geodiversity site	Hockham: 12874 metres
National Nature	Redgrave & Lopham Fen: 3831 metres
Reserve	
County Wildlife Site	Broomscott Common: 10 metres
Local Nature Reserve	Roydon Fen: 9487 metres
Ramsar	Redgrave & South Lopham Fens: 3831 metres

Special Protection	Breckland 2474 metres. (Site Beyond 1.5km, HRA
Area (SPA)	unlikely to be required.)
	Within Stone Curlew buffer: No
SSSI	Hopton Fen 950 metres
Special Area of	Waveney & Little Ouse Valley Fens: 1857 metres
Conservation (SAC)	
Agricultural Land	Grade 4

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Data for settlement not provided. Data for settlement not provided

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

078 - Land to rear of The Horse Shoes, Gressenhall

Alternative

Address: Rear of The Horse Shoes, The Green, Gressenhall, NR20 4DT

Greenfield Site area: 0.94ha Estimated capacity: 5 dwellings

Broad accessibility assessment

Settlement Hierarchy: Secondary village

5	Section of the fair city. Secondary village		
•	Dentist	Norfolk PCT Dental Services: 3178 metres (R >)	
•	Doctor	Theatre Royal Surgery: 3496 metres (R >)	
•	Leisure Centre	Dereham Leisure Centre: 4337 metres (R >)	
•	Library	Dereham Library: 3907 metres (R >)	
•	Primary School	St Marys Community Primary School: 1286 metres (G <)	
•	Secondary School	Northgate High School: 3195 metres (R >)	
Overall ranking		Amber: One to three core facilities within threshold	
accessibility		distance	

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

Area (SPA)

SSSI

Walking and cycling	Some accessible facilities create opportunity to enhance
	walking and cycling access.
Open Space	Category - Public Park Or Garden: 10 metres
Recycling facilities	Dereham Main Recycling Centre Plus: 4914 metres
Heritage (nearest design	ated heritage asset analysis – Heritage Impact Assessment in
production)	
Conservation Area	Not within a CA
Listed Building	Methodist Chapel And Adjoining 2 Dwellings (Grade II):
	772 metres
Registered Park	Elmham House: 4670 metres
Scheduled	Deserted medieval village: 2891 metres
Monument	
Natural Environment (nearest designated geo / biodiversity sites and features. Loc	
	Local Plan policy and proposals)
HRA will assess subsequen Nutrient Neutrality	
HRA will assess subsequen Nutrient Neutrality Catchment Area	t Local Plan policy and proposals) Yes River Wensum SAC
HRA will assess subsequen Nutrient Neutrality	Yes River Wensum SAC Site Name Blank: 591 metres
HRA will assess subsequen Nutrient Neutrality Catchment Area	t Local Plan policy and proposals) Yes River Wensum SAC
HRA will assess subsequen Nutrient Neutrality Catchment Area Ancient Woodland	Yes River Wensum SAC Site Name Blank: 591 metres
HRA will assess subsequen Nutrient Neutrality Catchment Area Ancient Woodland Geodiversity site	Yes River Wensum SAC Site Name Blank: 591 metres Newton-by-Castle Acre Chalk Pit: 12766 metres
HRA will assess subsequen Nutrient Neutrality Catchment Area Ancient Woodland Geodiversity site National Nature	Yes River Wensum SAC Site Name Blank: 591 metres Newton-by-Castle Acre Chalk Pit: 12766 metres
HRA will assess subsequen Nutrient Neutrality Catchment Area Ancient Woodland Geodiversity site National Nature Reserve	Yes River Wensum SAC Site Name Blank: 591 metres Newton-by-Castle Acre Chalk Pit: 12766 metres Foxley Wood: 10106 metres
HRA will assess subsequen Nutrient Neutrality Catchment Area Ancient Woodland Geodiversity site National Nature Reserve County Wildlife Site	Yes River Wensum SAC Site Name Blank: 591 metres Newton-by-Castle Acre Chalk Pit: 12766 metres Foxley Wood: 10106 metres Land west of Gressenhall Green: 156 metres
HRA will assess subsequen Nutrient Neutrality Catchment Area Ancient Woodland Geodiversity site National Nature Reserve County Wildlife Site Local Nature Reserve	Yes River Wensum SAC Site Name Blank: 591 metres Newton-by-Castle Acre Chalk Pit: 12766 metres Foxley Wood: 10106 metres Land west of Gressenhall Green: 156 metres Litcham Common: 7469 metres

unlikely to be required.)

Within Stone Curlew buffer: No

Dillington Carr, Gressenhall 264 metres

Special Area of Conservation (SAC)	Norfolk Valley Fens: 4191 metres
Collise vacion (SAC)	
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 34.72%
Flood Zone 2	Proportion of site area 50.55%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice Minor development within NRIDB's IDD. Proposed site is adjacent to Board maintained watercourse MN 32 - Gressenhall Dunfer Hall (Drain ID: DRN103G0101), located to the south of the site. Consent would be required from the Board

for any works within 9 metres of the watercourse, as well as any alterations or discharge to the watercourse/any riparian watercourse within the Board's IDD. Known flood risk concerns.

Surface water run-off will need to be well managed to ensure this is not further increased, as per paragraph 167 of the National Planning Policy Framework.

The Board strongly recommend that at the detailed design stage, where practicable, SuDS are utilised on the development, in line with the Non-Statutory technical standards for sustainable drainage systems.

Anglian Water Water Recycling Centre - Dereham Rushmeadow Road. Capacity for future growth dependent on location of allocations and whether drains to Dereham or Swanton Morley. Further evidence required.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Gressenhall scale and size conflict-classified as green but this is a subjective assessment and the site was originally for 4 not 5 houses the size of which is not specified. Additionally drainage mitigation is mentioning suggesting there may be flooding issues but this is not a factor considered in the current traffic light scheme-

Landowner/Site promoter comment:

None

Other objections

268 - Land to the rear of greenacres, Alternative church road. , Griston

Address: Rear of Greenacres, Church Road, Griston, IP25 6QA

Greenfield Site area: 0.42ha Estimated capacity: 5 dwellings

Broad accessibility assessment

Settlement Hierarchy: Secondary village

	- contained the control of the grant of the	
•	Dentist	Together Dental: 3357 metres (R >)
•	Doctor	Watton Medical Practice: 3070 metres (R >)
•	Leisure Centre	Watton Sports and Social Club: 3371 metres (R >)
•	Library	Watton Library: 3376 metres (R >)
•	Primary School	Caston Primary School: 1271 metres (G <)
•	Secondary School	Wayland Academy Norfolk: 2915 metres (R >)
Overall ranking		Amber: One to three core facilities within threshold
accessibility		distance

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

SSSI

Walking and cycling	Some accessible facilities create opportunity to enhance walking and cycling access.	
Open Space	Category - General: 149 metres	
Recycling facilities	Ashill Recycling Centre: 8582 metres	
Heritage (nearest desigr	nated heritage asset analysis – Heritage Impact Assessment in	
production)		
Conservation Area	Not within a CA	
Listed Building	Church Farm House (Grade II): 158 metres	
Registered Park	Breccles Hall: 4795 metres	
Scheduled	Village cross, 70m north west of the Holy Cross Church:	
Monument	2108 metres	
Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan		
HRA will assess subsequen	t Local Plan policy and proposals)	
Nutrient Neutrality	No	
Catchment Area		
Ancient Woodland	Wayland Wood: 1453 metres	
Geodiversity site	Hockham: 6573 metres	
National Nature	Brettenham Heath: 12377 metres	
Reserve		
County Wildlife Site	South-west of Griston Hall: 1161 metres	
Local Nature Reserve	Great Eastern Pingo Trail: 2494 metres	
Ramsar	Redgrave & South Lopham Fens: 21694 metres	
Special Protection	Breckland 4078 metres. (Site Beyond 1.5km, HRA	
Area (SPA)	unlikely to be required.)	
	Within Stone Curlew buffer: No	

Wayland Wood, Watton 1453 metres

Special Area of Conservation (SAC)	Norfolk Valley Fens: 2194 metres
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Watton. Currently no available headroom, but permit awaited to increase capacity for growth to come forward.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

348 - Paynes Meadow, Griston Alternative			Alternative
Address: Paynes Mead	ow, IP25 6FE		
Greenfield	Site area: 19.09ha	Estimated dwellings	capacity: 550
Broad accessibility as	sessment		
Settlement Hierarchy:			
Dentist	Together Dental: 1019	metres (G <)	
 Doctor 	Watton Medical Practic		
Leisure Centre	Watton Sports and Soci		
 Library 	Watton Library: 1050 m		, ,
Primary School	Wayland Junior Acaden		601 metres (G <)
 Secondary School 	Wayland Academy Norf	-	
Overall ranking accessibility	Green: At least four faci		
800m/10 minutes walking distant employment.	ce of the site in town centres; 1,200	Om elsewhere and	d 2,000m for school access and
 Green 4+ core services v Amber 1 to 3 core services Red 0 core services 			
Walking and cycling	Opportunities for acces cycling as a result of pro		
Open Space	Category - Play Space: 2		
Recycling facilities	Ashill Recycling Centre:		S
	ated heritage asset analysis –		
production)			
Conservation Area	Not within a CA		
Listed Building	Vicarage (Grade II): 307		
Registered Park	Breccles Hall: 6484 met		11. 2.625
Scheduled	Roman settlement at W	oodcock Ha	ll: 2625 metres
Monument	/ //:	P 9 9	16 1 151
	(nearest designated geo / bio t Local Plan policy and propos		and reatures. Local Plan
Nutrient Neutrality	No		
Catchment Area			
Ancient Woodland	Wayland Wood: 21 metr	res	
Geodiversity site	Hockham: 7808 metres		
National Nature	Brettenham Heath: 129	17 metres	
Reserve			
County Wildlife Site	Milestone Grove: 583 m	etres	
Local Nature Reserve	Great Eastern Pingo Tra	il: 3643 met	res
Ramsar	Redgrave & South Loph		
Special Protection	Breckland 1935 metres.	(Site Beyon	d 1.5km, HRA
Area (SPA)	unlikely to be required.)	
	Within Stone Curlew bu	ffer: No	
SSSI	Wayland Wood, Watton	20 metres	
Special Area of	Norfolk Valley Fens: 28′	16 metres	
Conservation (SAC)			
Agricultural Land	Grade 3		

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Watton. Currently no available headroom, but permit awaited to increase capacity for growth to come forward.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

Ceres Property on behalf of Barratt David Wilson Homes (Anglia) Whilst the methodology and proposed criteria for site assessments is broadly acceptable it is fundamentally flawed with regards to site location and relationship to settlements and the parish it falls within. Despite a site adjoining an existing market town, where it falls in a neighbouring village parish administrative boundary, it has been assessed under the cluster of sites submitted to and related to that particular village, rather than the market town is adjoins. Paynes Meadow -LPR/CS4/DEV/348') in the Phase 1 Site Assessment (February 2024). The Site clearly relates to and adjoins the settlement boundary of Watton, however as the Site technically falls within the Griston parish boundary it has been assessed against Griston as a 'Village with boundaries' in the site assessment. Consequently it's alignment with the proposed alternative development scenarios (A-F) is misrepresented, aligning with Scenarios E and F. The Site should be assessed as a Watton site irrespective of what parish it falls within. It very clearly does not relate to the village of Griston by any measure or metric and should be assessed as an extension to the market town of Watton.

Other objections

395 - South Of Caston Road, Griston Alternative

Address: South of Caston Road, Griston, IP25 6QD

Greenfield Site area: 2.36ha Estimated capacity: 9 dwellings

Broad accessibility assessment

Settlement Hierarchy: Secondary village

	Section for the farency. Secondary vittage		
	•	Dentist	Together Dental: 3481 metres (R >)
	•	Doctor	Watton Medical Practice: 3186 metres (R >)
	•	Leisure Centre	Watton Sports and Social Club: 3451 metres (R >)
	•	Library	Watton Library: 3507 metres (R >)
	•	Primary School	Caston Primary School: 1179 metres (G <)
	•	Secondary School	Wayland Academy Norfolk: 3079 metres (R >)
Overall ranking		verall ranking	Amber: One to three core facilities within threshold
accessibility		cessibility	distance

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

Walking and cycling	Some accessible facilities create opportunity to enhance walking and cycling access.	
Open Space	Category - General: 147 metres	
Recycling facilities	Ashill Recycling Centre: 8671 metres	
Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production)		
Conservation Area	Not within a CA	
Listed Building	The Old Thatch (Grade II): 38 metres	
Registered Park	Breccles Hall: 4755 metres	
Scheduled	Village cross, 70m north west of the Holy Cross Church:	
Monument	1994 metres	
Natural Environment HRA will assess subsequen	(nearest designated geo / biodiversity sites and features. Local Plan t Local Plan policy and proposals)	
Nutrient Neutrality	No	
Catchment Area		
Ancient Woodland	Wayland Wood: 1644 metres	
Geodiversity site	Hockham: 6581 metres	
National Nature Reserve	Brettenham Heath: 12442 metres	
County Wildlife Site	Land north of Northacre: 1000 metres	
Local Nature Reserve	Great Eastern Pingo Trail: 2567 metres	
Ramsar	Redgrave & South Lopham Fens: 21622 metres	
Special Protection	Breckland 4291 metres. (Site Beyond 1.5km, HRA	
Area (SPA)	unlikely to be required.)	
	Within Stone Curlew buffer: No	
SSSI	Wayland Wood, Watton 1648 metres	
Special Area of	Norfolk Valley Fens: 2348 metres	
Conservation (SAC)		
Agricultural Land	Grade 3	

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Watton. Currently no available headroom, but permit awaited to increase capacity for growth to come forward.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

012 - Land to North of Quidenham Road, Harling

Alternative

Address: North of Quidenham Road, East Harling, NR16 2DJ

Greenfield Site area: 1.81ha Estimated capacity: 30 dwellings

Broad accessibility assessment

Settlement Hierarchy: Local Service Centre

)	Settlement including. Local Service Centre		
•	Dentist	Rookwood Dental Practice: 9707 metres (R >)	
•	Doctor	East Harling and Kenninghall Medical Practice: 538	
•	Leisure Centre	metres (G <)	
•	Library	Attleborough Sports Hall: 10013 metres (R >)	
•	Primary School	Attleborough Library: 9994 metres (R >)	
•	Secondary School	East Harling Primary School and Nursery: 403 metres (G	
		<)	
		Old Buckenham High School: 8374 metres (R >)	
Overall ranking		Amber: One to three core facilities within threshold	
ac	cessibility	distance	
ı			

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

Walking and cycling	Opportunities for walking and cycling access /	
	enhancement based on accessibility to facilities and	
	Local Service Centre location.	
Open Space	Category - General: 555 metres	
Recycling facilities	Snetterton Part-time Recycling Centre: 3573 metres	
Heritage (nearest design production)	nated heritage asset analysis – Heritage Impact Assessment in	
Conservation Area	Not within a CA	
Listed Building	Crossways And Tillywhim (Grade II): 438 metres	
Registered Park	Shadwell Park: 7229 metres	
Scheduled	Round barrow on East Harling Heath: 2467 metres	
Monument		
Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan		
HRA will assess subsequen	t Local Plan policy and proposals)	
Nutrient Neutrality	No	
Catchment Area		
Ancient Woodland	Downhill Grove: 1762 metres	
Geodiversity site	Hockham: 7257 metres	
National Nature	Brettenham Heath: 6153 metres	
Reserve		
County Wildlife Site	East Harling Fen: 381 metres	
Local Nature Reserve	Great Eastern Pingo Trail: 8782 metres	
Ramsar	Redgrave & South Lopham Fens: 8202 metres	
Special Protection	Breckland 2241 metres. (Site Beyond 1.5km, HRA	
Area (SPA)	unlikely to be required.)	

	Within Stone Curlew buffer: No
SSSI	East Harling Common 860 metres
Special Area of	Norfolk Valley Fens: 6114 metres
Conservation (SAC)	-
Agricultural Land	Grade 4

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - East Harling. Likely to be sufficient capacity for growth at least up to 550 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

Brown & Co land to the north of Quidenham Road, Harling (LPRC4SDEV012) - suggest that there are no significant trees on site and the removal of a section of the boundary hedgerow would not be significantly felt

Other objections

102 - Land to South of Allotments NR16 2L2 Option 2, Harling

Alternative

Address: Option 2 - Land South of allotments accessed via The Glebe, Harling, NR16 2LZ

Greenfield Site area: 3.25ha Estimated capacity: 45 dwellings

Broad accessibility assessment

Settlement Hierarchy: Local Service Centre

ı	Settlement meralicity. Edeat Service Centre	
	 Dentist 	Rookwood Dental Practice: 10475 metres (R >)
	 Doctor 	East Harling and Kenninghall Medical Practice: 47
	 Leisure Centre 	metres (G <)
	• Library	Attleborough Sports Hall: 10778 metres (R >)
	 Primary School 	Attleborough Library: 10763 metres (R >)
	 Secondary School 	East Harling Primary School and Nursery: 290 metres (G
	_	<)
		Old Buckenham High School: 9161 metres (R >)
Overall ranking		Amber: One to three core facilities within threshold
accessibility		distance
ı	I	

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

Walking and cycling	Opportunities for walking and cycling access /	
	enhancement based on accessibility to facilities and	
	Local Service Centre location.	
Open Space	Category - General: 0 metres	
Recycling facilities	Snetterton Part-time Recycling Centre: 4308 metres	
Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production)		
Conservation Area	Not within a CA	
Listed Building	Old World Cottage And Attached Cottage To South	
	(Grade II): 83 metres	
Registered Park	Shadwell Park: 6429 metres	
Scheduled	Round barrow on East Harling Heath: 1793 metres	
Monument		
Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan		

Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals)

Nutrient Neutrality	No
Catchment Area	
Ancient Woodland	Downhill Grove: 2243 metres
Geodiversity site	Hockham: 7376 metres
National Nature	Brettenham Heath: 5501 metres
Reserve	
County Wildlife Site	Woodland adj. Mid Harling Fen: 109 metres
Local Nature Reserve	Great Eastern Pingo Trail: 8671 metres
Ramsar	Redgrave & South Lopham Fens: 7987 metres

Special Protection Breckland 1494 metres. (Site Less than 1.5km, HRA	
Area (SPA) required.)	
	Within Stone Curlew buffer: No
SSSI	Middle Harling Fen 488 metres
Special Area of	Breckland: 5501 metres
Conservation (SAC)	
Agricultural Land	Grade 4

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - East Harling. Likely to be sufficient capacity for growth at least up to 550 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

Turley on behalf of the Glebe Submitted site assessment and detailed response proposes range of matters in response to Phase 1 site assessment.

Other objections

133 - Land at Garboldisham Road, **Alternative** Harling Address: Land at Garboldisham Road, East Harling, NR16 2PT Greenfield Site area: 0.40ha Estimated capacity: 14 dwellings **Broad accessibility assessment** Settlement Hierarchy: Local Service Centre Rookwood Dental Practice: 10620 metres (R >) Dentist Doctor East Harling and Kenninghall Medical Practice: 230 Leisure Centre metres (G <) Attleborough Sports Hall: 10925 metres (R >) Library Attleborough Library: 10907 metres (R >) Primary School • Secondary School East Harling Primary School and Nursery: 337 metres (G <) Old Buckenham High School: 9241 metres (R >) Overall ranking Amber: One to three core facilities within threshold

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

• Green 4+ core services within above threshold

distance

- Amber 1 to 3 core services
- Red 0 core services

accessibility

Ramsar

Walking and cycling	Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Local Service Centre location.
Open Space	Category - General: 121 metres
Recycling facilities	Snetterton Part-time Recycling Centre: 4468 metres
Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment production)	
Conservation Area	Not within a CA
Listed Building	Old World Cottage And Attached Cottage To South (Grade II): 13 metres
Registered Park	Shadwell Park: 6530 metres
Scheduled	Round barrow on East Harling Heath: 1697 metres
Monument	
Natural Environment (nearest designated geo / biodiversity sites and features. Local Pla HRA will assess subsequent Local Plan policy and proposals)	
Nutrient Neutrality	No
Catchment Area	
Ancient Woodland	Downhill Grove: 2225 metres
Geodiversity site	Hockham: 7629 metres
National Nature	Brettenham Heath: 5666 metres
Reserve	
County Wildlife Site	Woodland adj. Mid Harling Fen: 207 metres
Local Nature Reserve	Great Eastern Pingo Trail: 8919 metres

Redgrave & South Lopham Fens: 7892 metres

Special Protection Area (SPA)	Breckland 1428 metres. (Site Less than 1.5km, HRA required.) Within Stone Curlew buffer: No
SSSI	Middle Harling Fen 493 metres
Special Area of	Breckland: 5666 metres
Conservation (SAC)	
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - East Harling. Likely to be sufficient capacity for growth at least up to 550 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

Turley on behalf of Silverley Properties Ltd The Site is located on a greenfield site adjacent to the settlement boundary of Harling on both the northern and eastern boundaries. The Council's Site Profile Assessment

(December 2023) of the Site (Ref: LPR/C45/DEV/133) provided a red rating on this matter.

2.6 However, given the limited opportunity for brownfield sites within East Harling, all of the sites being proposed for development within Harling are on greenfield sites. As such,

this should not be a constraint to development within this Local Service Centre.

(Further site analysis details provided)

Other objections

212 - Land off Lopham Road, Harling Alternative Address: Off Lopham Road East Harling, NR16 2PX Greenfield Site area: 11.84ha Estimated capacity: 198 dwellings **Broad accessibility assessment** Settlement Hierarchy: Local Service Centre Rookwood Dental Practice: 10669 metres (R >) Dentist Doctor East Harling and Kenninghall Medical Practice: 371 Leisure Centre metres (G <) Attleborough Sports Hall: 10978 metres (R >) Library Attleborough Library: 10954 metres (R >) • Primary School East Harling Primary School and Nursery: 428 metres (G Secondary School <) Old Buckenham High School: 9133 metres (R >) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Opportunities for walking and cycling access / Walking and cycling enhancement based on accessibility to facilities and Local Service Centre location. Open Space Category - General: 0 metres Recycling facilities Snetterton Part-time Recycling Centre: 4566 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA 1 And 2 The Crescent (Grade II): 27 metres Listed Building Shadwell Park: 6405 metres Registered Park Scheduled Round barrow on East Harling Heath: 1213 metres Monument Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Downhill Grove: 1847 metres Ancient Woodland Geodiversity site Hockham: 7771 metres Brettenham Heath: 5723 metres National Nature Reserve County Wildlife Site Woodland adj. Mid Harling Fen: 264 metres Local Nature Reserve Great Eastern Pingo Trail: 9044 metres Redgrave & South Lopham Fens: 7329 metres Ramsar **Special Protection** Breckland 1033 metres. (Site Less than 1.5km, HRA Area (SPA) required.) Within Stone Curlew buffer: No SSSI Middle Harling Fen 400 metres

Special Area of	Breckland: 5723 metres
Conservation (SAC)	
Agricultural Land	Grade 3

Agricultural Land Grade 3

Water management and flood risk (Further information, including surface water flood risk and cumulative impacts to be reported through Strategic Flood Risk Assessment, 2024)

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - East Harling. Likely to be sufficient capacity for growth at least up to 550 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

Gladman Land at Lopham Road has been assessed in line with this new criteria. As per the previous paragraph, the site has scored red for pedestrian access, yet the previous planning

application (3PL/2018/1557/O) referenced within the assessment stipulates that improved pedestrian access and connectivity can be delivered. It would be preferable that the site assessment temper the scoring to reflect this, rather than potentially discredit a highly suitable and sustainable site based on a highly simplified traffic light system.

As shown below, with the improved pedestrian access provided by the access points on Lopham Road, two safe walking routes are available to the school and shop. The yellow

route has footpaths that can be safely used by pedestrians, pushchairs and children, and the maroon route utilises a connecting footpath between the Crescent and Jubilee Avenue. With these routes considered, Gladman consider that Lopham Road should be scored amber or green Notwithstanding this, Gladman agree that Land at Lopham Road is a suitable extension to a Local Service Centre and is compatible with development strategy options A, B, D, E and F. The site is available and achievable and can make a valuable contribution to the housing requirements of Harling and the wider Breckland district. Regular public transport is available for residents, providing sustainable connections to larger neighbouring towns and a wide range of employment, leisure and retail opportunities. (Further detailed site commentary provided)

Other objections

213 - Land off Lopham Road, Harling Alternative Address: Off Lopham Road, East Harling, NR16 2PX Greenfield Site area: 9.60ha Estimated capacity: 100 dwellings **Broad accessibility assessment** Settlement Hierarchy: Local Service Centre Rookwood Dental Practice: 10686 metres (R >) Dentist Doctor East Harling and Kenninghall Medical Practice: 370 Leisure Centre metres (G <) Attleborough Sports Hall: 10994 metres (R >) Library Attleborough Library: 10972 metres (R >) • Primary School East Harling Primary School and Nursery: 425 metres (G Secondary School <) Old Buckenham High School: 9199 metres (R >) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Opportunities for walking and cycling access / Walking and cycling enhancement based on accessibility to facilities and Local Service Centre location. Open Space Category - General: 0 metres Recycling facilities Snetterton Part-time Recycling Centre: 4570 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA 13 And 14 The Crescent (Grade II): 25 metres Listed Building Shadwell Park: 6289 metres Registered Park Scheduled Round barrow on East Harling Heath: 997 metres Monument Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Downhill Grove: 2045 metres Ancient Woodland Geodiversity site Hockham: 7771 metres Brettenham Heath: 5699 metres National Nature Reserve County Wildlife Site Woodland adj. Mid Harling Fen: 266 metres Local Nature Reserve Great Eastern Pingo Trail: 9045 metres Redgrave & South Lopham Fens: 7279 metres Ramsar **Special Protection** Breckland 843 metres. (Site Less than 1.5km, HRA Area (SPA) required.) Within Stone Curlew buffer: No SSSI Middle Harling Fen 380 metres

Special Area of	Breckland: 5699 metres
Conservation (SAC)	
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - East Harling. Likely to be sufficient capacity for growth at least up to 550 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

Gladman Land at Lopham Road has been assessed in line with this new criteria. As per the previous paragraph, the site has scored red for pedestrian access, yet the previous planning

application (3PL/2018/1557/O) referenced within the assessment stipulates that improved pedestrian access and connectivity can be delivered. It would be preferable that the site assessment temper the scoring to reflect this, rather than potentially discredit a highly suitable and sustainable site based on a highly simplified traffic light system.

As shown below, with the improved pedestrian access provided by the access points on Lopham Road, two safe walking routes are available to the school and shop. The yellow

route has footpaths that can be safely used by pedestrians, pushchairs and children, and the maroon route utilises a connecting footpath between the Crescent and Jubilee Avenue. With these routes considered, Gladman consider that Lopham Road should be scored amber or green Notwithstanding this, Gladman agree that Land at Lopham Road is a suitable extension to a Local Service Centre and is compatible with development strategy options A, B, D, E and F. The site is available and achievable and can make a valuable contribution to the housing requirements of Harling and the wider Breckland district. Regular public transport is available for residents, providing sustainable connections to larger neighbouring towns and a wide range of employment, leisure and retail opportunities. (Further detailed site commentary provided)

Other objections

273 - Land to South of allotments NR16 2LZ option 1, Harling

Alternative

Address: Option 1, Land South of Allotments accessed via The Glebe, East Harling, NR16 2LZ

Greenfield Site area: 6.51ha Estimated capacity: 65 dwellings

Broad accessibility assessment

Settlement Hierarchy: Local Service Centre

L	Section lend the larchy. Local Service Centre		
	 Dentist 	Rookwood Dental Practice: 10475 metres (R >)	
	 Doctor 	East Harling and Kenninghall Medical Practice: 48	
	 Leisure Centre 	metres (G <)	
	 Library 	Attleborough Sports Hall: 10778 metres (R >)	
	 Primary School 	Attleborough Library: 10763 metres (R >)	
	 Secondary School 	East Harling Primary School and Nursery: 289 metres (G	
	-	<)	
		Old Buckenham High School: 9161 metres (R >)	
Overall ranking		Amber: One to three core facilities within threshold	
	accessibility	distance	
1			

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

Opportunities for walking and cycling access /

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

walking and cycling	enhancement based on accessibility to facilities and	
	Local Service Centre location.	
Open Space	Category - General: 0 metres	
Recycling facilities	Snetterton Part-time Recycling Centre: 4308 metres	
Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production)		
Conservation Area	Not within a CA	
Listed Building	Old World Cottage And Attached Cottage To South (Grade II): 58 metres	
Registered Park	Shadwell Park: 6320 metres	
Scheduled	Round barrow on East Harling Heath: 1638 metres	
Monument		
Natural Environment (peacest designated goo / biodiversity sites and features local Plan		

Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals)

Nutrient Neutrality	No
Catchment Area	
Ancient Woodland	Downhill Grove: 2242 metres
Geodiversity site	Hockham: 7376 metres
National Nature	Brettenham Heath: 5447 metres
Reserve	
County Wildlife Site	Woodland adj. Mid Harling Fen: 0 metres
Local Nature Reserve	Great Eastern Pingo Trail: 8671 metres
Ramsar	Redgrave & South Lopham Fens: 7886 metres

Special Protection	Breckland 1323 metres. (Site Less than 1.5km, HRA
Area (SPA)	required.)
	Within Stone Curlew buffer: No
SSSI	Middle Harling Fen 321 metres
Special Area of	Breckland: 5447 metres
Conservation (SAC)	
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - East Harling. Likely to be sufficient capacity for growth at least up to 550 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

Turley on behalf of the Glebe Submitted site assessment and detailed response proposes range of matters in response to Phase 1 site assessment.

Other objections

349 - Quidenham Road, Harling **Alternative** Address: Quidenham Road, East Harling, NR16 2NG Greenfield Site area: 1.75ha Estimated capacity: 16 dwellings Broad accessibility assessment Settlement Hierarchy: Local Service Centre Rookwood Dental Practice: 9569 metres (R >) Dentist Doctor East Harling and Kenninghall Medical Practice: 746 Leisure Centre metres (G <) Attleborough Sports Hall: 9878 metres (R >) Library Attleborough Library: 9855 metres (R >) • Primary School East Harling Primary School and Nursery: 559 metres (G Secondary School <) Old Buckenham High School: 8164 metres (R >) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Opportunities for walking and cycling access / Walking and cycling enhancement based on accessibility to facilities and Local Service Centre location. Open Space Category - General: 649 metres Recycling facilities Snetterton Part-time Recycling Centre: 3467 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Windmill (Grade II): 649 metres Listed Building Shadwell Park: 7455 metres Registered Park Scheduled Round barrow on East Harling Heath: 2584 metres Monument Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Downhill Grove: 1544 metres Ancient Woodland Geodiversity site Hockham: 7349 metres Brettenham Heath: 6387 metres National Nature Reserve County Wildlife Site East Harling Fen: 323 metres Local Nature Reserve Great Eastern Pingo Trail: 8922 metres Redgrave & South Lopham Fens: 8123 metres Ramsar **Special Protection** Breckland 2388 metres. (Site Beyond 1.5km, HRA unlikely to be required.) Area (SPA) Within Stone Curlew buffer: No SSSI East Harling Common 851 metres

Special Area of Conservation (SAC)	Norfolk Valley Fens: 6018 metres
· · · · · · · · · · · · · · · · · · ·	
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - East Harling. Likely to be sufficient capacity for growth at least up to 550 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

350 - South Quidenham Road, Harling

Alternative

Address: South Quidenham Road, East Harling, NR16 2JD

Mostly Green Site area: 6.57ha Estimated capacity: 80 dwellings

Broad accessibility assessment

Settlement Hierarchy: Local Service Centre

•	Dentist	Rookwood Dental Practice: 9519 metres (R >)
•	Doctor	East Harling and Kenninghall Medical Practice: 714
•	Leisure Centre	metres (G <)
•	Library	Attleborough Sports Hall: 9830 metres (R >)
•	Primary School	Attleborough Library: 9804 metres (R >)
•	Secondary School	East Harling Primary School and Nursery: 468 metres (G
		<)
		Old Buckenham High School: 8036 metres (R >)
Overall ranking		Amber: One to three core facilities within threshold
accessibility		distance

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

Walking and cycling	Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Local Service Centre location.
Open Space	Category - General: 409 metres
Recycling facilities	Snetterton Part-time Recycling Centre: 3467 metres
	nated heritage asset analysis – Heritage Impact Assessment in
production)	lated Heritage asset allatysis – Heritage IIIpact Assessment III
Conservation Area	Not within a CA
Listed Building	Windmill (Grade II): 377 metres
Registered Park	Shadwell Park: 7413 metres
Scheduled	Round barrow on East Harling Heath: 2362 metres
Monument	
Natural Environment	(nearest designated geo / biodiversity sites and features. Local Plan
HRA will assess subsequen	t Local Plan policy and proposals)
Nutrient Neutrality	No
Catchment Area	
Ancient Woodland	Downhill Grove: 1324 metres
Geodiversity site	Hockham: 7559 metres
National Nature	Brettenham Heath: 6442 metres
Reserve	
County Wildlife Site	East Harling Fen: 386 metres
Local Nature Reserve	Great Eastern Pingo Trail: 9124 metres
Ramsar	Redgrave & South Lopham Fens: 7756 metres
Special Protection	Breckland 2201 metres. (Site Beyond 1.5km, HRA
Area (SPA)	unlikely to be required.)
	Within Stone Curlew buffer: No

SSSI	East Harling Common 1002 metres
Special Area of	Norfolk Valley Fens: 6032 metres
Conservation (SAC)	
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - East Harling. Likely to be sufficient capacity for growth at least up to 550 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

398 - Roundham Road (Potentially not mapped - Open space at junction of Harling and Roudham Roads, Harling Road), Harling

Alternative

Address: Roudham Road, Harling, NR16 2QN

Greenfield Site area: 3.24ha Estimated capacity: 30 dwellings

Broad accessibility assessment

Settlement Hierarchy: Local Service Centre

•	Dentist	Rookwood Dental Practice: 9876 metres (R >)
•	Doctor	East Harling and Kenninghall Medical Practice: 741
•	Leisure Centre	metres (G <)
•	Library	Attleborough Sports Hall: 10188 metres (R >)
•	Primary School	Attleborough Library: 10160 metres (R >)
•	Secondary School	East Harling Primary School and Nursery: 494 metres (G
		<)
		Old Buckenham High School: 8323 metres (R >)
Overall ranking		Amber: One to three core facilities within threshold
a	ccessibility	distance

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

Walking and cycling	Opportunities for walking and cycling access / enhancement based on accessibility to facilities and
	Local Service Centre location.
Open Space	Category - General: 186 metres
Recycling facilities	Snetterton Part-time Recycling Centre: 3837 metres
Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production)	
Conservation Area	Not within a CA
Listed Building	Windmill (Grade II): 81 metres
Registered Park	Shadwell Park: 7293 metres
Scheduled	Round barrow on East Harling Heath: 2068 metres
Monument	
	(nearest designated geo / biodiversity sites and features. Local Plan
	t Local Plan policy and proposals)
Nutrient Neutrality	No
Catchment Area	
Ancient Woodland	Downhill Grove: 1334 metres
Geodiversity site	Hockham: 7800 metres
National Nature	Brettenham Heath: 6444 metres
Reserve	
County Wildlife Site	East Harling Fen: 717 metres
Local Nature Reserve	Great Eastern Pingo Trail: 9324 metres
Ramsar	Redgrave & South Lopham Fens: 7527 metres

Special Protection	Breckland 1945 metres. (Site Beyond 1.5km, HRA
Area (SPA)	unlikely to be required.)
	Within Stone Curlew buffer: No
SSSI	Middle Harling Fen 1235 metres
Special Area of	Norfolk Valley Fens: 6401 metres
Conservation (SAC)	
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - East Harling. Likely to be sufficient capacity for growth at least up to 550 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

018 - Land North of Sloe Berry Lane, Hockering

Alternative

Address: North of Sloe Berry Lane, Hockering, NR20 3SP

Greenfield Site area: 1.17ha Estimated capacity: 6 dwellings

Broad accessibility assessment

Settlement Hierarchy: Local Service Centre

	 Dentist 	Norfolk PCT Dental Services: 9352 metres (R >)	
	• Doctor	Mattishall Surgery: 3588 metres (R >)	
	 Leisure Centre 	Dereham Leisure Centre: 9050 metres (R >)	
	• Library	Dereham Library: 9465 metres (R >)	
	 Primary School 	Hockering C. of E. Primary Academy: 743 metres (G <)	
	 Secondary School 	Dereham Neatherd High School: 8471 metres (R >)	
	Overall ranking	Amber: One to three core facilities within threshold	
accessibility		distance	

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

SSSI

Walking and cycling	Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Local Service Centre location.
Open Space	Category - General: 916 metres
Recycling facilities	Dereham Main Recycling Centre Plus: 8884 metres
Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in	
production)	
Conservation Area	Not within a CA
Listed Building	Yew Tree Farmhouse (Grade II): 908 metres
Registered Park	Kimberley Hall: 7077 metres
Scheduled	Round barrow SE of the Lodges: 5467 metres
Monument	_
Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan	
HRA will assess subsequent Local Plan policy and proposals)	
Nutrient Neutrality	Yes The Broads SAC
Catchment Area	
Ancient Woodland	Park Grove: 259 metres
Geodiversity site	Pinebanks: 17905 metres
National Nature	Foxley Wood: 9300 metres
Reserve	
County Wildlife Site	Park Grove: 255 metres
Local Nature Reserve	Bowthorpe Marsh: 10526 metres
Ramsar	Broadland: 17695 metres
Special Protection	Broadland 17695 metres. (Site Beyond 1.5km, HRA
Area (SPA)	unlikely to be required.)
	Within Stone Curlew buffer: No

Hockering Wood 1252 metres

Special Area of Conservation (SAC)	River Wensum: 4606 metres
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Hockering-By. Capacity for future growth at least up to 155 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

Alternative 351 - West Heath Row, Hockering Address: Heath Road, Hockering, NR20 3JA Greenfield Site area: 1.65ha Estimated capacity: 31 dwellings Broad accessibility assessment Settlement Hierarchy: Local Service Centre Norfolk PCT Dental Services: 8355 metres (R >) Dentist Doctor Mattishall Surgery: 3167 metres (R >) • Leisure Centre Dereham Leisure Centre: 8141 metres (R >) Dereham Library: 8540 metres (R >) Library Hockering C. of E. Primary Academy: 310 metres (G <) • Primary School Secondary School Dereham Neatherd High School: 7535 metres (R >) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Local Service Centre location. Category - General: 0 metres Open Space Recycling facilities Dereham Main Recycling Centre Plus: 8019 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Manor House (Grade II): 316 metres Listed Building Kimberley Hall: 7642 metres Registered Park Scheduled Round barrow SE of the Lodges: 5797 metres Monument **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) Yes The Broads SAC **Nutrient Neutrality** Catchment Area Hockering Wood: 286 metres Ancient Woodland Geodiversity site Pinebanks: 18827 metres National Nature Foxley Wood: 8570 metres Reserve County Wildlife Site Park Grove: 1069 metres Local Nature Reserve Bowthorpe Marsh: 11458 metres Broadland: 18480 metres Ramsar Broadland 18480 metres. (Site Beyond 1.5km, HRA **Special Protection** Area (SPA) unlikely to be required.) Within Stone Curlew buffer: No SSSI Hockering Wood 286 metres River Wensum: 4039 metres Special Area of Conservation (SAC)

Agricultural Land	Grade 3
-------------------	---------

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice Major Development within the watershed catchment of NRIDB, adjacent to an ordinary watercourse.

Whilst outside the Board's IDD, the watercourse adjacent to the proposed site is known to have capacity issues. Any additional rate or volume introduced to this watercourse could increase flood risk. The Board strongly recommends that (at the detailed design stage in the planning process) a surface water discharge proposal in line with the drainage hierarchy is submitted. Our recommendation is to ensure that surface water run-off will be well managed to ensure this is not further increased, as per paragraph 167 of the National Planning Policy Framework

Anglian Water Water Recycling Centre - Hockering-By. Capacity for future growth at least up to 155 dwellings.

Other statutory consultees, agencies and organisations

Sport England: The site is situated next to a current playing field that is utilised by Hockering Football club. Although the site itself would not be positioned on the playing field, any development on the site should not negatively impact the use of the playing field in any way. Failure to comply with this may result in objection from Sport England to the allocation of this site.

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

031 - Kings Oak, Kenninghall **Alternative** Address: Kings Oak, Land opposite Kenninghall Primary School, NR16 2EJ Greenfield Site area: 29.86ha Estimated capacity: 100 dwellings **Broad accessibility assessment** Settlement Hierarchy: Local Service Centre Rookwood Dental Practice: 9456 metres (R >) Dentist Kings Ride Surgery: 483 metres (G <) Doctor Leisure Centre Attleborough Sports Hall: 9790 metres (R >) Library Attleborough Library: 9704 metres (R >) • Primary School Kenninghall Primary School: 61 metres (G <) Old Buckenham High School: 6707 metres (R >) Secondary School Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Opportunities for walking and cycling access / Walking and cycling enhancement based on accessibility to facilities and Local Service Centre location. Category - Playing Field: 11 metres Open Space Recycling facilities Snetterton Part-time Recycling Centre: 4835 metres **Heritage** (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Not within a CA Conservation Area Heath Farmhouse (Grade II): 202 metres Listed Building Registered Park Shadwell Park: 9679 metres Scheduled Vikings Mound, tumulus: 2083 metres Monument **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Ancient Woodland Downhill Grove: 1201 metres Geodiversity site Hockham: 10409 metres National Nature Redgrave & Lopham Fen: 5086 metres Reserve County Wildlife Site Broom Covert & Downhill Plantn: 1124 metres Local Nature Reserve Roydon Fen: 8174 metres Redgrave & South Lopham Fens: 5086 metres Ramsar Breckland 3997 metres. (Site Beyond 1.5km, HRA Special Protection unlikely to be required.) Area (SPA) Within Stone Curlew buffer: No Kenninghall & Banham Fens with Quidenham Mere 1257 SSSI metres

Special Area of Conservation (SAC)	Waveney & Little Ouse Valley Fens: 5086 metres
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - East Harling. Likely to be sufficient capacity for growth at least up to 550 dwellings.

Other statutory consultees, agencies and organisations

Sport England: To the east of the site is a playing pitch. Whilst the site would not be located on a playing field, development of the site should not prejudice the use of, all or any part of a playing field. Failure to comply with this may result in objection from Sport England to this site allocation.

Natural England (Nutrient Neutrality): No comments

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

196 - Land at Smallholding, Kenninghall

Alternative

Address: The Smallholding, Garboldisham Road,

Kenninghall, NR16 2AH

Mostly Green Site area: 0.89ha Estimated capacity: 9 dwellings

Broad accessibility assessment

Settlement Hierarchy: Local Service Centre

•	Dentist	Rookwood Dental Practice: 9037 metres (R >)	
•	Doctor	Kings Ride Surgery: 29 metres (G <)	
•	Leisure Centre	Attleborough Sports Hall: 9372 metres (R >)	
•	Library	Attleborough Library: 9283 metres (R >)	
•	Primary School	Kenninghall Primary School: 313 metres (G <)	
•	Secondary School	Old Buckenham High School: 6253 metres (R >)	
Overall ranking		Amber: One to three core facilities within threshold	
accessibility		distance	

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

Walking and cycling	Opportunities for walking and cycling access /		
	enhancement based on accessibility to facilities and		
	Local Service Centre location.		
Open Space	Category - Allotments Or Community Growing Spaces: 4		
	metres		
Recycling facilities	Snetterton Part-time Recycling Centre: 4600 metres		
Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in			
production)			
Conservation Area	Kenninghall		
Listed Building	Market House (Grade II): 16 metres		
Registered Park	Shadwell Park: 10515 metres		
Scheduled	Vikings Mound, tumulus: 1832 metres		
Monument			
	Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan		
HRA will assess subsequent Local Plan policy and proposals)			
Nutrient Neutrality	No		
Catchment Area			
Ancient Woodland	Downhill Grove: 1667 metres		
Geodiversity site	Hockham: 10387 metres		
National Nature	Redgrave & Lopham Fen: 5990 metres		
Reserve			
County Wildlife Site	Broom Covert & Downhill Plantn: 1100 metres		
Local Nature Reserve	Roydon Fen: 8680 metres		
Ramsar	Redgrave & South Lopham Fens: 5990 metres		
Special Protection	Breckland 4839 metres. (Site Beyond 1.5km, HRA		
Area (SPA)	unlikely to be required.)		
	Within Stone Curlew buffer: No		

SSSI	Kenninghall & Banham Fens with Quidenham Mere 807
	metres
Special Area of	Waveney & Little Ouse Valley Fens: 5990 metres
Conservation (SAC)	
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - East Harling. Likely to be sufficient capacity for growth at least up to 550 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

399 - Land at 5. Garboldisham Road (includes LPRC4SDEV196), Kenninghall

Alternative

Address: Garboldisham Road, Kenninghall, NR16 2AH

Mostly Green Site area: 4.54ha Estimated capacity: 60 dwellings

Broad accessibility assessment

Settlement Hierarchy: Local Service Centre

Rookwood Dental Practice: 9036 metres (R >) Dentist Doctor Kings Ride Surgery: 30 metres (G <) Leisure Centre Attleborough Sports Hall: 9370 metres (R >) Attleborough Library: 9281 metres (R >) Librarv • Primary School Kenninghall Primary School: 196 metres (G <) Secondary School Old Buckenham High School: 6254 metres (R >) Amber: One to three core facilities within threshold Overall ranking accessibility distance

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

	Walking and cycling	Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Local Service Centre location.
	Open Space	Category - Allotments Or Community Growing Spaces: 1 metres
	Recycling facilities	Snetterton Part-time Recycling Centre: 4509 metres
	Recycling racilicies	Shetterton Part-time Recycling Centre: 4509 metres
Haritage (peacest designated besitage asset analysis - Heritage Impact Assessment		ated beritage asset analysis - Heritage Impact Assessment in

Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production)

Conservation Area	Kenninghall
Listed Building	Market House (Grade II): 15 metres
Registered Park	Shadwell Park: 10312 metres
Scheduled	Vikings Mound, tumulus: 1749 metres
Monument	

Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals)

Nutrient Neutrality	No
Catchment Area	
Ancient Woodland	Downhill Grove: 1487 metres
Geodiversity site	Hockham: 10253 metres
National Nature	Redgrave & Lopham Fen: 5982 metres
Reserve	
County Wildlife Site	Broom Covert & Downhill Plantn: 944 metres
Local Nature Reserve	Roydon Fen: 8679 metres
Ramsar	Redgrave & South Lopham Fens: 5982 metres
Special Protection	Breckland 4635 metres. (Site Beyond 1.5km, HRA
Area (SPA)	unlikely to be required.)
	Within Stone Curlew buffer: No

SSSI	Kenninghall & Banham Fens with Quidenham Mere 806
	metres
Special Area of	Waveney & Little Ouse Valley Fens: 5982 metres
Conservation (SAC)	
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - East Harling. Likely to be sufficient capacity for growth at least up to 550 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

353 - GP Surgery , Kenninghall

Alternative

Address: GP Surgery, Quidenham Road, Kenninghall, NR16 2EF

Brownfield Site area: 0.23ha Estimated capacity: 0 dwellings

Broad accessibility assessment

Settlement Hierarchy: Local Service Centre

•	Dentist	Rookwood Dental Practice: 8981 metres (R >)
•	Doctor	Kings Ride Surgery: 0 metres (G <)
•	Leisure Centre	Attleborough Sports Hall: 9316 metres (R >)
•	Library	Attleborough Library: 9226 metres (R >)
•	Primary School	Kenninghall Primary School: 453 metres (G <)
•	Secondary School	Old Buckenham High School: 6192 metres (R >)
Overall ranking		Amber: One to three core facilities within threshold
accessibility		distance

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

Walking and cycling	Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Local Service Centre location.
Open Space	Category - Allotments Or Community Growing Spaces: 8 metres
Recycling facilities	Snetterton Part-time Recycling Centre: 4564 metres
Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production)	
Conservation Area	Not within a CA
Listed Building	80-81, Quidenham Road (Grade II): 122 metres
Registered Park	Shadwell Park: 10622 metres
Scheduled	Vikings Mound, tumulus: 1795 metres
Monument	
Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals)	
Nutrient Neutrality Catchment Area	No
Ancient Woodland	Downhill Grove: 1748 metres
Geodiversity site	Hockham: 10396 metres
National Nature Reserve	Redgrave & Lopham Fen: 6140 metres
County Wildlife Site	Broom Covert & Downhill Plantn: 1159 metres
Local Nature Reserve	Roydon Fen: 8792 metres
Ramsar	Redgrave & South Lopham Fens: 6140 metres

Special Protection	Breckland 4952 metres. (Site Beyond 1.5km, HRA
Area (SPA)	unlikely to be required.)
	Within Stone Curlew buffer: No
SSSI	Kenninghall & Banham Fens with Quidenham Mere 746
	metres
Special Area of	Waveney & Little Ouse Valley Fens: 6140 metres
Conservation (SAC)	
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Data for settlement not provided. Data for settlement not provided

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

Alternative 258 - Land East of Pound Lane, Litcham Address: East of Pound Lane, Litcham, Estimated capacity: 150 Greenfield Site area: 6.14ha dwellings **Broad accessibility assessment** Settlement Hierarchy: Local Service Centre Mr J Holmes & Associates: 11046 metres (R >) Dentist Doctor Litcham Health Centre: 343 metres (G <) Leisure Centre Swaffham Leisure Centre: 11696 metres (R >) Library Swaffham Library: 11060 metres (R >) Primary School Litcham School: 387 metres (G <) • Secondary School Litcham School: 364 metres (G <) Overall ranking Amber: One to three core facilities within threshold distance accessibility 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Opportunities for walking and cycling access / Walking and cycling enhancement based on accessibility to facilities and Local Service Centre location. Open Space Category - General: 13 metres Recycling facilities Dereham Main Recycling Centre Plus: 12321 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Listed Building Point House (Grade II): 176 metres Registered Park Lexham Hall: 996 metres Disc barrow on Litcham Common, 250m south west of Scheduled Monument Bridge Farm: 888 metres Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Ancient Woodland Old Covert: 1089 metres Geodiversity site Newton-by-Castle Acre Chalk Pit: 5361 metres National Nature Foxley Wood: 16537 metres Reserve County Wildlife Site Litcham Common: 618 metres Local Nature Reserve Litcham Common: 611 metres Roydon Common: 18778 metres Ramsar **Special Protection** Breckland 12586 metres. (Site Beyond 1.5km, HRA Area (SPA) unlikely to be required.) Within Stone Curlew buffer: No

River Nar 440 metres

SSSI

Special Area of	River Wensum: 5700 metres
Conservation (SAC)	
Agricultural Land	Grade 2

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice LLFA Assessment: No major surface water issues / constraints identified

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Litcham. Capacity for future growth at least up to 120 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

Savills on behalf of The Lexham Estate To sites put forward Site 1: land north of Lexham Road and west of Pound Lane, Litcham; and Site 2: Land east of Pound Lane, Litcham. Both sites were submitted for residential development, with Site 1 being capable of accommodating up to 250 dwellings, and Site 2 up to 150 dwellings. Should the Council have any considerations about phasing or splitting these sites, we would be open to these conversations. Both sites are located in the village of Litcham, which is currently classified as a Local Service Centre within the adopted Local Plan. It is understood that this classification proposes to be remained unchanged, given there have been minimal changes within the village with regards to services and facilities.

Other objections

2 as received

019 - South of Maxwell House **Alternative** , Mattishall Address: Yaxham, Greenfield Site area: 2.45ha Estimated capacity: 0 dwellings **Broad accessibility assessment** Settlement Hierarchy: Secondary village Beech House Dental Surgery: 3509 metres (R >) Dentist Doctor Toftwood Medical Centre: 2905 metres (R >) Leisure Centre Dereham Leisure Centre: 3017 metres (R >) Library Dereham Library: 3483 metres (R >) Primary School Yaxham V A Primary School: 186 metres (G <) • Secondary School Dereham Neatherd High School: 2841 metres (R >) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Some accessible facilities create opportunity to enhance Walking and cycling walking and cycling access. Category - General: 943 metres Open Space Recycling facilities Dereham Main Recycling Centre Plus: 2553 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Yaxham House (Grade II): 1023 metres Listed Building Registered Park Kimberley Hall: 8012 metres Scheduled Moated site W of Reymerston: 5348 metres Monument **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) Yes The Broads SAC **Nutrient Neutrality** Catchment Area Yaxham Wood: 1491 metres Ancient Woodland Geodiversity site Newton-by-Castle Acre Chalk Pit: 18412 metres National Nature Foxley Wood: 11176 metres Reserve County Wildlife Site Manor Farm Marsh: 426 metres Toll's Meadow, Wymondham: 13306 metres Local Nature Reserve Ramsar Broadland: 24558 metres Special Protection Breckland 16625 metres. (Site Beyond 1.5km, HRA Area (SPA) unlikely to be required.) Within Stone Curlew buffer: No Badley Moor 620 metres SSSI Special Area of Norfolk Valley Fens: 620 metres Conservation (SAC)

Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Mattishall. Capacity for growth up to approximately 250 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

095 - Land Next to Ivy Barn, Mattishall

Alternative

Address: Next to Ivy Barn, Welgate, Mattishall, NR20 3PL

Greenfield Site area: 1.79ha Estimated capacity: 42 dwellings

Broad accessibility assessment

Settlement Hierarchy: Local Service Centre

L	- continue in the continue continue continue	
	 Dentist 	Beech House Dental Surgery: 5629 metres (R >)
	 Doctor 	Mattishall Surgery: 910 metres (G <)
	 Leisure Centre 	Dereham Leisure Centre: 5133 metres (R >)
	 Library 	Dereham Library: 5596 metres (R >)
	 Primary School 	Mattishall Primary School: 711 metres (G <)
	 Secondary School 	Dereham Neatherd High School: 4745 metres (R >)
	Overall ranking	Amber: One to three core facilities within threshold
	accessibility	distance

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

Opportunities for walking and cycling access /

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

Walking and cycling

SSSI

Rosie Curston's Meadow, Mattishall 964 metres

Special Area of Conservation (SAC)	Norfolk Valley Fens: 2516 metres
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Mattishall. Capacity for growth up to approximately 250 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None LPR/CS4/DEV/095 For our site I noticed you have put Red against the following: Highways access - but there is an existing access from Welgate that farm machinery size vehicles can get down and we also own 20 Rayners Way which can easily be demolished to make a second access to the site if needed. There is also a ransom strip further along Rayners Way that is owned by the developers of the Rayners Way site in i think the 1980's, as well as an area that is currently a small car park on Ivy Way. Pedestrian access - but there is an existing Public Footpath running from Welgate along the access drive and through the field to the adjacent fields. A further pedestrian access can easily be gained through 20 Rayners Way to connect to the existing. Trees and Hedgerows - but the only trees that might require removing are some self sown ones near the pond that are approximately 10 years old. Unless access is required through 20 Rayners Way when a few more self sown trees that are a bit older would need to be removed (there is no hedgerow to the rear of 20 Rayners Way). All of these can easily be replaced with new within any given development.

In terms of deliverability we have a couple of medium size construction companies that have expressed interest in purchasing the site but have been holding off until the outcome of this consultation. We would also like to emphasise we have no preconceived plans of development on the site, if it is felt a care home, doctors surgery, commercial premises etc for example was needed more than residential within the village that would be ok with us.

Other objections

156 - Poplar Farm: Phase 2, Mattishall

Alternative

Address: Poplar Farm, South Green (Phase 2), NR20 3JY

Greenfield Site area: 2.37ha Estimated capacity: 20 dwellings

Broad accessibility assessment

Settlement Hierarchy: Local Service Centre

•	Dentist	Beech House Dental Surgery: 6832 metres (R >)
•	Doctor	Mattishall Surgery: 625 metres (G <)
•	Leisure Centre	Dereham Leisure Centre: 6334 metres (R >)
•	Library	Dereham Library: 6800 metres (R >)
•	 Primary School 	Mattishall Primary School: 587 metres (G <)
•	 Secondary School 	Dereham Neatherd High School: 5963 metres (R >)
	Overall ranking	Amber: One to three core facilities within threshold
	accessibility	distance

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

Opportunities for walking and cycling access /

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

Walking and cycling

SSSI

enhancement based on accessibility to facilities and Local Service Centre location.
Category - General: 0 metres
Dereham Main Recycling Centre Plus: 5962 metres
ated heritage asset analysis – Heritage Impact Assessment in
Not within a CA
The Almonds Including The Cottage (Grade II): 93 metres
Kimberley Hall: 5482 metres
Four bowl barrows in Forehoe Wood: 5537 metres
(nearest designated geo / biodiversity sites and features. Local Plan t Local Plan policy and proposals)
Yes The Broads SAC
Little Wood: 2935 metres
Hockham: 20370 metres
Foxley Wood: 11262 metres
Poxiey Wood. 11202 metres
Clippings Green Farm: 2034 metres
Toll's Meadow, Wymondham: 10787 metres
Broadland: 21382 metres
Breckland 18784 metres. (Site Beyond 1.5km, HRA
unlikely to be required.)
Within Stone Curlew buffer: No

Rosie Curston's Meadow, Mattishall 1942 metres

Special Area of Conservation (SAC)	Norfolk Valley Fens: 3616 metres
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Mattishall. Capacity for growth up to approximately 250 dwellings.

Other statutory consultees, agencies and organisations

Sport England: The southern border of this location connects to Mattishall Playing Field, which includes playing fields, the Sports and Social Club, Bowling Green, and parking facilities. Whilst the site would not be located on a playing field, development of the site should not prejudice the use of, all or any part of a playing field otherwise Sport England may object to it.

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

157 - Land adjoining South Green Park, Mattishall

Alternative

Address: Land adjoining South Green Park, Mattishall,

Greenfield Site area: 0.58ha Estimated capacity: 20 dwellings

Broad accessibility assessment

Settlement Hierarchy: Local Service Centre

	 Dentist 	Beech House Dental Surgery: 7276 metres (R >)	
	 Doctor 	Mattishall Surgery: 966 metres (G <)	
	 Leisure Centre 	Dereham Leisure Centre: 6778 metres (R >)	
	• Library	Dereham Library: 7244 metres (R >)	
	 Primary School 	Mattishall Primary School: 990 metres (G <)	
	 Secondary School 	Dereham Neatherd High School: 6411 metres (R >)	
	Overall ranking	Amber: One to three core facilities within threshold	
accessibility		distance	

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

SSSI

Walking and cycling	Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Local Service Centre location.	
Open Space	Category - General: 55 metres	
Recycling facilities	Dereham Main Recycling Centre Plus: 6399 metres	
Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in		
production)		
Conservation Area	Not within a CA	
Listed Building	Mattishall Hall (Grade II): 156 metres	
Registered Park	Kimberley Hall: 5201 metres	
Scheduled	Four bowl barrows in Forehoe Wood: 5247 metres	
Monument		
Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan		
HRA will assess subsequent Local Plan policy and proposals)		
Nutrient Neutrality	Yes The Broads SAC	
Catchment Area		
Ancient Woodland	Little Wood: 2719 metres	
Geodiversity site	Pinebanks: 20340 metres	
National Nature	Foxley Wood: 11533 metres	
Reserve		
County Wildlife Site	Bickerston Meadow: 1926 metres	
Local Nature Reserve	Toll's Meadow, Wymondham: 10492 metres	
Ramsar	Broadland: 21179 metres	
Special Protection	Breckland 18977 metres. (Site Beyond 1.5km, HRA	
Area (SPA)	unlikely to be required.)	
	Within Stone Curlew buffer: No	

Rosie Curston's Meadow, Mattishall 2365 metres

Special Area of Conservation (SAC)	Norfolk Valley Fens: 3382 metres
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Mattishall. Capacity for growth up to approximately 250 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

157 - Land adjoining South Green Park, Mattishall

Alternative

Address: Land adjoining South Green Park, Mattishall,

Greenfield Site area: 1.98ha Estimated capacity: 20 dwellings

Broad accessibility assessment

Settlement Hierarchy: Local Service Centre

	 Dentist 	Beech House Dental Surgery: 7276 metres (R >)	
	 Doctor 	Mattishall Surgery: 966 metres (G <)	
	 Leisure Centre 	Dereham Leisure Centre: 6778 metres (R >)	
	• Library	Dereham Library: 7244 metres (R >)	
	 Primary School 	Mattishall Primary School: 990 metres (G <)	
	 Secondary School 	Dereham Neatherd High School: 6411 metres (R >)	
	Overall ranking	Amber: One to three core facilities within threshold	
accessibility		distance	

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

SSSI

Walking and cycling	Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Local Service Centre location.	
Open Space	Category - General: 55 metres	
Recycling facilities	Dereham Main Recycling Centre Plus: 6399 metres	
Heritage (nearest design production)	nated heritage asset analysis – Heritage Impact Assessment in	
Conservation Area	Not within a CA	
Listed Building	Mattishall Hall (Grade II): 156 metres	
Registered Park	Kimberley Hall: 5201 metres	
Scheduled	Four bowl barrows in Forehoe Wood: 5247 metres	
Monument		
Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals)		
Nutrient Neutrality Catchment Area	Yes The Broads SAC	
Ancient Woodland	Little Wood: 2719 metres	
Geodiversity site	Pinebanks: 20340 metres	
National Nature	Foxley Wood: 11533 metres	
Reserve		
County Wildlife Site	Bickerston Meadow: 1926 metres	
Local Nature Reserve	Toll's Meadow, Wymondham: 10492 metres	
Ramsar	Broadland: 21179 metres	
Special Protection	Breckland 18977 metres. (Site Beyond 1.5km, HRA	
Area (SPA)	unlikely to be required.)	
	Within Stone Curlew buffer: No	

Rosie Curston's Meadow, Mattishall 2365 metres

Special Area of Conservation (SAC)	Norfolk Valley Fens: 3382 metres
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Mattishall. Capacity for growth up to approximately 250 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

Alternative 307 - Thynnes Lane, Mattishall Address: Thynnes Lane, Mattishall, NR20 3JU Greenfield Site area: 0.30ha Estimated capacity: 150 dwellings Broad accessibility assessment Settlement Hierarchy: Local Service Centre Beech House Dental Surgery: 6858 metres (R >) Dentist Doctor Mattishall Surgery: 620 metres (G <) • Leisure Centre Dereham Leisure Centre: 6360 metres (R >) Dereham Library: 6825 metres (R >) Library • Primary School Mattishall Primary School: 590 metres (G <) Dereham Neatherd High School: 5984 metres (R >) Secondary School Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Local Service Centre location. Category - General: 133 metres Open Space Recycling facilities Dereham Main Recycling Centre Plus: 5991 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA The Almonds Including The Cottage (Grade II): 89 metres Listed Building Kimberley Hall: 5631 metres Registered Park Four bowl barrows in Forehoe Wood: 5684 metres Scheduled Monument **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) Yes The Broads SAC **Nutrient Neutrality** Catchment Area Little Wood: 3084 metres Ancient Woodland Geodiversity site Hockham: 20494 metres National Nature Foxley Wood: 11247 metres Reserve County Wildlife Site Clippings Green Farm: 2018 metres Local Nature Reserve Toll's Meadow, Wymondham: 10932 metres Broadland: 21408 metres Ramsar Breckland 18894 metres. (Site Beyond 1.5km, HRA **Special Protection** Area (SPA) unlikely to be required.) Within Stone Curlew buffer: No Rosie Curston's Meadow, Mattishall 1945 metres SSSI Special Area of Norfolk Valley Fens: 3732 metres Conservation (SAC)

Agricultural Land	Grade 3
-------------------	---------

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Mattishall. Capacity for growth up to approximately 250 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

1 as received

Alternative 357 - 149 Dereham Road, Mattishall Address: 149 Dereham Road, NR20 3PD Estimated capacity: 126 Mostly Green Site area: 8.09ha dwellings Broad accessibility assessment Settlement Hierarchy: Local Service Centre Beech House Dental Surgery: 4752 metres (R >) Dentist Doctor Mattishall Surgery: 1435 metres (R >) • Leisure Centre Dereham Leisure Centre: 4257 metres (R >) Dereham Library: 4718 metres (R >) Library Mattishall Primary School: 1274 metres (G <) • Primary School Dereham Neatherd High School: 3854 metres (R >) Secondary School Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Local Service Centre location. Category - General: 792 metres Open Space Recycling facilities Dereham Main Recycling Centre Plus: 3933 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Not within a CA Conservation Area Quaker House (Grade II): 43 metres Listed Building Kimberley Hall: 7165 metres Registered Park Scheduled Moated site W of Reymerston: 6338 metres Monument **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) Yes The Broads SAC **Nutrient Neutrality** Catchment Area Yaxham Wood: 2513 metres Ancient Woodland Geodiversity site Newton-by-Castle Acre Chalk Pit: 19891 metres National Nature Foxley Wood: 10262 metres Reserve County Wildlife Site Clippings Green Farm: 1479 metres Local Nature Reserve Toll's Meadow, Wymondham: 12508 metres Broadland: 22622 metres Ramsar Breckland 18093 metres. (Site Beyond 1.5km, HRA **Special Protection** Area (SPA) unlikely to be required.) Within Stone Curlew buffer: No Mattishall Moor 512 metres SSSI Special Area of Norfolk Valley Fens: 1671 metres Conservation (SAC)

Agricultural Land	Grade 3
-------------------	---------

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Mattishall. Capacity for growth up to approximately 250 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

216 - Mussel Hill, Narborough **Alternative** Address: Land at Mussel Hill, Narborough, Greenfield Site area: 2.88ha Estimated capacity: 64 dwellings **Broad accessibility assessment** Settlement Hierarchy: Local Service Centre Mr J Holmes & Associates: 8214 metres (R >) Dentist Doctor Narborough Surgery: 627 metres (G <) • Leisure Centre Swaffham Leisure Centre: 8652 metres (R >) Swaffham Library: 8228 metres (R >) Library • Primary School Sacred Heart School: 8160 metres (R >) Secondary School The Nicholas Hammond Academy: 8583 metres (R >) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Opportunities for walking and cycling access / Walking and cycling enhancement based on accessibility to facilities and Local Service Centre location. Category - Allotments Or Community Growing Spaces: 10 Open Space metres Recycling facilities Ashill Recycling Centre: 15074 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Not within a CA Conservation Area Church Of All Saints (Grade I): 380 metres Listed Building Registered Park Narford Hall: 1340 metres Camphill: 672 metres Scheduled Monument Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Ancient Woodland Site Name Blank: 3889 metres Newton-by-Castle Acre Chalk Pit: 9140 metres Geodiversity site National Nature Roydon Common: 10806 metres Reserve County Wildlife Site Narborough Hall Moat: 623 metres Local Nature Reserve Litcham Common: 14132 metres Roydon Common: 10806 metres Ramsar Special Protection Breckland 3468 metres. (Site Beyond 1.5km, HRA Area (SPA) unlikely to be required.) Within Stone Curlew buffer: No River Nar 539 metres SSSI

Special Area of Conservation (SAC)	Norfolk Valley Fens: 2340 metres
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice LLFA Assessment: No major surface water issues / constraints identified

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Narborough. Some capacity for growth at this time up to approximately 200 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

Alternative 217 - Point House, Narborough Address: Land at Point House, Narborough, Greenfield Site area: 19.93ha Estimated capacity: 390 dwellings **Broad accessibility assessment** Settlement Hierarchy: Local Service Centre Mr J Holmes & Associates: 7175 metres (R >) Dentist Doctor Narborough Surgery: 1015 metres (G <) • Leisure Centre Swaffham Leisure Centre: 7626 metres (R >) Swaffham Library: 7190 metres (R >) Library • Primary School Sacred Heart School: 7110 metres (R >) The Nicholas Hammond Academy: 7557 metres (R >) Secondary School Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Local Service Centre location. Category - Playing Field: 19 metres Open Space Recycling facilities Ashill Recycling Centre: 14043 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Narborough Hall (Grade II*): 838 metres Listed Building Narford Hall: 829 metres Registered Park Scheduled Camphill: 615 metres Monument **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Site Name Blank: 4500 metres Ancient Woodland Geodiversity site Newton-by-Castle Acre Chalk Pit: 8185 metres National Nature Roydon Common: 11436 metres Reserve County Wildlife Site Contract Plantation: 484 metres Local Nature Reserve Litcham Common: 13194 metres Roydon Common: 11436 metres Ramsar Breckland 2489 metres. (Site Beyond 1.5km, HRA **Special Protection** Area (SPA) unlikely to be required.) Within Stone Curlew buffer: No SSSI Narborough Railway Embankment 220 metres Norfolk Valley Fens: 2596 metres Special Area of Conservation (SAC)

Agricultural Land	Grade 3
-------------------	---------

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice LLFA Assessment: No major surface water issues / constraints identified

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Narborough. Some capacity for growth at this time up to approximately 200 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

005 - Brackenv	voods. Necton		Alternative
Address: Off Brackenw		7110011100110	
Address on Brackens			
Mostly Green	Site area: 0.90ha	Estimated dwellings	capacity: 52
Broad accessibility as	sessment		
Settlement Hierarchy:	Local Service Centre		
 Dentist 	Mr J Holmes & Associat	es: 6257 me	tres (R >)
 Doctor 	Plowright Surgery: 405	metres (G <)
 Leisure Centre 	Swaffham Leisure Cent	re: 6323 me	tres (R >)
 Library 	Swaffham Library: 6253	metres (R >	·)
 Primary School 	Necton Church of Engla	ind Primary	School: 387 metres
 Secondary School 	(G <)		
	The Nicholas Hammond		
Overall ranking	Amber: One to three co	re facilities v	within threshold
accessibility	distance		
800m/10 minutes walking distan employment.	ce of the site in town centres; 1,200	Om elsewhere and	d 2,000m for school access and
 Green 4+ core services v Amber 1 to 3 core services Red 0 core services 			
Walking and cycling	Opportunities for walkii	ng and cyclir	ng access /
	enhancement based on	accessibility	to facilities and
	Local Service Centre loc	ation.	
Open Space	Category - Church: 500 r	metres	
Recycling facilities	Ashill Recycling Centre:		
	aated heritage asset analysis –	Heritage Impa	act Assessment in
production)	Nahwikhia a CA		
Conservation Area	Not within a CA		van Carrett Of Ainla Of
Listed Building	Table Tomb Approximate Church Of All Saints (Gra		
Registered Park	Registered Park Pickenham Hall: 5451 metres		
Scheduled	Scheduled Mona Hill: 974 metres		
Monument			
Natural Environment HRA will assess subsequen	(nearest designated geo / bio t Local Plan policy and proposi	diversity sites als)	and features. Local Plan
Nutrient Neutrality	No		
Catchment Area			
Ancient Woodland	Necton Wood: 2138 metres		
Geodiversity site	Newton-by-Castle Acre Chalk Pit: 7107 metres		
National Nature	Foxley Wood: 20842 metres		
Reserve			
County Wildlife Site	Fox Covert: 740 metres		
Local Nature Reserve	Litcham Common: 7363	metres	
Ramsar	Roydon Common: 2256		
Special Protection	ecial Protection Breckland 5374 metres. (Site Beyond 1.5km, HRA		d 1.5km, HRA
Area (SPA)	unlikely to be required.)		
	Within Stone Curlew bu		
SSSI	Breckland Forest 5374 r	netres	

Special Area of Conservation (SAC)	Norfolk Valley Fens: 7746 metres
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Necton. Likely to be sufficient capacity for growth of at least 500 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

005 - Brackenv	voods. Necton		Alternative
	ood, Necton, PE37 8EU		7110011100110
Address on Brackens			
Mostly Green	Site area: 2.45ha	Estimated dwellings	capacity: 52
Broad accessibility as	sessment		
Settlement Hierarchy:	Local Service Centre		
 Dentist 	Mr J Holmes & Associat	es: 6257 me	tres (R >)
 Doctor 	Plowright Surgery: 405	metres (G <)
 Leisure Centre 	Swaffham Leisure Cent	re: 6323 me	tres (R >)
 Library 	Swaffham Library: 6253	metres (R >	·)
 Primary School 	Necton Church of Engla	ind Primary	School: 387 metres
 Secondary School 	(G <)		
	The Nicholas Hammond		
Overall ranking	Amber: One to three co	re facilities v	within threshold
accessibility	distance		
800m/10 minutes walking distan employment.	ce of the site in town centres; 1,200	Om elsewhere and	d 2,000m for school access and
 Green 4+ core services v Amber 1 to 3 core services Red 0 core services 			
Walking and cycling	Opportunities for walkii	ng and cyclir	ng access /
	enhancement based on	accessibility	to facilities and
	Local Service Centre loc	ation.	
Open Space	Category - Church: 500 r	metres	
Recycling facilities	Ashill Recycling Centre:	5202 metre	S
	ated heritage asset analysis –	Heritage Impa	act Assessment in
production)	N. 1 '11' GA		
Conservation Area	Not within a CA		5 11 05 11 05
Listed Building	Table Tomb Approximate Church Of All Saints (Gra		
Registered Park	Registered Park Pickenham Hall: 5451 metres		
Scheduled			
Monument			
Natural Environment HRA will assess subsequen	Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals)		
Nutrient Neutrality	No		
Catchment Area			
Ancient Woodland	Necton Wood: 2138 me	tres	
Geodiversity site	Newton-by-Castle Acre Chalk Pit: 7107 metres		
National Nature	Foxley Wood: 20842 metres		
Reserve			
County Wildlife Site	Fox Covert: 740 metres		
Local Nature Reserve	Litcham Common: 7363	metres	
Ramsar	Roydon Common: 2256	1 metres	
Special Protection	otection Breckland 5374 metres. (Site Beyond 1.5km, HRA		
Area (SPA)	unlikely to be required.)		
	Within Stone Curlew bu		
SSSI	Breckland Forest 5374 r	netres	

Special Area of Conservation (SAC)	Norfolk Valley Fens: 7746 metres
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Necton. Likely to be sufficient capacity for growth of at least 500 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

008 - Field South of St Andrews **Alternative** Lane, Necton Address: Arable Field South of St. Andrews Lane, Necton, PE37 8EJ Greenfield Site area: 1.10ha Estimated capacity: 25 dwellings **Broad accessibility assessment** Settlement Hierarchy: Local Service Centre Mr J Holmes & Associates: 5961 metres (R >) Dentist Doctor Plowright Surgery: 705 metres (G <) Swaffham Leisure Centre: 6123 metres (R >) Leisure Centre Swaffham Library: 5959 metres (R >) Library • Primary School Necton Church of England Primary School: 289 metres • Secondary School The Nicholas Hammond Academy: 6191 metres (R >) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Opportunities for walking and cycling access / Walking and cycling enhancement based on accessibility to facilities and Local Service Centre location. Open Space Category - Playing Field: 0 metres Recycling facilities Ashill Recycling Centre: 5805 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Church Farmhouse (Grade II): 201 metres Listed Building Pickenham Hall: 5943 metres Registered Park Scheduled Mona Hill: 1742 metres Monument Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Ancient Woodland Necton Wood: 2134 metres Geodiversity site Newton-by-Castle Acre Chalk Pit: 6320 metres National Nature Foxley Wood: 20716 metres Reserve County Wildlife Site Fox Covert: 1521 metres Litcham Common: 6668 metres Local Nature Reserve Ramsar Roydon Common: 21828 metres Breckland 5551 metres. (Site Beyond 1.5km, HRA **Special Protection** Area (SPA) unlikely to be required.) Within Stone Curlew buffer: No

SSSI	Breckland Forest 5551 metres
Special Area of	Norfolk Valley Fens: 8201 metres
Conservation (SAC)	
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Necton. Likely to be sufficient capacity for growth of at least 500 dwellings.

Other statutory consultees, agencies and organisations

Sport England: Necton Sports and Social Club, consisting of a playing field and sports pavilion, is situated to the south of the site. Although the site itself would not be situated on a playing field, any development should not prejudice the use of the playing field in any way otherwise Sport England may object to the allocation of this site.

Natural England (Nutrient Neutrality): No comments

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

Alternative 149 - Land West of Tuns Road, Necton Address: West of Tuns Road, Necton, PE37 8EH Greenfield Site area: 10.90ha Estimated capacity: 250 dwellings **Broad accessibility assessment** Settlement Hierarchy: Local Service Centre Mr J Holmes & Associates: 5518 metres (R >) Dentist Doctor Plowright Surgery: 338 metres (G <) Leisure Centre Swaffham Leisure Centre: 5641 metres (R >) Swaffham Library: 5515 metres (R >) Library Primary School Necton Church of England Primary School: 454 metres Secondary School (G <) The Nicholas Hammond Academy: 5710 metres (R >) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Local Service Centre location. Category - Cemetery: 4 metres Open Space Recycling facilities Ashill Recycling Centre: 5362 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Necton Necton War Memorial (Grade II): 21 metres Listed Building Registered Park Pickenham Hall: 5470 metres Mona Hill: 1731 metres Scheduled Monument **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Ancient Woodland Sporle Wood: 1908 metres Geodiversity site Newton-by-Castle Acre Chalk Pit: 6093 metres National Nature Foxley Wood: 20965 metres Reserve County Wildlife Site Wissey Meadow: 1241 metres Local Nature Reserve Litcham Common: 6683 metres Ramsar Roydon Common: 21523 metres Special Protection Breckland 5009 metres. (Site Beyond 1.5km, HRA Area (SPA) unlikely to be required.) Within Stone Curlew buffer: No Breckland Forest 5009 metres SSSI

Special Area of Conservation (SAC)	Norfolk Valley Fens: 7707 metres
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%	
Flood Zone 2	Proportion of site area 0.00%	

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Necton. Likely to be sufficient capacity for growth of at least 500 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

302 - North of Pickenham Road Alternativ			Alternative	
Phase 3, Necto	Phase 3. Necton			
•	ham Road Phase 3, PE37	8NB		
Greenfield	Site area: 2.29ha		capacity: 50	
		dwellings		
Broad accessibility as	sessment	<u> </u>		
Settlement Hierarchy:				
Dentist	Mr J Holmes & Associat	es: 5425 me	etres (R >)	
 Doctor 	Oak Farm Surgery: 265	metres (G <)	
 Leisure Centre 	Swaffham Leisure Cent	re: 5432 me	tres (R >)	
 Library 	Swaffham Library: 5419	e metres (R >	·)	
 Primary School 	Necton Church of Engla	and Primary	School: 1051 metres	
 Secondary School 	(G <)	_		
	The Nicholas Hammond	d Academy: 5	5505 metres (R >)	
Overall ranking	Amber: One to three co	re facilities	within threshold	
accessibility	distance			
800m/10 minutes walking distan employment.	l ce of the site in town centres; 1,20	0m elsewhere and	d 2,000m for school access and	
Green 4+ core services \(\)	within above threshold			
Amber 1 to 3 core services Red 0 core services				
Walking and cycling	Opportunities for walki			
	enhancement based on	-	to facilities and	
	Local Service Centre loc			
Open Space	Category - General: 92 r			
Recycling facilities	Ashill Recycling Centre:			
Heritage (nearest design production)	ated heritage asset analysis –	- Heritage Impa	act Assessment in	
Conservation Area	Not within a CA			
Listed Building	Eastgate House And Pa		ade II): 669 metres	
Registered Park	Pickenham Hall: 4578 m	netres		
Scheduled	Mona Hill: 1642 metres			
Monument				
	(nearest designated geo / bio		and features. Local Plan	
_	t Local Plan policy and propos	als)		
Nutrient Neutrality	No			
Catchment Area Ancient Woodland	Sporto Mood: 2060			
	Sporle Wood: 2969 met		004 motros	
Geodiversity site National Nature	Newton-by-Castle Acre		774 IIIELI ES	
	Weeting Heath: 21616 i	mecres		
Reserve	Cant's Corner Meadow:	547 matros		
County Wildlife Site Local Nature Reserve	Litcham Common: 7887			
Ramsar	Roydon Common: 2227			
Special Protection	Breckland 4356 metres		d 1 5km UDA	
Area (SPA)	unlikely to be required.	,	iu 1.3KIII, TKA	
TIEG (SEA)	Within Stone Curlew bu	•		
SSSI	Breckland Forest 4356			
الدد	היברעיפווח ו חובאר 4230 ו	וווכנוכט		

Special Area of Conservation (SAC)	Norfolk Valley Fens: 6840 metres
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%	
Flood Zone 2	Proportion of site area 0.00%	

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Necton. Likely to be sufficient capacity for growth of at least 500 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

027 - East of Dereham Road, North **Alternative** Elmham Address: East of Dereham Road, North Elmham, NR20 5HU Greenfield Site area: 1.42ha Estimated capacity: 25 dwellings **Broad accessibility assessment** Settlement Hierarchy: Local Service Centre Dentist Norfolk PCT Dental Services: 6127 metres (R >) Doctor Elmham Surgery: 605 metres (G <) Leisure Centre Dereham Leisure Centre: 7619 metres (R >) Dereham Library: 7367 metres (R >) Library Primary School North Elmham CEVA Primary School: 575 metres (G <) • Secondary School Northgate High School: 6391 metres (R >) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Local Service Centre location. Category - Bowling Green: 49 metres Open Space Recycling facilities Dereham Main Recycling Centre Plus: 8221 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area North Elmham The Vicarage (Grade II): 419 metres Listed Building Registered Park Elmham House: 268 metres Episcopal chapel and fortified manor house on site of Scheduled Monument Anglo-Saxon cathedral: 1053 metres **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) Yes River Wensum SAC **Nutrient Neutrality** Catchment Area Ancient Woodland Great Wood: 1094 metres Geodiversity site Hempton Quarry: 11279 metres National Nature Foxley Wood: 6277 metres Reserve County Wildlife Site Elmham Park: 626 metres Local Nature Reserve Litcham Common: 9862 metres Ramsar North Norfolk Coast: 23376 metres Special Protection Breckland 20407 metres. (Site Beyond 1.5km, HRA Area (SPA) unlikely to be required.) Within Stone Curlew buffer: No River Wensum 992 metres SSSI

Special Area of	River Wensum: 992 metres
Conservation (SAC)	
Agricultural Land	Grade 2

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - North Elmham. Very limited head room for growth.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

120 - Land North of Billingford Road, Alternative North Elmham Address: North of Billingford Road, North Elmham, NR20 5HJ Greenfield Site area: 0.87ha Estimated capacity: 5 dwellings **Broad accessibility assessment** Settlement Hierarchy: Local Service Centre Dentist Norfolk PCT Dental Services: 5957 metres (R >) Doctor Elmham Surgery: 1527 metres (R >) Leisure Centre Dereham Leisure Centre: 7413 metres (R >) Dereham Library: 7232 metres (R >) Library • Primary School North Elmham CEVA Primary School: 1324 metres (G <) Secondary School Northgate High School: 6259 metres (R >) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Local Service Centre location. Category - Church: 755 metres Open Space Recycling facilities Dereham Main Recycling Centre Plus: 7985 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Worthing Mill (Grade II): 204 metres Listed Building Registered Park Elmham House: 1481 metres A Roman roadside settlement 150m south-west of Scheduled Monument Billingford Hall: 662 metres **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) Yes River Wensum SAC **Nutrient Neutrality** Catchment Area Ancient Woodland Great Wood: 2357 metres Geodiversity site Hempton Quarry: 12461 metres National Nature Foxley Wood: 5089 metres Reserve County Wildlife Site Worthington Meadow: 458 metres Local Nature Reserve Litcham Common: 11153 metres Ramsar North Norfolk Coast: 23734 metres Special Protection Breckland 21273 metres. (Site Beyond 1.5km, HRA Area (SPA) unlikely to be required.) Within Stone Curlew buffer: No

River Wensum 73 metres

SSSI

Special Area of	River Wensum: 73 metres
Conservation (SAC)	0
Agricultural Land	Grade 4

Flood Zone 3	Proportion of site area 5.55%
Flood Zone 2	Proportion of site area 25.30%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice Minor development within the Board's IDD. The nearest Board maintained watercourse (MN 39 – Elmham, DRN099G0102) lies north, outside the development boundary.

Whilst unlikely, should any alterations/discharges to the watercourse be proposed during the detailed stage of the planning process, consent from the Board would be required. In addition, consent would be required for works within 9 metres of this watercourse. Consent would also be required for any proposed discharges/alterations to any riparian watercourses within the IDD.

Anglian Water Water Recycling Centre - North Elmham. Very limited head room for growth.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): Screen air quality if access within 200m **Historic England** No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

Brown and Co I wish to make comment on behalf of my client in respect of the Site Assessments Phase 1 Profiles in relation to land north of Billingford Road, North Elmham (site reference LPRC4SDEV120). In response to the Phase 1 Assessment, the following points are noted:

The existing footway on Billingford Road (as extended in connection with the adjacent house) effectively extends up to the proposed site. No significant improvements are required to pedestrian facilities therefore.

Other objections

Alternative 215 - Station Yard, North Elmham Address: Station Yard, North Elmham Station, NR20 5HH Brownfield Site area: 0.72ha Estimated capacity: 25 dwellings Broad accessibility assessment Settlement Hierarchy: Local Service Centre Norfolk PCT Dental Services: 5962 metres (R >) Dentist Doctor Elmham Surgery: 1052 metres (G <) • Leisure Centre Dereham Leisure Centre: 7441 metres (R >) Dereham Library: 7224 metres (R >) Library North Elmham CEVA Primary School: 857 metres (G <) • Primary School Secondary School Northgate High School: 6246 metres (R >) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Local Service Centre location. Category - Playing Field: 630 metres Open Space Recycling facilities Dereham Main Recycling Centre Plus: 8029 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Old Hall Farm Barn (Grade II): 140 metres Listed Building Elmham House: 1019 metres Registered Park Scheduled Episcopal chapel and fortified manor house on site of Monument Anglo-Saxon cathedral: 1159 metres **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) Yes River Wensum SAC **Nutrient Neutrality** Catchment Area Great Wood: 1768 metres Ancient Woodland Geodiversity site Hempton Quarry: 11999 metres National Nature Foxley Wood: 5552 metres Reserve County Wildlife Site Land west of Worthing: 305 metres Local Nature Reserve Litcham Common: 10577 metres North Norfolk Coast: 23608 metres Ramsar Breckland 20855 metres. (Site Beyond 1.5km, HRA **Special Protection** unlikely to be required.) Area (SPA) Within Stone Curlew buffer: No SSSI River Wensum 247 metres River Wensum: 247 metres Special Area of Conservation (SAC)

Agricultural Land Gra	ide :	Z
-----------------------	-------	---

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.55%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice Major development partially within NRIDB's IDD. Consent would be required from the Board for alterations or discharges to any riparian watercourse within the Board's IDD.

Anglian Water Water Recycling Centre - North Elmham. Very limited head room for growth.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): Screen air quality if access within 200m **Historic England** No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

283 - Land at the Corner of Station Road and Worthing Road North Elmham, North Elmham

Alternative

Address: Land at Corner of Station Road and Worthing Road, North Elmham,

Greenfield Site area: 1.13ha Estimated capacity: 30 dwellings

Broad accessibility assessment

Settlement Hierarchy: Local Service Centre

Norfolk PCT Dental Services: 5841 metres (R >) Dentist Doctor Elmham Surgery: 1444 metres (R >) Leisure Centre Dereham Leisure Centre: 7302 metres (R >) Library Dereham Library: 7115 metres (R >) North Elmham CEVA Primary School: 1244 metres (G <) Primary School Secondary School Northgate High School: 6141 metres (R >) Amber: One to three core facilities within threshold Overall ranking accessibility distance

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

Walking and cycling	Opportunities for walking and cycling access / enhancement based on accessibility to facilities and
	Local Service Centre location.
Open Space	Category - Church: 609 metres
Recycling facilities	Dereham Main Recycling Centre Plus: 7878 metres
Heritage (nearest design production)	ated heritage asset analysis – Heritage Impact Assessment in
Conservation Area	Not within a CA
Listed Building	Worthing Mill (Grade II): 81 metres
Registered Park	Elmham House: 1405 metres
Scheduled	A Roman roadside settlement 150m south-west of
Monument	Billingford Hall: 833 metres
	(nearest designated geo / biodiversity sites and features. Local Plan
	t Local Plan policy and proposals)
Nutrient Neutrality	Yes River Wensum SAC
Catchment Area	
Ancient Woodland	Great Wood: 2210 metres
Geodiversity site	Hempton Quarry: 12389 metres
National Nature	Foxley Wood: 5279 metres
Reserve	
County Wildlife Site	Land west of Worthing: 299 metres
Local Nature Reserve	Litcham Common: 10999 metres
Ramsar	North Norfolk Coast: 23801 metres
Special Protection	Breckland 21108 metres. (Site Beyond 1.5km, HRA
Area (SPA)	unlikely to be required.)
	Within Stone Curlew buffer: No

SSSI	River Wensum 129 metres
Special Area of	River Wensum: 129 metres
Conservation (SAC)	0
Agricultural Land	Grade 4

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice Major development within the Board's IDD. The nearest Board maintained watercourse (MN 35 - Binley/Beetley, DRN101G0101) lies south, outside the development boundary for site LPR/C4S/DEV/283. Whilst unlikely due to the site's location, consent would be required for works within 9 metres of this watercourse. In addition, consent from the Board would be required for any proposed discharges/alterations to this watercourse/any ordinary watercourses within the IDD.

Known flood risk concerns. The Board has concerns with the downstream network's capacity of site LPR/C4S/DEV/283.

Therefore, surface water runoff will need to be well managed to ensure this is not further increased, as per paragraph 167 of the National Planning Policy Framework.

The Board strongly recommend that at the detailed design stage, where practicable, SuDS are utilised on the development, in line with the Non-Statutory technical standards for sustainable drainage systems.

Anglian Water Water Recycling Centre - North Elmham. Very limited head room for growth.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): Screen air quality if access within 200m **Historic England** No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

266 - Snetterton Heath (Parcel R2), **Alternative Ouidenham** Address: Land adjacent to Snetterton Heath, Eccles Parcel R2. NR16 2JG Greenfield Site area: 2.47ha Estimated capacity: 51 dwellings **Broad accessibility assessment** Settlement Hierarchy: Secondary village Rookwood Dental Practice: 5789 metres (R >) Dentist Doctor Kings Ride Surgery: 4184 metres (R >) Attleborough Sports Hall: 6093 metres (R >) Leisure Centre Attleborough Library: 6076 metres (R >) Library Primary School East Harling Primary School and Nursery: 4248 metres (R • Secondary School Old Buckenham High School: 5121 metres (R >) Red: No facilities within threshold distance Overall ranking accessibility 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Limited accessibility to facilities would require Walking and cycling substantial improvement to support walking and cycling accessibility. Category - General: 0 metres Open Space Recycling facilities Snetterton Part-time Recycling Centre: 346 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Church Of St Mary (Grade II*): 652 metres Listed Building Registered Park Breccles Hall: 6729 metres Scheduled Gallows Hill tumulus: 145 metres Monument Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Ancient Woodland Downhill Grove: 3624 metres Geodiversity site Hockham: 6666 metres National Nature Brettenham Heath: 8827 metres Reserve County Wildlife Site Eccles Wood (North): 453 metres Local Nature Reserve Great Eastern Pingo Trail: 9027 metres Redgrave & South Lopham Fens: 10302 metres Ramsar **Special Protection** Breckland 6083 metres. (Site Beyond 1.5km, HRA Area (SPA) unlikely to be required.) Within Stone Curlew buffer: No SSSI Swangey Fen, Attleborough 2405 metres

Special Area of Conservation (SAC)	Norfolk Valley Fens: 2405 metres
Agricultural Land	Grade 4

Trister issessment, 2021/	
Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - East Harling. Likely to be sufficient capacity for growth at least up to 550 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

Alternative 277 - Land North of Station Road, Quidenham Address: Site 1, Land North of Station Road, Eccles, Ouidenham. Greenfield Site area: 4.32ha Estimated capacity: 70 dwellings **Broad accessibility assessment** Settlement Hierarchy: Secondary village Rookwood Dental Practice: 5529 metres (R >) Dentist Kings Ride Surgery: 4500 metres (R >) Doctor Attleborough Sports Hall: 5828 metres (R >) Leisure Centre Attleborough Library: 5819 metres (R >) Library • Primary School Rosecroft Primary School: 4132 metres (R >) • Secondary School Old Buckenham High School: 5043 metres (R >) Red: No facilities within threshold distance Overall ranking accessibility 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Limited accessibility to facilities would require Walking and cycling substantial improvement to support walking and cycling accessibility. Category - General: 29 metres Open Space Recycling facilities Snetterton Part-time Recycling Centre: 464 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Listed Building Church Of All Saints Including Tower (Grade II*): 784 metres Breccles Hall: 6509 metres Registered Park Scheduled Gallows Hill tumulus: 268 metres Monument Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Ancient Woodland Site Name Blank: 3849 metres Geodiversity site Hockham: 6538 metres National Nature Brettenham Heath: 8957 metres Reserve County Wildlife Site Hargham Estate: 500 metres Local Nature Reserve Great Eastern Pingo Trail: 8948 metres Redgrave & South Lopham Fens: 10626 metres Ramsar **Special Protection** Breckland 6330 metres. (Site Beyond 1.5km, HRA unlikely to be required.) Area (SPA)

Within Stone Curlew buffer: No

Swangey Fen, Attleborough 2079 metres

SSSI

Special Area of Conservation (SAC)	Norfolk Valley Fens: 2079 metres
Conservation (SAC)	
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - East Harling. Likely to be sufficient capacity for growth at least up to 550 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

278 - Land South-east of Station Road, Quidenham

Alternative

Address: Site 2, Land Southeast of Station Road, Eccles, Quidenham,

Greenfield Site area: 2.12ha Estimated capacity: 30 dwellings

Broad accessibility assessment

Settlement Hierarchy: Secondary village

ı			
	 Dentist 	Rookwood Dental Practice: 5506 metres (R >)	
	 Doctor 	Kings Ride Surgery: 4371 metres (R >)	
	 Leisure Centre 	Attleborough Sports Hall: 5810 metres (R >)	
	 Library 	Attleborough Library: 5793 metres (R >)	
	 Primary School 	Rosecroft Primary School: 4136 metres (R >)	
	 Secondary School 	Old Buckenham High School: 4862 metres (R >)	
	Overall ranking	Red: No facilities within threshold distance	
	accessibility		

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

SSSI

Walking and cycling	Limited accessibility to facilities would require substantial improvement to support walking and cycling
	accessibility.
Open Space	Category - General: 70 metres
Recycling facilities	Snetterton Part-time Recycling Centre: 681 metres
	nated heritage asset analysis – Heritage Impact Assessment in
production)	
Conservation Area	Not within a CA
Listed Building	Church Of All Saints Including Tower (Grade II*): 828
	metres
Registered Park	Breccles Hall: 6776 metres
Scheduled	Gallows Hill tumulus: 468 metres
Monument	
Natural Environment	(nearest designated geo / biodiversity sites and features. Local Plan
HRA will assess subsequen	t Local Plan policy and proposals)
Nutrient Neutrality	No
Catchment Area	
Ancient Woodland	Downhill Grove: 3913 metres
Geodiversity site	Hockham: 6845 metres
National Nature	Brettenham Heath: 9187 metres
Reserve	
County Wildlife Site	Hargham Estate: 370 metres
Local Nature Reserve	Great Eastern Pingo Trail: 9264 metres
Ramsar	Redgrave & South Lopham Fens: 10519 metres
Special Protection	Breckland 6419 metres. (Site Beyond 1.5km, HRA
Area (SPA)	unlikely to be required.)
	Within Stone Curlew buffer: No
	1

Swangey Fen, Attleborough 2175 metres

Special Area of	Norfolk Valley Fens: 2175 metres
Conservation (SAC)	
Agricultural Land	Grade 4

Risk Assessment, 2024)

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - East Harling. Likely to be sufficient capacity for growth at least up to 550 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

363 - East of Station Road and North | Alternative of Wilby Road, Ouidenham Address: Land East of Station Road, NR16 2PF Estimated capacity: 400 Greenfield Site area: 21.31ha dwellings **Broad accessibility assessment** Settlement Hierarchy: Secondary village Rookwood Dental Practice: 5483 metres (R >) Dentist Kings Ride Surgery: 3733 metres (R >) Doctor Leisure Centre Attleborough Sports Hall: 5795 metres (R >) Library Attleborough Library: 5767 metres (R >) Primary School Kenninghall Primary School: 4096 metres (R >) Secondary School Old Buckenham High School: 4655 metres (R >) Overall ranking Red: No facilities within threshold distance accessibility 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Limited accessibility to facilities would require Walking and cycling substantial improvement to support walking and cycling accessibility. Category - General: 107 metres Open Space Recycling facilities Snetterton Part-time Recycling Centre: 657 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Church Of St Mary (Grade II*): 386 metres Listed Building Registered Park Breccles Hall: 6944 metres Scheduled Gallows Hill tumulus: 456 metres Monument **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Ancient Woodland Downhill Grove: 3374 metres Geodiversity site Hockham: 6969 metres Brettenham Heath: 8979 metres National Nature Reserve County Wildlife Site Hargham Estate: 340 metres Local Nature Reserve Great Eastern Pingo Trail: 9338 metres Redgrave & South Lopham Fens: 9891 metres Ramsar **Special Protection** Breckland 5933 metres. (Site Beyond 1.5km, HRA Area (SPA) unlikely to be required.) Within Stone Curlew buffer: No Kenninghall & Banham Fens with Quidenham Mere 2233 SSSI metres

Special Area of Conservation (SAC)	Norfolk Valley Fens: 2346 metres
	Crade 2
Agricultural Land	Grade 3

Risk Assessment, 2024)

Flood Zone 3	Proportion of site area 0.11%
Flood Zone 2	Proportion of site area 0.87%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - East Harling. Likely to be sufficient capacity for growth at least up to 550 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

Scott Properties Ltd Land to the East of Station Road and North of Wilby Road, Eccles Road (Quidenham)Land west of Station Road is being promoted for residential-led development of up to 130 dwellings alongside recreation and community uses. LEGAL The Site extends to c. 5.4ha (13.4 acres) and is in single ownership and subject to a long-term Promotion Agreement with Scott Properties. There are no legal or ownership issues which would prevent the Site coming forward for development. The Site abuts the adopted Highways on Station Road and Heath Road. - (Further detailed site commentary provided)

Other objections

364 - Land to the West of Station Road and North of Heath Road, Quidenham

Alternative

Address: Land West of Station Road, NR16 2JG

Greenfield Site area: 5.02ha Estimated capacity: 130 dwellings

Broad accessibility assessment

Settlement Hierarchy: Secondary village

	• Dentist	Rookwood Dental Practice: 6033 metres (R >)
	• Doctor	Kings Ride Surgery: 3888 metres (R >)
	 Leisure Centre 	Attleborough Sports Hall: 6341 metres (R >)
	• Library	Attleborough Library: 6319 metres (R >)
	 Primary School 	East Harling Primary School and Nursery: 3820 metres (R
	 Secondary School 	>)
		Old Buckenham High School: 5185 metres (R >)
Overall ranking		Red: No facilities within threshold distance
accessibility		

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

Walking and cycling	Limited accessibility to facilities would require substantial improvement to support walking and cycling accessibility.
Open Space	Category - General: 296 metres
Recycling facilities	Snetterton Part-time Recycling Centre: 576 metres
Heritage (nearest design production)	nated heritage asset analysis – Heritage Impact Assessment in
Conservation Area	Not within a CA
Listed Building	Church Of St Mary (Grade II*): 332 metres
Registered Park	Breccles Hall: 7013 metres
Scheduled	Gallows Hill tumulus: 419 metres
Monument	
Natural Environment (nearest designated geo / biodiversity sites and features. Local HRA will assess subsequent Local Plan policy and proposals)	
Nutrient Neutrality	No
Catchment Area	
Ancient Woodland	Downhill Grove: 3230 metres
Geodiversity site	Hockham: 6888 metres
National Nature	Brettenham Heath: 8641 metres
Reserve	
County Wildlife Site	Eccles Wood (South): 108 metres
Local Nature Reserve	Great Eastern Pingo Trail: 9166 metres
Ramsar	Redgrave & South Lopham Fens: 9981 metres
Special Protection	Breckland 5653 metres. (Site Beyond 1.5km, HRA
Area (SPA)	unlikely to be required.)
	Within Stone Curlew buffer: No

SSSI	East Harling Common 2170 metres
Special Area of	Norfolk Valley Fens: 2737 metres
Conservation (SAC)	
Agricultural Land	Grade 4

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - East Harling. Likely to be sufficient capacity for growth at least up to 550 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

062 - East of Rectory Road, Rocklands

Alternative

Address: Area 1, East of Rectory Road, Rockland All Saints, NR17 1XA

Greenfield Site area: 0.21ha Estimated capacity: 0 dwellings

Broad accessibility assessment

Settlement Hierarchy: Secondary village

)	Section in the farency. Secondary village		
•	Dentist	Rookwood Dental Practice: 5986 metres (R >)	
•	Doctor	Attleborough Surgeries: 5920 metres (R >)	
•	Leisure Centre	Attleborough Sports Hall: 5966 metres (R >)	
•	Library	Attleborough Library: 6136 metres (R >)	
•	Primary School	Rocklands Community Primary School: 318 metres (G <)	
•	Secondary School	Attleborough Academy: 6088 metres (R >)	
C	Overall ranking	Amber: One to three core facilities within threshold	
a	ccessibility	distance	

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

Como accosible facilities south and abusitude actions
Some accessible facilities create opportunity to enhance
walking and cycling access.
Category - General: 604 metres
Snetterton Part-time Recycling Centre: 6591 metres
ated heritage asset analysis – Heritage Impact Assessment in
Not within a CA
The Rookery (Grade II): 142 metres
Breccles Hall: 3038 metres
Village cross, 70m north west of the Holy Cross Church:
3166 metres
(nearest designated geo / biodiversity sites and features. Local Plan
t Local Plan policy and proposals)
No
Site Name Blank: 1582 metres
Hockham: 5117 metres
Brettenham Heath: 11165 metres
Land near Rockland All Saints: 178 metres
Great Eastern Pingo Trail: 4756 metres
Redgrave & South Lopham Fens: 17237 metres
Breckland 4740 metres. (Site Beyond 1.5km, HRA
unlikely to be required.)
Within Stone Curlew buffer: No
Swangey Fen, Attleborough 3423 metres

Special Area of Conservation (SAC)	Norfolk Valley Fens: 3423 metres
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Attleborough STW. Unlikely to be capacity for additional growth above Attleborough SUE.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Rocklands Parish Council The council accepts some development, but it must be right for the parish. Site assessment highlighting individual problems/concerns with each site. Under current policy, the proposed sites are a considerable distance outside the Settlement

Boundary, and in no way adjacent or connected to it. Under the proposed criteria: • The sites are entirely Greenfield in nature. • Access to the sites would be via Rectory Road – a narrow tertiary road with few passing places. The nearby junction with Magpie Lane – another narrow tertiary road with few passing places – and the end of The Street is also very restricted in width. We do not consider that access for additional properties will be either safe or practical. • Pedestrian access to the proposed sites would be extremely hazardous – there being no pavements, and via a narrow inclined road. • The Visual Landscape Impact would be High - particularly with respect to neighbouring properties on both sides of the road. These properties would lose the current visual amenity of unrestricted views of the surrounding rural landscape. As the sites are in an elevated position, development will impact on the rural views currently enjoyed from surrounding properties, roads and footpaths. • We would argue that the proposed sites are only very tenuously Adjacent to the existing built-up area. • The sites would conflict with the scale and size of the settlement, and would notably grow it. • The sites are not in proximity to a recognised settlement, and could not form part of a new settlement.

Landowner/Site promoter comment:

None

Other objections

365 - North of Chapel Street, Rocklands

Alternative

Address: North of Chapel Street, NR17 1UQ

Greenfield Site area: 0.42ha Estimated capacity: 5 dwellings

Broad accessibility assessment

Settlement Hierarchy: Secondary village

- Dentist
 Doctor
 Leisure Centre
 Library
 Primary School
 Secondary School
 Rookwood Dental Practice: 6359 metres (R >)
 Hingham Surgery: 6028 metres (R >)
 Attleborough Sports Hall: 6276 metres (R >)
 Hingham Library: 5619 metres (R >)
 Rocklands Community Primary School: 958 metres (G <)
 Attleborough Academy: 6389 metres (R >)
- Overall ranking accessibility Amber: One to three core facilities within threshold distance

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

Conservation (SAC)

Walking and cycling	Some accessible facilities create opportunity to enhance walking and cycling access.
Open Space	Category - General: 0 metres
Recycling facilities	Snetterton Part-time Recycling Centre: 7760 metres
Heritage (nearest design production)	nated heritage asset analysis – Heritage Impact Assessment in
Conservation Area	Not within a CA
Listed Building	Methodist Church (Grade II): 199 metres
Registered Park	Breccles Hall: 3848 metres
Scheduled	Village cross, 70m north west of the Holy Cross Church:
Monument	2864 metres
Natural Environment	(nearest designated geo / biodiversity sites and features. Local Plan
	t Local Plan policy and proposals)
Nutrient Neutrality	No
Catchment Area	
Ancient Woodland	Site Name Blank: 1687 metres
Geodiversity site	Hockham: 6054 metres
National Nature	Brettenham Heath: 12242 metres
Reserve	
County Wildlife Site	Goose Common: 1055 metres
Local Nature Reserve	Great Eastern Pingo Trail: 4813 metres
Ramsar	Redgrave & South Lopham Fens: 18393 metres
Special Protection	Breckland 5455 metres. (Site Beyond 1.5km, HRA
Area (SPA)	unlikely to be required.)
	Within Stone Curlew buffer: No
SSSI	Scoulton Mere 3381 metres
Special Area of	Norfolk Valley Fens: 4496 metres

Agricultural Land	Grade	2					
	1 01	_	 	 		 	

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Attleborough STW. Unlikely to be capacity for additional growth above Attleborough SUE.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Rocklands Parish Council • Firstly, we believe that this site location has been mis-named. Chapel Street finishes opposite 'Corner Cottage' – where Bell Road starts. Reference to the Electoral Register will confirm • Under current policy, the proposed site is neither connected to nor adjacent to the Settlement Boundary. See 3PL/2023/0702/F for the Case Officer's reasons for refusal, "The site fall outsides the defined settlement of Rocklands classified as a Village with a Boundary and is not immediately adjacent to the settlement boundary."

Under the proposed criteria: • The site is entirely Greenfield in nature. • Access to the site would be via either Bell Road or Chapel Street. Bell Road is an extremely narrow tertiary road with no passing places. It is probably the narrowest road in the parish, has high banks in places, blind bends and is used by large agricultural vehicles. Vehicle-vehicle and vehicle pedestrian conflicts are a regular occurrence on this narrow road. Chapel Street is another narrow tertiary road with few passing places, having three blind bends and the same agricultural traffic as Bell Road. We do not consider that access for additional properties will be either safe or practical. • Pedestrian access to the proposed site would be hazardous – extremely so from the Bell Road direction – there being no pavements in either Bell Road or Chapel Street. Conflict with large agricultural vehicles would pose a particular risk. • There would be unavoidable Visual Landscape Impact – particularly with respect to neighbouring and nearby properties on both sides of the road. These properties would lose the current visual amenity of unrestricted views of the surrounding rural landscape. See 3PL/2023/0702/F for the Case Officer's reasons for refusal, "The proposed development represent visual intrusion and erosion of the open countryside. The proposed design and appearance in terms of scale, height and massing of the dwelling, is out of character with the local context and street scene. It would result in unacceptable urbanisation of the area that would harm the character and appearance of the area including the open countryside. The proposed development is contrary to Policies COM01, GEN05, ENV05 & GEN02 of the Breckland Local Plan (adopted 2019), as well as having due regard to National Planning Policy Framework (2023)." The above related to a single property on this site – a number of properties could only have greater negative

impact. Further, the North East corner of the proposed site would abut the Methodist Church graveyard – which is in regular use by the bereaved and their families. Adjacent dwellings would serve to disturb the peace and quiet, and the open countryside views valued by the users. • The proposed site is neither connected to, nor adjacent to, either the Built-up Area or the Settlement Boundary. • As stated in the Case Officer's comments above, the proposed site would be unlikely to be in keeping with the scale and size of the settlement at this point. • Although this site can be perceived to align with the proposed development scenarios E and F in the consultation, we believe that the other factors above weigh significantly against development. • In summary, we contend that this site should not be accepted for development.

Landowner/Site promoter comment:

None

Other objections

1 as received

403 - Area 2 West of Rectory Road, Rocklands

Alternative

Address: Area 2, West of Rectory Road, Rockland All Saints, NR17 1XA

Greenfield Site area: 0.39ha Estimated capacity: 0 dwellings

Broad accessibility assessment

Settlement Hierarchy: Secondary village

5	sectioniene includerly. Secondary village				
•	Dentist	Rookwood Dental Practice: 6079 metres (R >)			
•	Doctor	Attleborough Surgeries: 6010 metres (R >)			
•	Leisure Centre	Attleborough Sports Hall: 6055 metres (R >)			
•	Library	Attleborough Library: 6225 metres (R >)			
•	Primary School	Rocklands Community Primary School: 303 metres (G <)			
•	Secondary School	Attleborough Academy: 6176 metres (R >)			
0	verall ranking	Amber: One to three core facilities within threshold			
accessibility		distance			

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

SSSI

Walking and cycling	Some accessible facilities create opportunity to enhance
	walking and cycling access.
Open Space	Category - General: 546 metres
Recycling facilities	Snetterton Part-time Recycling Centre: 6695 metres
Heritage (nearest design	nated heritage asset analysis – Heritage Impact Assessment in
production)	
Conservation Area	Not within a CA
Listed Building	The Rookery (Grade II): 175 metres
Registered Park	Breccles Hall: 3033 metres
Scheduled	Village cross, 70m north west of the Holy Cross Church:
Monument	3049 metres
Natural Environment	(nearest designated geo / biodiversity sites and features. Local Plan
HRA will assess subsequen	t Local Plan policy and proposals)
Nutrient Neutrality	No
Catchment Area	
Ancient Woodland	Site Name Blank: 1484 metres
Geodiversity site	Hockham: 5133 metres
National Nature	Brettenham Heath: 11205 metres
Reserve	
County Wildlife Site	Land near Rockland All Saints: 240 metres
Local Nature Reserve	Great Eastern Pingo Trail: 4678 metres
Ramsar	Redgrave & South Lopham Fens: 17342 metres
Special Protection	Breckland 4728 metres. (Site Beyond 1.5km, HRA
Area (SPA)	unlikely to be required.)
	Within Stone Curlew buffer: No

Swangey Fen, Attleborough 3535 metres

Special Area of Conservation (SAC)	Norfolk Valley Fens: 3535 metres
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Attleborough STW. Unlikely to be capacity for additional growth above Attleborough SUE.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Rocklands Parish Council The council accepts some development, but it must be right for the parish. Site assessment highlighting individual problems/concerns with each site. Under current policy, the proposed sites are a considerable distance outside the Settlement

Boundary, and in no way adjacent or connected to it. Under the proposed criteria: • The sites are entirely Greenfield in nature. • Access to the sites would be via Rectory Road – a narrow tertiary road with few passing places. The nearby junction with Magpie Lane – another narrow tertiary road with few passing places – and the end of The Street is also very restricted in width. We do not consider that access for additional properties will be either safe or practical. • Pedestrian access to the proposed sites would be extremely hazardous – there being no pavements, and via a narrow inclined road. • The Visual Landscape Impact would be High - particularly with respect to neighbouring properties on both sides of the road. These properties would lose the current visual amenity of unrestricted views of the surrounding rural landscape. As the sites are in an elevated position, development will impact on the rural views currently enjoyed from surrounding properties, roads and footpaths. • We would argue that the proposed sites are only very tenuously Adjacent to the existing built-up area. • The sites would conflict with the scale and size of the settlement, and would notably grow it. • The sites are not in proximity to a recognised settlement, and could not form part of a new settlement.

Landowner/Site promoter comment:

None

Other objections

Alternative 404 - Area 1 West of Rectory Road, **Rocklands** Address: Area 3, West of Rectory Rd, Rockland All Saints, NR17 1XA Greenfield Site area: 0.90ha Estimated capacity: 13 dwellings **Broad accessibility assessment** Settlement Hierarchy: Secondary village Rookwood Dental Practice: 6034 metres (R >) Dentist Attleborough Surgeries: 5977 metres (R >) Doctor Leisure Centre Attleborough Sports Hall: 6025 metres (R >) Attleborough Library: 6191 metres (R >) Library • Primary School Rocklands Community Primary School: 391 metres (G <) • Secondary School Attleborough Academy: 6147 metres (R >) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Some accessible facilities create opportunity to enhance walking and cycling access. Category - General: 673 metres Open Space Recycling facilities Snetterton Part-time Recycling Centre: 6451 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Not within a CA Conservation Area Listed Building The Rookery (Grade II): 216 metres Breccles Hall: 2885 metres Registered Park Village cross, 70m north west of the Holy Cross Church: Scheduled Monument 3123 metres Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Ancient Woodland Site Name Blank: 1532 metres Geodiversity site Hockham: 4942 metres Brettenham Heath: 10975 metres National Nature Reserve County Wildlife Site Land near Rockland All Saints: 208 metres Local Nature Reserve Great Eastern Pingo Trail: 4699 metres Redgrave & South Lopham Fens: 17099 metres Ramsar **Special Protection** Breckland 4594 metres. (Site Beyond 1.5km, HRA unlikely to be required.) Area (SPA) Within Stone Curlew buffer: No SSSI Swangey Fen, Attleborough 3325 metres

Special Area of Conservation (SAC)	Norfolk Valley Fens: 3325 metres
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Attleborough STW. Unlikely to be capacity for additional growth above Attleborough SUE.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Rocklands Parish Council The council accepts some development, but it must be right for the parish. Site assessment highlighting individual problems/concerns with each site. Under current policy, the proposed sites are a considerable distance outside the Settlement

Boundary, and in no way adjacent or connected to it. Under the proposed criteria: • The sites are entirely Greenfield in nature. • Access to the sites would be via Rectory Road – a narrow tertiary road with few passing places. The nearby junction with Magpie Lane – another narrow tertiary road with few passing places – and the end of The Street is also very restricted in width. We do not consider that access for additional properties will be either safe or practical. • Pedestrian access to the proposed sites would be extremely hazardous – there being no pavements, and via a narrow inclined road. • The Visual Landscape Impact would be High - particularly with respect to neighbouring properties on both sides of the road. These properties would lose the current visual amenity of unrestricted views of the surrounding rural landscape. As the sites are in an elevated position, development will impact on the rural views currently enjoyed from surrounding properties, roads and footpaths. • We would argue that the proposed sites are only very tenuously Adjacent to the existing built-up area. • The sites would conflict with the scale and size of the settlement, and would notably grow it. • The sites are not in proximity to a recognised settlement, and could not form part of a new settlement.

Landowner/Site promoter comment:

None

Other objections

362 - Land at Barkers Farm, Roudham and Larling

Alternative

Address: Barkers Farm, Roudham & Larling, NR16 2RA

Greenfield Site area: 0.62ha Estimated capacity: 15 dwellings

Broad accessibility assessment

Settlement Hierarchy: Other settlement/village

		2	1 3
	•	Dentist	Rookwood Dental Practice: 8667 metres (R >)
	•	Doctor	East Harling and Kenninghall Medical Practice: 4485
	•	Leisure Centre	metres (R >)
	•	Library	Attleborough Sports Hall: 8881 metres (R >)
	•	Primary School	Attleborough Library: 8947 metres (R >)
	•	Secondary School	Great Hockham Primary School and Nursery: 3277 metres (R >)
			Attleborough Academy: 8992 metres (R >)
Overall ranking			Red: No facilities within threshold distance

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

SSSI

Walking and cycling	Relative isolation from facilities make location less attractive for walking and cycling.	
Open Space	Category - General: 2467 metres	
Recycling facilities	Snetterton Part-time Recycling Centre: 3678 metres	
Heritage (nearest design production)	nated heritage asset analysis – Heritage Impact Assessment in	
Conservation Area	Not within a CA	
Listed Building	Barker's Farmhouse (Grade II): 110 metres	
Registered Park	Breccles Hall: 4085 metres	
Scheduled	Roudham deserted medieval village: 2942 metres	
Monument		
Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan		
HRA will assess subsequent Local Plan policy and proposals)		
Nutrient Neutrality	No	
Catchment Area		
Ancient Woodland	Site Name Blank: 1873 metres	
Geodiversity site	Hockham: 2983 metres	
National Nature	Brettenham Heath: 5535 metres	
Reserve		
County Wildlife Site	North of Baker's Farm: 145 metres	
Local Nature Reserve	Great Eastern Pingo Trail: 4973 metres	
Ramsar	Redgrave & South Lopham Fens: 12571 metres	
Special Protection	Breckland 3073 metres. (Site Beyond 1.5km, HRA	
Area (SPA)	unlikely to be required.)	
	Within Stone Curlew buffer: No	

Breckland Forest 3073 metres

Special Area of Conservation (SAC)	Norfolk Valley Fens: 4345 metres
Agricultural Land	Grade 4

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Data for settlement not provided. Data for settlement not provided

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

Alternative 020 - Bell Lane, Saham Toney Address: Bell Lane, Saham Toney, IP25 7HD Greenfield Site area: 0.69ha Estimated capacity: 5 dwellings **Broad accessibility assessment** Settlement Hierarchy: Secondary village Together Dental: 1327 metres (R >) Dentist Doctor Watton Medical Practice: 1560 metres (R >) Leisure Centre Watton Sports and Social Club: 1243 metres (R >) Watton Library: 1348 metres (R >) Library Primary School Parkers Church of England V.C. Primary School: 538 • Secondary School metres (G <) Wayland Academy Norfolk: 1941 metres (G <) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Some accessible facilities create opportunity to enhance Walking and cycling walking and cycling access. Category - Play Space: 13 metres Open Space Ashill Recycling Centre: 3869 metres Recycling facilities Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Not within a CA Conservation Area White Hall (Grade II): 349 metres Listed Building Pickenham Hall: 4540 metres Registered Park Scheduled Roman settlement at Woodcock Hall: 1399 metres Monument **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Saham Wood: 2298 metres Ancient Woodland Geodiversity site Hockham: 10473 metres Brettenham Heath: 15273 metres National Nature Reserve County Wildlife Site Saham Mere: 33 metres Great Eastern Pingo Trail: 6342 metres Local Nature Reserve Redgrave & South Lopham Fens: 26046 metres Ramsar Breckland 2243 metres. (Site Beyond 1.5km, HRA **Special Protection** unlikely to be required.) Area (SPA) Within Stone Curlew buffer: No Breckland Farmland 2243 metres SSSI Breckland: 4161 metres Special Area of Conservation (SAC)

Agricultural Land	Grade 3
-------------------	---------

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Watton. Currently no available headroom, but permit awaited to increase capacity for growth to come forward.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Saham Toney We have strong reservations with the process, we feel that the findings of the Saham Toney Neighbourhood Plan (STNP) should be adhered to as Six of the sites put forward were rejected by a comprehensive and detailed site assessment and selection process used when preparing STNP and should not now be reconsidered. Additionally two of the sites put forward are allocated in STNP, but for far fewer dwellings. Your process does not consider site access onto poor quality road/lanes, flooding and whether only part of a site is suitable for development. Both of those sites are part Brownfield and part arable, in the STNP they were both found suitable only as smaller developments. Site LPR/C4S/DEV/07 proposes 35 houses on 1.86 ha, it was initially rejected during the STNP 'Call for Sites' process, resubmitted, and accepted as a smaller development of 8 houses on 0.54 ha. The Site LPR/C4S/DEV/306 for 100 houses on 4.18 ha is once again partially brownfield the larger area being greenfield arable, the STNP agreed to just 10 houses on 1.06 ha on this site. Both sites access onto a country lane without footpath which has a single file bridge with weight restrictions, both smaller developments are mainly Brownfield. Likewise, three of the sites put forward have been previously rejected when submitted under planning applications. The Council's process has taken no account of STNP policies, but these form part of the Breckland Development Plan and must be adhered to.

Landowner/Site promoter comment:

None

Other objections

1 as received

069 - Pound Hill, Saham Toney **Alternative** Address: East of Pound Hill, Saham Toney, IP25 7HY Greenfield Site area: 1.17ha Estimated capacity: 22 dwellings Broad accessibility assessment Settlement Hierarchy: Secondary village Together Dental: 1999 metres (R >) Dentist Doctor Watton Medical Practice: 2233 metres (R >) Leisure Centre Watton Sports and Social Club: 1892 metres (R >) Watton Library: 2014 metres (R >) Library Primary School Parkers Church of England V.C. Primary School: 105 Secondary School metres (G <) Wayland Academy Norfolk: 2595 metres (R >) Overall ranking Amber: One to three core facilities within threshold accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Some accessible facilities create opportunity to enhance Walking and cycling walking and cycling access. Category - Church: 168 metres Open Space Ashill Recycling Centre: 3211 metres Recycling facilities Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Page's Place (Grade II): 75 metres Listed Building Pickenham Hall: 3949 metres Registered Park Scheduled Roman settlement at Woodcock Hall: 1494 metres Monument **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Saham Wood: 2180 metres Ancient Woodland Geodiversity site Hockham: 11100 metres Brettenham Heath: 15775 metres National Nature Reserve County Wildlife Site Saham Mere: 322 metres Local Nature Reserve Great Eastern Pingo Trail: 7000 metres Redgrave & South Lopham Fens: 26695 metres Ramsar Breckland 2421 metres. (Site Beyond 1.5km, HRA **Special Protection** unlikely to be required.) Area (SPA) Within Stone Curlew buffer: No Breckland Farmland 2421 metres SSSI Breckland: 4434 metres Special Area of Conservation (SAC)

Agricultural Land	Grade 3
-------------------	---------

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Watton. Currently no available headroom, but permit awaited to increase capacity for growth to come forward.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Saham Toney We have strong reservations with the process, we feel that the findings of the Saham Toney Neighbourhood Plan (STNP) should be adhered to as Six of the sites put forward were rejected by a comprehensive and detailed site assessment and selection process used when preparing STNP and should not now be reconsidered. Additionally two of the sites put forward are allocated in STNP, but for far fewer dwellings. Your process does not consider site access onto poor quality road/lanes, flooding and whether only part of a site is suitable for development. Both of those sites are part Brownfield and part arable, in the STNP they were both found suitable only as smaller developments. Site LPR/C4S/DEV/07 proposes 35 houses on 1.86 ha, it was initially rejected during the STNP 'Call for Sites' process, resubmitted, and accepted as a smaller development of 8 houses on 0.54 ha. The Site LPR/C4S/DEV/306 for 100 houses on 4.18 ha is once again partially brownfield the larger area being greenfield arable, the STNP agreed to just 10 houses on 1.06 ha on this site. Both sites access onto a country lane without footpath which has a single file bridge with weight restrictions, both smaller developments are mainly Brownfield. Likewise, three of the sites put forward have been previously rejected when submitted under planning applications. The Council's process has taken no account of STNP policies, but these form part of the Breckland Development Plan and must be adhered to.

Landowner/Site promoter comment:

None

Other objections

1 as received

070 - Pages Place Farm, Saham **Alternative Toney** Address: Pages Place Farm Buildings, Saham Toney, IP25 7HY Site area: 1.93ha Mostly Green Estimated capacity: 35 dwellings **Broad accessibility assessment** Settlement Hierarchy: Secondary village Together Dental: 2152 metres (R >) Dentist Doctor Watton Medical Practice: 2384 metres (R >) Watton Sports and Social Club: 2036 metres (R >) Leisure Centre Watton Library: 2170 metres (R >) Library Primary School Parkers Church of England V.C. Primary School: 303 • Secondary School metres (G <) Wayland Academy Norfolk: 2759 metres (R >) Amber: One to three core facilities within threshold Overall ranking distance accessibility 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Some accessible facilities create opportunity to enhance Walking and cycling walking and cycling access. Category - Playing Field: 184 metres Open Space Recycling facilities Ashill Recycling Centre: 2991 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Page's Place (Grade II): 23 metres Listed Building Pickenham Hall: 3708 metres Registered Park Roman settlement at Woodcock Hall: 1629 metres Scheduled Monument **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Ancient Woodland Saham Wood: 2152 metres Geodiversity site Hockham: 11280 metres Brettenham Heath: 15975 metres National Nature Reserve County Wildlife Site Saham Mere: 490 metres Local Nature Reserve Great Eastern Pingo Trail: 7163 metres Ramsar Redgrave & South Lopham Fens: 26865 metres Special Protection Breckland 2560 metres. (Site Beyond 1.5km, HRA Area (SPA) unlikely to be required.) Within Stone Curlew buffer: No

Breckland Farmland 2560 metres

SSSI

Special Area of	Breckland: 4588 metres
Conservation (SAC)	
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Watton. Currently no available headroom, but permit awaited to increase capacity for growth to come forward.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Saham Toney We have strong reservations with the process, we feel that the findings of the Saham Toney Neighbourhood Plan (STNP) should be adhered to as Six of the sites put forward were rejected by a comprehensive and detailed site assessment and selection process used when preparing STNP and should not now be reconsidered. Additionally two of the sites put forward are allocated in STNP, but for far fewer dwellings. Your process does not consider site access onto poor quality road/lanes, flooding and whether only part of a site is suitable for development. Both of those sites are part Brownfield and part arable, in the STNP they were both found suitable only as smaller developments. Site LPR/C4S/DEV/07 proposes 35 houses on 1.86 ha, it was initially rejected during the STNP 'Call for Sites' process, resubmitted, and accepted as a smaller development of 8 houses on 0.54 ha. The Site LPR/C4S/DEV/306 for 100 houses on 4.18 ha is once again partially brownfield the larger area being greenfield arable, the STNP agreed to just 10 houses on 1.06 ha on this site. Both sites access onto a country lane without footpath which has a single file bridge with weight restrictions, both smaller developments are mainly Brownfield. Likewise, three of the sites put forward have been previously rejected when submitted under planning applications. The Council's process has taken no account of STNP policies, but these form part of the Breckland Development Plan and must be adhered to.

Landowner/Site promoter comment:

None

Other objections

1 as received

071 - South of Pages Lane, Saham **Alternative Toney** Address: South of Pages Lane, Saham Toney, IP25 7HY Greenfield Site area: 0.58ha Estimated capacity: 6 dwellings **Broad accessibility assessment** Settlement Hierarchy: Secondary village Together Dental: 2063 metres (R >) Dentist Watton Medical Practice: 2289 metres (R >) Doctor Leisure Centre Watton Sports and Social Club: 1933 metres (R >) Library Watton Library: 2084 metres (R >) Primary School Parkers Church of England V.C. Primary School: 289 Secondary School metres (G <) Wayland Academy Norfolk: 2676 metres (R >) Amber: One to three core facilities within threshold Overall ranking

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

Some accessible facilities create opportunity to enhance

Green 4+ core services within above threshold

distance

- Amber 1 to 3 core services
- Red 0 core services

Walking and cycling

accessibility

SSSI

	walking and cycling access.	
Open Space	Category - Church: 356 metres	
Recycling facilities	Ashill Recycling Centre: 3210 metres	
Heritage (nearest design production)	Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in	
Conservation Area	Not within a CA	
Listed Building	Page's Place (Grade II): 66 metres	
Registered Park	Pickenham Hall: 3948 metres	
Scheduled Monument	Roman settlement at Woodcock Hall: 1683 metres	
Natural Environment HRA will assess subsequen	(nearest designated geo / biodiversity sites and features. Local Plan t Local Plan policy and proposals)	
Nutrient Neutrality Catchment Area	No	
Ancient Woodland	Saham Wood: 2099 metres	
Geodiversity site	Hockham: 11205 metres	
National Nature Reserve	Brettenham Heath: 15939 metres	
County Wildlife Site	Saham Mere: 430 metres	
Local Nature Reserve	Great Eastern Pingo Trail: 7078 metres	
Ramsar	Redgrave & South Lopham Fens: 26782 metres	
Special Protection	Breckland 2610 metres. (Site Beyond 1.5km, HRA	
Area (SPA)	unlikely to be required.)	
	Within Stone Curlew buffer: No	

Breckland Farmland 2610 metres

Special Area of	Breckland: 4622 metres
Conservation (SAC)	
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Watton. Currently no available headroom, but permit awaited to increase capacity for growth to come forward.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Saham Toney We have strong reservations with the process, we feel that the findings of the Saham Toney Neighbourhood Plan (STNP) should be adhered to as Six of the sites put forward were rejected by a comprehensive and detailed site assessment and selection process used when preparing STNP and should not now be reconsidered. Additionally two of the sites put forward are allocated in STNP, but for far fewer dwellings. Your process does not consider site access onto poor quality road/lanes, flooding and whether only part of a site is suitable for development. Both of those sites are part Brownfield and part arable, in the STNP they were both found suitable only as smaller developments. Site LPR/C4S/DEV/07 proposes 35 houses on 1.86 ha, it was initially rejected during the STNP 'Call for Sites' process, resubmitted, and accepted as a smaller development of 8 houses on 0.54 ha. The Site LPR/C4S/DEV/306 for 100 houses on 4.18 ha is once again partially brownfield the larger area being greenfield arable, the STNP agreed to just 10 houses on 1.06 ha on this site. Both sites access onto a country lane without footpath which has a single file bridge with weight restrictions, both smaller developments are mainly Brownfield. Likewise, three of the sites put forward have been previously rejected when submitted under planning applications. The Council's process has taken no account of STNP policies, but these form part of the Breckland Development Plan and must be adhered to.

Landowner/Site promoter comment:

None

Other objections

072 - Hills Road, Saham Toney **Alternative** Address: West of Hills Road, Saham Toney, IP25 7EW Greenfield Site area: 2.65ha Estimated capacity: 50 dwellings Broad accessibility assessment Settlement Hierarchy: Secondary village Together Dental: 2192 metres (R >) Dentist Doctor Watton Medical Practice: 2410 metres (R >) Leisure Centre Watton Sports and Social Club: 2038 metres (R >) Watton Library: 2214 metres (R >) Library Primary School Parkers Church of England V.C. Primary School: 444 Secondary School metres (G <) Wayland Academy Norfolk: 2807 metres (R >) Overall ranking Amber: One to three core facilities within threshold accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Some accessible facilities create opportunity to enhance Walking and cycling walking and cycling access. Category - Playing Field: 455 metres Open Space Ashill Recycling Centre: 2952 metres Recycling facilities Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Page's Place (Grade II): 44 metres Listed Building Pickenham Hall: 3781 metres Registered Park Site of Panworth Hall and medieval settlement: 1610 Scheduled Monument metres **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Saham Wood: 1914 metres Ancient Woodland Geodiversity site Hockham: 11336 metres Brettenham Heath: 16076 metres National Nature Reserve County Wildlife Site Saham Mere: 561 metres Local Nature Reserve Great Eastern Pingo Trail: 7208 metres Redgrave & South Lopham Fens: 26912 metres Ramsar Breckland 2765 metres. (Site Beyond 1.5km, HRA **Special Protection** unlikely to be required.) Area (SPA) Within Stone Curlew buffer: No Breckland Farmland 2765 metres SSSI Breckland: 4776 metres Special Area of Conservation (SAC)

Agricultural Land	Grade 3
-------------------	---------

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Watton. Currently no available headroom, but permit awaited to increase capacity for growth to come forward.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Saham Toney We have strong reservations with the process, we feel that the findings of the Saham Toney Neighbourhood Plan (STNP) should be adhered to as Six of the sites put forward were rejected by a comprehensive and detailed site assessment and selection process used when preparing STNP and should not now be reconsidered. Additionally two of the sites put forward are allocated in STNP, but for far fewer dwellings. Your process does not consider site access onto poor quality road/lanes, flooding and whether only part of a site is suitable for development. Both of those sites are part Brownfield and part arable, in the STNP they were both found suitable only as smaller developments. Site LPR/C4S/DEV/07 proposes 35 houses on 1.86 ha, it was initially rejected during the STNP 'Call for Sites' process, resubmitted, and accepted as a smaller development of 8 houses on 0.54 ha. The Site LPR/C4S/DEV/306 for 100 houses on 4.18 ha is once again partially brownfield the larger area being greenfield arable, the STNP agreed to just 10 houses on 1.06 ha on this site. Both sites access onto a country lane without footpath which has a single file bridge with weight restrictions, both smaller developments are mainly Brownfield. Likewise, three of the sites put forward have been previously rejected when submitted under planning applications. The Council's process has taken no account of STNP policies, but these form part of the Breckland Development Plan and must be adhered to.

Landowner/Site promoter comment:

None

Other objections

090 - Saham Tythe Chequers Lane, **Saham Toney**

Alternative

Address: Land at Saham Tythe Barn, Chequers Lane, Saham Toney, IP25 7HQ

Greenfield Site area: 0.88ha Estimated capacity: 9 dwellings

Broad accessibility assessment

Settlement Hierarchy: Secondary village

		coonicity mage
•	Dentist	Together Dental: 1818 metres (R >)
•	Doctor	Watton Medical Practice: 2000 metres (R >)
•	Leisure Centre	Watton Sports and Social Club: 1566 metres (R >)
•	Library	Watton Library: 1855 metres (R >)
•	Primary School	Parkers Church of England V.C. Primary School: 662
•	Secondary School	metres (G <)
		Wayland Academy Norfolk: 2451 metres (R >)
О	verall ranking	Amber: One to three core facilities within threshold
a	ccessibility	distance
1		

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

Walking and cycling	Some accessible facilities create opportunity to enhance	
	walking and cycling access.	
Open Space	Category - General: 467 metres	
Recycling facilities	Ashill Recycling Centre: 3672 metres	
Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production)		
Conservation Area	Not within a CA	
Listed Building	Meadow Farmhouse (Grade II): 120 metres	
Registered Park Pickenham Hall: 4460 metres		
Scheduled	Roman settlement at Woodcock Hall: 1936 metres	
Monument		
Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals)		

Nutrient Neutrality	No
Catchment Area	
Ancient Woodland	Saham Wood: 1644 metres
Geodiversity site	Hockham: 10982 metres
National Nature	Brettenham Heath: 15850 metres
Reserve	
County Wildlife Site	Saham Mere: 471 metres
Local Nature Reserve	Great Eastern Pingo Trail: 6815 metres
Ramsar	Redgrave & South Lopham Fens: 26517 metres
Special Protection	Breckland 2822 metres. (Site Beyond 1.5km, HRA
Area (SPA)	unlikely to be required.)
	Within Stone Curlew buffer: No
SSSI	Breckland Farmland 2822 metres

Special Area of	Breckland: 4769 metres
Conservation (SAC)	
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Watton. Currently no available headroom, but permit awaited to increase capacity for growth to come forward.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Saham Toney We have strong reservations with the process, we feel that the findings of the Saham Toney Neighbourhood Plan (STNP) should be adhered to as Six of the sites put forward were rejected by a comprehensive and detailed site assessment and selection process used when preparing STNP and should not now be reconsidered. Additionally two of the sites put forward are allocated in STNP, but for far fewer dwellings. Your process does not consider site access onto poor quality road/lanes, flooding and whether only part of a site is suitable for development. Both of those sites are part Brownfield and part arable, in the STNP they were both found suitable only as smaller developments. Site LPR/C4S/DEV/07 proposes 35 houses on 1.86 ha, it was initially rejected during the STNP 'Call for Sites' process, resubmitted, and accepted as a smaller development of 8 houses on 0.54 ha. The Site LPR/C4S/DEV/306 for 100 houses on 4.18 ha is once again partially brownfield the larger area being greenfield arable, the STNP agreed to just 10 houses on 1.06 ha on this site. Both sites access onto a country lane without footpath which has a single file bridge with weight restrictions, both smaller developments are mainly Brownfield. Likewise, three of the sites put forward have been previously rejected when submitted under planning applications. The Council's process has taken no account of STNP policies, but these form part of the Breckland Development Plan and must be adhered to.

Landowner/Site promoter comment:

None

Other objections

126 - West of Swaffham Road, Saham | Alternative **Toney** Address: Land West of Swaffham Road, Saham Toney, IP25 6LD Greenfield Site area: 2.09ha Estimated capacity: 60 dwellings **Broad accessibility assessment** Settlement Hierarchy: Secondary village Together Dental: 916 metres (G <) Dentist Doctor Watton Medical Practice: 1227 metres (R >) Watton Sports and Social Club: 1231 metres (R >) Leisure Centre Watton Library: 868 metres (G <) Library Primary School Watton Westfield Infant and Nursery School: 940 • Secondary School metres (G <) Wayland Academy Norfolk: 1314 metres (G <) Green: At least four facilities within threshold distance Overall ranking accessibility 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Opportunities for access/enhancement to walking and Walking and cycling cycling as a result of proximity to facilities. Category - Golf Course: 100 metres Open Space Recycling facilities Ashill Recycling Centre: 4375 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Listed Building White Hall (Grade II): 514 metres Registered Park Pickenham Hall: 4828 metres Scheduled Roman settlement at Woodcock Hall: 622 metres Monument Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) Nutrient Neutrality Catchment Area Wayland Wood: 2096 metres Ancient Woodland Geodiversity site Hockham: 9688 metres National Nature Brettenham Heath: 14284 metres Reserve County Wildlife Site The Grove: 387 metres Great Eastern Pingo Trail: 5643 metres Local Nature Reserve Redgrave & South Lopham Fens: 25304 metres Ramsar **Special Protection** Breckland 1259 metres. (Site Less than 1.5km, HRA Area (SPA) required.) Within Stone Curlew buffer: Yes Breckland Farmland 1259 metres SSSI

Special Area of Conservation (SAC)	Breckland: 3080 metres
Agricultural Land	Grade 4

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Watton. Currently no available headroom, but permit awaited to increase capacity for growth to come forward.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Saham Toney We have strong reservations with the process, we feel that the findings of the Saham Toney Neighbourhood Plan (STNP) should be adhered to as Six of the sites put forward were rejected by a comprehensive and detailed site assessment and selection process used when preparing STNP and should not now be reconsidered. Additionally two of the sites put forward are allocated in STNP, but for far fewer dwellings. Your process does not consider site access onto poor quality road/lanes, flooding and whether only part of a site is suitable for development. Both of those sites are part Brownfield and part arable, in the STNP they were both found suitable only as smaller developments. Site LPR/C4S/DEV/07 proposes 35 houses on 1.86 ha, it was initially rejected during the STNP 'Call for Sites' process, resubmitted, and accepted as a smaller development of 8 houses on 0.54 ha. The Site LPR/C4S/DEV/306 for 100 houses on 4.18 ha is once again partially brownfield the larger area being greenfield arable, the STNP agreed to just 10 houses on 1.06 ha on this site. Both sites access onto a country lane without footpath which has a single file bridge with weight restrictions, both smaller developments are mainly Brownfield. Likewise, three of the sites put forward have been previously rejected when submitted under planning applications. The Council's process has taken no account of STNP policies, but these form part of the Breckland Development Plan and must be adhered to.

Landowner/Site promoter comment:

None

Other objections

Alternative 306 - Grange Farm, Saham Toney Address: Grange Farm, Saham Toney, IP25 7HH Mostly Green Site area: 4.20ha Estimated capacity: 105 dwellings Broad accessibility assessment Settlement Hierarchy: Secondary village Together Dental: 1880 metres (R >) Dentist Doctor Watton Medical Practice: 2097 metres (R >) Leisure Centre Watton Sports and Social Club: 1730 metres (R >) Watton Library: 1906 metres (R >) Library Primary School Parkers Church of England V.C. Primary School: 256 • Secondary School metres (G <) Wayland Academy Norfolk: 2500 metres (R >) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Some accessible facilities create opportunity to enhance Walking and cycling walking and cycling access. Category - General: 271 metres Open Space Ashill Recycling Centre: 3237 metres Recycling facilities Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Page's Place (Grade II): 88 metres Listed Building Pickenham Hall: 3986 metres Registered Park Scheduled Roman settlement at Woodcock Hall: 1622 metres Monument **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Saham Wood: 1950 metres Ancient Woodland Geodiversity site Hockham: 11034 metres Brettenham Heath: 15789 metres National Nature Reserve County Wildlife Site Saham Mere: 272 metres Great Eastern Pingo Trail: 6896 metres Local Nature Reserve Redgrave & South Lopham Fens: 26602 metres Ramsar Breckland 2539 metres. (Site Beyond 1.5km, HRA **Special Protection** unlikely to be required.) Area (SPA) Within Stone Curlew buffer: No Breckland Farmland 2539 metres SSSI Breckland: 4532 metres Special Area of Conservation (SAC)

Agricultural Land	Grade 3
-------------------	---------

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Watton. Currently no available headroom, but permit awaited to increase capacity for growth to come forward.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Saham Toney We have strong reservations with the process, we feel that the findings of the Saham Toney Neighbourhood Plan (STNP) should be adhered to as Six of the sites put forward were rejected by a comprehensive and detailed site assessment and selection process used when preparing STNP and should not now be reconsidered. Additionally two of the sites put forward are allocated in STNP, but for far fewer dwellings. Your process does not consider site access onto poor quality road/lanes, flooding and whether only part of a site is suitable for development. Both of those sites are part Brownfield and part arable, in the STNP they were both found suitable only as smaller developments. Site LPR/C4S/DEV/07 proposes 35 houses on 1.86 ha, it was initially rejected during the STNP 'Call for Sites' process, resubmitted, and accepted as a smaller development of 8 houses on 0.54 ha. The Site LPR/C4S/DEV/306 for 100 houses on 4.18 ha is once again partially brownfield the larger area being greenfield arable, the STNP agreed to just 10 houses on 1.06 ha on this site. Both sites access onto a country lane without footpath which has a single file bridge with weight restrictions, both smaller developments are mainly Brownfield. Likewise, three of the sites put forward have been previously rejected when submitted under planning applications. The Council's process has taken no account of STNP policies, but these form part of the Breckland Development Plan and must be adhered to.

Landowner/Site promoter comment:

None

Other objections

Alternative 311 - Ovington Road, Saham Toney Address: Ovington Road, Saham Toney, IP25 7HF Greenfield Site area: 2.73ha Estimated capacity: 61 dwellings Broad accessibility assessment Settlement Hierarchy: Secondary village Together Dental: 900 metres (G <) Dentist Doctor Watton Medical Practice: 1119 metres (G <) • Leisure Centre Watton Sports and Social Club: 813 metres (G <) Watton Library: 931 metres (G <) Library Primary School Parkers Church of England V.C. Primary School: 882 Secondary School metres (G <) Wayland Academy Norfolk: 1528 metres (G <) Green: At least four facilities within threshold distance Overall ranking accessibility 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Opportunities for access/enhancement to walking and cycling as a result of proximity to facilities. Category - Golf Course: 0 metres Open Space Recycling facilities Ashill Recycling Centre: 4175 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Brick Kiln Farmhouse (Grade II): 266 metres Listed Building Pickenham Hall: 4879 metres Registered Park Scheduled Roman settlement at Woodcock Hall: 1549 metres Monument Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** Nο Catchment Area Ancient Woodland Saham Wood: 2131 metres Geodiversity site Hockham: 10062 metres National Nature Brettenham Heath: 14943 metres Reserve County Wildlife Site Saham Mere: 400 metres Local Nature Reserve Great Eastern Pingo Trail: 5915 metres Ramsar Redgrave & South Lopham Fens: 25622 metres **Special Protection** Breckland 2283 metres. (Site Beyond 1.5km, HRA unlikely to be required.) Area (SPA) Within Stone Curlew buffer: No SSSI Wayland Wood, Watton 2190 metres Special Area of Breckland: 4069 metres Conservation (SAC) Agricultural Land Grade 3

Flood Zone 3	Proportion of site area 20.00%
Flood Zone 2	Proportion of site area 24.85%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Watton. Currently no available headroom, but permit awaited to increase capacity for growth to come forward.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Saham Toney We have strong reservations with the process, we feel that the findings of the Saham Toney Neighbourhood Plan (STNP) should be adhered to as Six of the sites put forward were rejected by a comprehensive and detailed site assessment and selection process used when preparing STNP and should not now be reconsidered. Additionally two of the sites put forward are allocated in STNP, but for far fewer dwellings. Your process does not consider site access onto poor quality road/lanes, flooding and whether only part of a site is suitable for development. Both of those sites are part Brownfield and part arable, in the STNP they were both found suitable only as smaller developments. Site LPR/C4S/DEV/07 proposes 35 houses on 1.86 ha, it was initially rejected during the STNP 'Call for Sites' process, resubmitted, and accepted as a smaller development of 8 houses on 0.54 ha. The Site LPR/C4S/DEV/306 for 100 houses on 4.18 ha is once again partially brownfield the larger area being greenfield arable, the STNP agreed to just 10 houses on 1.06 ha on this site. Both sites access onto a country lane without footpath which has a single file bridge with weight restrictions, both smaller developments are mainly Brownfield. Likewise, three of the sites put forward have been previously rejected when submitted under planning applications. The Council's process has taken no account of STNP policies, but these form part of the Breckland Development Plan and must be adhered to.

Landowner/Site promoter comment:

None

Other objections

Alternative 068 - Previous Nurseries, Scarning Address: Site A, Previous Nurseries, Riverside Farm, Podmore Lane, Scarning, NR19 2NU Estimated capacity: 10 Mostly Green Site area: 0.26ha dwellings **Broad accessibility assessment** Settlement Hierarchy: Other settlement/village Beech House Dental Surgery: 2743 metres (R >) Dentist Theatre Royal Surgery: 2818 metres (R >) Doctor • Leisure Centre Dereham Leisure Centre: 3209 metres (R >) Library Dereham Library: 2781 metres (R >) • Primary School Scarning VC Primary School: 1292 metres (G <) Secondary School Northgate High School: 2924 metres (R >) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Opportunity to provide some accessibility to facilities Walking and cycling through walking and cycling provision. May require significant infrastructure. Open Space Category - Allotments Or Community Growing Spaces: 753 metres Recycling facilities Dereham Main Recycling Centre Plus: 3505 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA The Woodlands (Grade II): 483 metres Listed Building Elmham House: 7742 metres Registered Park Scheduled Wendling Abbey: 2133 metres Monument **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** Yes River Wensum SAC Catchment Area Old Carr: 1195 metres Ancient Woodland Newton-by-Castle Acre Chalk Pit: 12401 metres Geodiversity site National Nature Foxley Wood: 12527 metres Reserve County Wildlife Site Land near Podmore Farm: 395 metres Local Nature Reserve Litcham Common: 8006 metres Rovdon Common: 27672 metres Ramsar Breckland 14006 metres. (Site Beyond 1.5km, HRA **Special Protection** Area (SPA) unlikely to be required.) Within Stone Curlew buffer: No Dereham Rush Meadow 1360 metres SSSI

Special Area of Conservation (SAC)	Norfolk Valley Fens: 2146 metres
· · · · · · · · · · · · · · · · · · ·	
Agricultural Land	Grade 3

Historia 2021	
Flood Zone 3	Proportion of site area 14.06%
Flood Zone 2	Proportion of site area 17.52%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice Site A of the proposed sites at the former nurseries' location is within NRIDB's IDD. Consent would be required from the Board for any alterations or discharge to any riparian watercourse (excluding Main Rivers) within the Board's IDD. Whilst outside the Board's IDD, if at the detailed design stage Site B intended to discharge into a watercourse within the IDD, consent would be required.

Best practice for the disposal of surface water should be followed, as per the SuDS hierarchy and Non-Statutory technical standards for sustainable drainage systems.

Anglian Water Water Recycling Centre - Data for settlement not provided. Data for settlement not provided

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

Alternative 068 - Previous Nurseries, Scarning Address: Site B, Previous Nurseries, Riverside Farm, Podmore Lane, Scarning, NR19 2NU Estimated capacity: 10 Mostly Green Site area: 1.86ha dwellings **Broad accessibility assessment** Settlement Hierarchy: Other settlement/village Beech House Dental Surgery: 2743 metres (R >) Dentist Theatre Royal Surgery: 2818 metres (R >) Doctor • Leisure Centre Dereham Leisure Centre: 3209 metres (R >) Library Dereham Library: 2781 metres (R >) • Primary School Scarning VC Primary School: 1292 metres (G <) Secondary School Northgate High School: 2924 metres (R >) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Opportunity to provide some accessibility to facilities Walking and cycling through walking and cycling provision. May require significant infrastructure. Open Space Category - Allotments Or Community Growing Spaces: 753 metres Recycling facilities Dereham Main Recycling Centre Plus: 3505 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA The Woodlands (Grade II): 483 metres Listed Building Elmham House: 7742 metres Registered Park Scheduled Wendling Abbey: 2133 metres Monument **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** Yes River Wensum SAC Catchment Area Old Carr: 1195 metres Ancient Woodland Newton-by-Castle Acre Chalk Pit: 12401 metres Geodiversity site National Nature Foxley Wood: 12527 metres Reserve County Wildlife Site Land near Podmore Farm: 395 metres Local Nature Reserve Litcham Common: 8006 metres Rovdon Common: 27672 metres Ramsar Breckland 14006 metres. (Site Beyond 1.5km, HRA **Special Protection** Area (SPA) unlikely to be required.) Within Stone Curlew buffer: No Dereham Rush Meadow 1360 metres SSSI

Special Area of Conservation (SAC)	Norfolk Valley Fens: 2146 metres
· · · · · · · · · · · · · · · · · · ·	
Agricultural Land	Grade 3

Historia 2021	
Flood Zone 3	Proportion of site area 1.97%
Flood Zone 2	Proportion of site area 2.45%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice Site A of the proposed sites at the former nurseries' location is within NRIDB's IDD. Consent would be required from the Board for any alterations or discharge to any riparian watercourse (excluding Main Rivers) within the Board's IDD. Whilst outside the Board's IDD, if at the detailed design stage Site B intended to discharge into a watercourse within the IDD, consent would be required.

Best practice for the disposal of surface water should be followed, as per the SuDS hierarchy and Non-Statutory technical standards for sustainable drainage systems.

Anglian Water Water Recycling Centre - Data for settlement not provided. Data for settlement not provided

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

165 - Land South of Dereham Road, **Alternative** Scarning Address: Land South of Dereham Road, Scarning, Greenfield Site area: 1.00ha Estimated capacity: 15 dwellings **Broad accessibility assessment** Settlement Hierarchy: Other settlement/village Beech House Dental Surgery: 1183 metres (G <) Dentist Doctor Orchard Surgery: 1376 metres (R >) Leisure Centre Dereham Leisure Centre: 1625 metres (R >) Library Dereham Library: 1222 metres (R >) Primary School Scarning VC Primary School: 194 metres (G <) • Secondary School Northgate High School: 1630 metres (G <) Overall ranking Amber: One to three core facilities within threshold accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Opportunity to provide some accessibility to facilities Walking and cycling through walking and cycling provision. May require significant infrastructure. Open Space Category - Allotments Or Community Growing Spaces: 329 metres Recycling facilities Dereham Main Recycling Centre Plus: 1924 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA The Grange (Grade II): 499 metres Listed Building Registered Park Elmham House: 7717 metres Scheduled Wendling Abbey: 3635 metres Monument **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) Yes River Wensum SAC **Nutrient Neutrality** Catchment Area Ancient Woodland Old Carr: 1506 metres Geodiversity site Newton-by-Castle Acre Chalk Pit: 13952 metres National Nature Foxley Wood: 11629 metres Reserve County Wildlife Site Dereham Sewerage Works Meadow: 392 metres Local Nature Reserve Litcham Common: 9480 metres Ramsar Broadland: 28414 metres Special Protection Breckland 15188 metres. (Site Beyond 1.5km, HRA Area (SPA) unlikely to be required.) Within Stone Curlew buffer: No Dereham Rush Meadow 598 metres SSSI

Special Area of Conservation (SAC)	Norfolk Valley Fens: 733 metres
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Data for settlement not provided. Data for settlement not provided

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

Bidwells on behalf of Abel Homes Abel Homes are promoting land south of Dereham Road, Scarning, for residential or care related development (LPR/CS4/DEV/165). The Site Profile Assessment undertaken by the Council in relation to the site concludes that:

The site is within Scarning a Other settlement / village and is Greenfield Adjacent to the existing built-up area.

May align with scenarios A and C in the Development Scenarios consultation align with the site. Accordingly, the site will be considered by the Council as part of their Phase 2 Assessment; a position supported by Abel Homes. However, in undertaking the high-level assessment of the site, it is evident that certain incorrect assumptions have been made by the Council. To ensure that the Phase 2 Assessment is robust and based on correct information these matters are addressed below

Other objections

Alternative 219 - Land at Jessop Close, Scarning Address: Land to rear of Jessop Close & South of Dereham Road, Scarning, NR19 2PZ Greenfield Estimated capacity: 12 Site area: 0.48ha dwellings **Broad accessibility assessment** Settlement Hierarchy: Other settlement/village Beech House Dental Surgery: 3727 metres (R >) Dentist Toftwood Medical Centre: 3709 metres (R >) Doctor • Leisure Centre Dereham Leisure Centre: 4126 metres (R >) Library Dereham Library: 3767 metres (R >) Primary School Scarning VC Primary School: 2287 metres (R >) Secondary School Northgate High School: 4129 metres (R >) Red: No facilities within threshold distance Overall ranking accessibility 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Relative isolation from facilities make location less attractive for walking and cycling. Open Space Category - Playing Field: 62 metres Recycling facilities Dereham Main Recycling Centre Plus: 4256 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Scarning War Memorial Cross (Grade II): 109 metres Listed Building Elmham House: 9008 metres Registered Park Scheduled Wendling Abbey: 1280 metres Monument **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** Yes River Wensum SAC Catchment Area Site Name Blank: 2274 metres Ancient Woodland Newton-by-Castle Acre Chalk Pit: 11676 metres Geodiversity site National Nature Foxley Wood: 13896 metres Reserve County Wildlife Site Land near Podmore Farm: 688 metres Local Nature Reserve Litcham Common: 7777 metres Roydon Common: 27172 metres Ramsar **Special Protection** Breckland 12690 metres. (Site Beyond 1.5km, HRA Area (SPA) unlikely to be required.) Within Stone Curlew buffer: No SSSI Holly Farm Meadow, Wendling 1630 metres Special Area of Norfolk Valley Fens: 2800 metres Conservation (SAC) Agricultural Land Grade 2

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Data for settlement not provided. Data for settlement not provided

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

220 - Land South of Dereham Road site 2, Scarning

Alternative

Address: South of Dereham Road (2), Scarning, NR19 2LD

Greenfield Site area: 1.75ha Estimated capacity: 45 dwellings

Broad accessibility assessment

Settlement Hierarchy: Other settlement/village

ì	section of the farency: Other section of things	
•	Dentist	Beech House Dental Surgery: 3293 metres (R >)
•	Doctor	Toftwood Medical Centre: 3226 metres (R >)
•	Leisure Centre	Dereham Leisure Centre: 3674 metres (R >)
•	Library	Dereham Library: 3333 metres (R >)
•	Primary School	Scarning VC Primary School: 1882 metres (G <)
•	Secondary School	Northgate High School: 3744 metres (R >)
O	verall ranking	Amber: One to three core facilities within threshold
ac	cessibility	distance

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

SSSI

Walking and cycling	Opportunity to provide some accessibility to facilities through walking and cycling provision. May require significant infrastructure.
Open Space	Category - Playing Field: 109 metres
Recycling facilities	Dereham Main Recycling Centre Plus: 3781 metres
Heritage (nearest design production)	nated heritage asset analysis – Heritage Impact Assessment in
Conservation Area	Not within a CA
Listed Building	Church Of St Peter And St Paul (Grade I): 176 metres
Registered Park	Elmham House: 8870 metres
Scheduled	Wendling Abbey: 1690 metres
Monument	
Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals)	
Nutrient Neutrality Catchment Area	Yes River Wensum SAC
Ancient Woodland	Old Carr: 2330 metres
Geodiversity site	Newton-by-Castle Acre Chalk Pit: 12096 metres
National Nature Reserve	Foxley Wood: 13587 metres
County Wildlife Site	Land near Podmore Farm: 620 metres
Local Nature Reserve	Litcham Common: 8143 metres
Ramsar	Roydon Common: 27579 metres
Special Protection	Breckland 13043 metres. (Site Beyond 1.5km, HRA
Area (SPA)	unlikely to be required.)
	Within Stone Curlew buffer: No

Holly Farm Meadow, Wendling 2033 metres

Special Area of Conservation (SAC)	Norfolk Valley Fens: 2321 metres
Agricultural Land	Grade 2

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Data for settlement not provided. Data for settlement not provided

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

221 - Land West of Shipdham Lane, Scarning

Alternative

Address: Land to West of Shipdham Lane, Scarning, NR19 2LD

Greenfield Site area: 0.34ha Estimated capacity: 7 dwellings

Broad accessibility assessment

Settlement Hierarchy: Other settlement/village

L	o dedicantende i mener en en y	ourer sectioning rivings
I	• Dentist	Beech House Dental Surgery: 3488 metres (R >)
	 Doctor 	Toftwood Medical Centre: 3358 metres (R >)
	 Leisure Centre 	Dereham Leisure Centre: 3858 metres (R >)
	• Library	Dereham Library: 3527 metres (R >)
	 Primary School 	Scarning VC Primary School: 2095 metres (R >)
	 Secondary School 	Northgate High School: 3965 metres (R >)
I	Overall ranking	Red: No facilities within threshold distance
	accessibility	

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

Conservation (SAC)

Walking and cycling	Relative isolation from facilities make location less attractive for walking and cycling.
Open Space	Category - Playing Field: 39 metres
Recycling facilities	Dereham Main Recycling Centre Plus: 3943 metres
Heritage (nearest design production)	nated heritage asset analysis – Heritage Impact Assessment in
Conservation Area	Not within a CA
Listed Building	Church Of St Peter And St Paul (Grade I): 227 metres
Registered Park	Elmham House: 9085 metres
Scheduled	Moated site 700m north west of Brick Kiln Farm
Monument	Cottages: 1683 metres
Natural Environment	(nearest designated geo / biodiversity sites and features. Local Plan
_	t Local Plan policy and proposals)
Nutrient Neutrality	Yes River Wensum SAC
Catchment Area	
Ancient Woodland	Old Carr: 2558 metres
Geodiversity site	Newton-by-Castle Acre Chalk Pit: 12096 metres
National Nature	Foxley Wood: 13824 metres
Reserve	
County Wildlife Site	Land near Podmore Farm: 785 metres
Local Nature Reserve	Litcham Common: 8211 metres
Ramsar	Roydon Common: 27606 metres
Special Protection	Breckland 12917 metres. (Site Beyond 1.5km, HRA
Area (SPA)	unlikely to be required.)
	Within Stone Curlew buffer: No
SSSI	Holly Farm Meadow, Wendling 2068 metres
Special Area of	Norfolk Valley Fens: 2476 metres

Agricultural Land	Grade 2
-------------------	---------

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Data for settlement not provided. Data for settlement not provided

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

Alternative 248 - Land at East Oaks, Scarning Address: Land at East Oaks, The Broadway, Scarning, NR19 2LQ Site area: 3.20ha Mostly Brown Estimated capacity: 20 dwellings **Broad accessibility assessment** Settlement Hierarchy: Other settlement/village Beech House Dental Surgery: 1472 metres (R >) Dentist Doctor Toftwood Medical Centre: 943 metres (G <) • Leisure Centre Dereham Leisure Centre: 1655 metres (R >) Library Dereham Library: 1503 metres (R >) Primary School Dereham Church of England Junior Academy: 851 metres (G <) Secondary School Northgate High School: 2351 metres (R >) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Opportunity to provide some accessibility to facilities through walking and cycling provision. May require significant infrastructure. Category - Public Park Or Garden: 133 metres Open Space Recycling facilities Dereham Main Recycling Centre Plus: 1563 metres **Heritage** (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Railway Farmhouse (Grade II): 233 metres Listed Building Elmham House: 8693 metres Registered Park Scheduled Moated site 700m north west of Brick Kiln Farm Monument Cottages: 3125 metres **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** Yes River Wensum SAC Catchment Area Ancient Woodland Old Carr: 2465 metres Newton-by-Castle Acre Chalk Pit: 14249 metres Geodiversity site National Nature Foxley Wood: 12309 metres Reserve County Wildlife Site Potters Fen Meadow: 318 metres Local Nature Reserve Litcham Common: 10057 metres Broadland: 28269 metres Ramsar Breckland 14671 metres. (Site Beyond 1.5km, HRA **Special Protection** Area (SPA) unlikely to be required.) Within Stone Curlew buffer: No Potter & Scarning Fens, East Dereham 153 metres SSSI

Special Area of	Norfolk Valley Fens: 153 metres
Conservation (SAC)	0
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Data for settlement not provided. Data for settlement not provided

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): Screen air quality if access within 200m **Historic England** No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

401 - Fen Road	l, Scarning		Alternative
Address: Fen Road, Sca	arning, NR19 2LJ		
Greenfield	Site area: 4.14ha	Estimated dwellings	capacity: 183
Broad accessibility as	sessment		
	Other settlement/village	•	
 Dentist 	Beech House Dental Su	гдегу: 1152	metres (G <)
 Doctor 	Toftwood Medical Cent		
 Leisure Centre 	Dereham Leisure Centre	e: 1396 met	res (R >)
 Library 	Dereham Library: 1185 metres (G <)		
 Primary School 	Dereham Church of Eng	land Junior	Academy: 566
 Secondary School 	metres (G <)		
	Northgate High School:		
Overall ranking	Green: At least four faci	lities within	threshold distance
accessibility			
800m/10 minutes walking distant employment.	ce of the site in town centres; 1,200)m elsewhere and	d 2,000m for school access and
Green 4+ core services			
 Amber 1 to 3 core servi Red 0 core services 	ces		
Walking and cycling	Accessibility to facilities	provides or	poortunity for
Watking and cycling	walking and cycling acce	• •	oporcurity for
Open Space	Category - General: 131		
Recycling facilities	Dereham Main Recycling		s: 1439 metres
	nated heritage asset analysis –		
production)	3		
Conservation Area	Not within a CA		
Listed Building	Railway Farmhouse (Gra	ide II): 267 m	netres
Registered Park	Elmham House: 8424 me		
Scheduled	Moated site 700m north	n west of Bri	ck Kiln Farm
Monument	Cottages: 3339 metres		
	(nearest designated geo / bio t Local Plan policy and proposa		and features. Local Plan
Nutrient Neutrality	Yes River Wensum SAC		
Catchment Area			
Ancient Woodland	Old Carr: 2279 metres		
Geodiversity site	Newton-by-Castle Acre	Chalk Pit: 14	1350 metres
National Nature	Foxley Wood: 11979 me		
Reserve			
County Wildlife Site	Potters Fen Meadow: 14	10 metres	
Local Nature Reserve	Litcham Common: 1006	1 metres	
Ramsar	Broadland: 28143 metre	2S	
Special Protection	Breckland 14895 metres	s. (Site Beyo	nd 1.5km, HRA
Area (SPA)	unlikely to be required.)	
	Within Stone Curlew bu	ffer: No	
SSSI	Potter & Scarning Fens,		nm 10 metres
Special Area of	Norfolk Valley Fens: 10	metres	
Conservation (SAC)	0		
Agricultural Land	Grade 3		

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Data for settlement not provided. Data for settlement not provided

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): Screen air quality if access within 200m **Historic England** No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

016 - Cedar House, Shipdham

Alternative

Address: Land at Cedar House, High Street, Shipdham, IP25 7PA

Mostly Green Site area: 0.83ha Estimated capacity: 5 dwellings

Broad accessibility assessment

Settlement Hierarchy: Local Service Centre

9	
 Dentist 	Beech House Dental Surgery: 6494 metres (R >)
 Doctor 	Shipdham Surgery: 306 metres (G <)
 Leisure Centre 	Dereham Leisure Centre: 6558 metres (R >)
 Library 	Dereham Library: 6521 metres (R >)
 Primary School 	Thomas Bullock Church of England Primary Academy:
 Secondary School 	853 metres (G <)
_	Dereham Neatherd High School: 7222 metres (R >)
Overall ranking	Amber: One to three core facilities within threshold
accessibility	distance
	 Doctor Leisure Centre Library Primary School Secondary School Overall ranking

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

Walking and cycling	Opportunities for walking and cycling access / enhancement based on accessibility to facilities and
	Local Service Centre location.
Open Space	Category - Church: 72 metres
Recycling facilities	Dereham Main Recycling Centre Plus: 6205 metres
	nated heritage asset analysis – Heritage Impact Assessment in
production)	
Conservation Area	Shipdham
Listed Building	Cedar House (Grade II): 0 metres
Registered Park	Pickenham Hall: 9858 metres
Scheduled	Moated site and fishponds immediately west of Park
Monument	Villas: 1366 metres
Natural Environment	(nearest designated geo / biodiversity sites and features. Local Plan
HRA will assess subsequen	t Local Plan policy and proposals)
Nutrient Neutrality	Yes The Broads SAC
Catchment Area	
Ancient Woodland	Kingrow Wood: 2781 metres
Geodiversity site	Newton-by-Castle Acre Chalk Pit: 13931 metres
National Nature	Foxley Wood: 17311 metres
Reserve	
County Wildlife Site	Ash Carr: 1498 metres
Local Nature Reserve	Great Eastern Pingo Trail: 10864 metres
Ramsar	Redgrave & South Lopham Fens: 28701 metres
Special Protection	Breckland 9739 metres. (Site Beyond 1.5km, HRA
Area (SPA)	unlikely to be required.)
	Within Stone Curlew buffer: No
SSSI	Potter's Carr, Cranworth 3628 metres

Special Area of Conservation (SAC)	Norfolk Valley Fens: 5152 metres
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Shipdham_Carbrooks Road. Likely to be sufficient capacity for growth of at least 310 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

029 - Old Post Office, Shipdham **Alternative** Address: Old Post Office, Shipdham, IP25 7PQ Site area: 0.88ha Estimated capacity: 35 Mostly Green dwellings Broad accessibility assessment Settlement Hierarchy: Local Service Centre Beech House Dental Surgery: 7104 metres (R >) Dentist Doctor Shipdham Surgery: 917 metres (G <) Leisure Centre Watton Sports and Social Club: 6629 metres (R >) Dereham Library: 7132 metres (R >) Library Primary School Thomas Bullock Church of England Primary Academy: 1416 metres (G <) Secondary School Wayland Academy Norfolk: 7605 metres (R >) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Opportunities for walking and cycling access / Walking and cycling enhancement based on accessibility to facilities and Local Service Centre location. Open Space Category - Allotments Or Community Growing Spaces: 0 metres Recycling facilities Dereham Main Recycling Centre Plus: 6829 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Thatch Cottage (Grade II): 411 metres Listed Building Registered Park Pickenham Hall: 9201 metres Scheduled Moated site and fishponds immediately west of Park Monument Villas: 1638 metres Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** Yes The Broads SAC Catchment Area Ancient Woodland Kingrow Wood: 2191 metres Geodiversity site Newton-by-Castle Acre Chalk Pit: 13747 metres National Nature Foxley Wood: 17928 metres Reserve County Wildlife Site Land west of Crowshill: 1440 metres Local Nature Reserve Great Eastern Pingo Trail: 10422 metres Redgrave & South Lopham Fens: 28529 metres Ramsar **Special Protection** Breckland 9060 metres. (Site Beyond 1.5km, HRA unlikely to be required.) Area (SPA) Within Stone Curlew buffer: No SSSI Potter's Carr, Cranworth 3669 metres

Special Area of Conservation (SAC)	Norfolk Valley Fens: 5760 metres
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Shipdham_Carbrooks Road. Likely to be sufficient capacity for growth of at least 310 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

099 - 68 Market Street, Shipdham **Alternative** Address: 68 Market Street, Shipdham, IP25 7LZ Estimated capacity: 9 dwellings Mostly Green Site area: 0.30ha Broad accessibility assessment Settlement Hierarchy: Local Service Centre Beech House Dental Surgery: 5657 metres (R >) Dentist Doctor Shipdham Surgery: 817 metres (G <) Leisure Centre Dereham Leisure Centre: 5656 metres (R >) Dereham Library: 5680 metres (R >) Library Primary School Thomas Bullock Church of England Primary Academy: Secondary School 464 metres (G <) Dereham Neatherd High School: 6286 metres (R >) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Opportunities for walking and cycling access / Walking and cycling enhancement based on accessibility to facilities and Local Service Centre location. Open Space Category - Cemetery: 747 metres Recycling facilities Dereham Main Recycling Centre Plus: 5243 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Not within a CA Conservation Area Erwin Cottage, Villiers Cottage And An Unnamed Listed Building Cottage (Grade II): 252 metres Kimberley Hall: 10876 metres Registered Park Scheduled Moated site and fishponds immediately west of Park Monument Villas: 1328 metres Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** Yes The Broads SAC Catchment Area Ancient Woodland Stebbings Grove: 2539 metres Geodiversity site Newton-by-Castle Acre Chalk Pit: 14721 metres National Nature Foxley Wood: 16390 metres Reserve County Wildlife Site Ash Carr: 1234 metres Great Eastern Pingo Trail: 11491 metres Local Nature Reserve Redgrave & South Lopham Fens: 28740 metres Ramsar **Special Protection** Breckland 10809 metres. (Site Beyond 1.5km, HRA unlikely to be required.) Area (SPA) Within Stone Curlew buffer: No SSSI Potter's Carr, Cranworth 3539 metres

Special Area of Conservation (SAC)	Norfolk Valley Fens: 4331 metres
Agricultural Land	Grade 3

Trisk Tissessifierie 2021	
Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Shipdham_Carbrooks Road. Likely to be sufficient capacity for growth of at least 310 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

193 - Land South of Dereham Road, **Alternative** Shipdham Address: Land South of Dereham Road, Shipdham, IP25 7NB Greenfield Site area: 8.93ha Estimated capacity: 180 dwellings **Broad accessibility assessment** Settlement Hierarchy: Local Service Centre Dentist Beech House Dental Surgery: 5230 metres (R >) Doctor Shipdham Surgery: 1145 metres (G <) Dereham Leisure Centre: 5209 metres (R >) Leisure Centre Dereham Library: 5252 metres (R >) Library Primary School Thomas Bullock Church of England Primary Academy: • Secondary School 702 metres (G <) Dereham Neatherd High School: 5829 metres (R >) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Opportunities for walking and cycling access / Walking and cycling enhancement based on accessibility to facilities and Local Service Centre location. Open Space Category - Cemetery: 1023 metres Recycling facilities Dereham Main Recycling Centre Plus: 4781 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Not within a CA Conservation Area Erwin Cottage, Villiers Cottage And An Unnamed Listed Building Cottage (Grade II): 583 metres Registered Park Kimberley Hall: 10266 metres Moated site and fishponds immediately west of Park Scheduled Monument Villas: 1343 metres Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) Nutrient Neutrality Yes The Broads SAC Catchment Area Ancient Woodland Stebbings Grove: 2193 metres Geodiversity site Newton-by-Castle Acre Chalk Pit: 14883 metres National Nature Foxley Wood: 15929 metres Reserve County Wildlife Site Ash Carr: 1151 metres Great Eastern Pingo Trail: 11515 metres Local Nature Reserve Redgrave & South Lopham Fens: 28486 metres Ramsar

Breckland 11064 metres. (Site Beyond 1.5km, HRA

unlikely to be required.)

Special Protection

Area (SPA)

	Within Stone Curlew buffer: No
SSSI	Potter's Carr, Cranworth 3330 metres
Special Area of	Norfolk Valley Fens: 3904 metres
Conservation (SAC)	-
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Shipdham_Carbrooks Road. Likely to be sufficient capacity for growth of at least 310 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

255 - Bradenham Road, Shipdham **Alternative** Address: North of Bradenham Road, IP25 7PL Greenfield Estimated capacity: 5 dwellings Site area: 0.40ha Broad accessibility assessment Settlement Hierarchy: Local Service Centre Beech House Dental Surgery: 7012 metres (R >) Dentist Doctor Shipdham Surgery: 1204 metres (R >) Leisure Centre Watton Sports and Social Club: 6851 metres (R >) Dereham Library: 7042 metres (R >) Library Primary School Thomas Bullock Church of England Primary Academy: 1766 metres (G <) Secondary School Dereham Neatherd High School: 7809 metres (R >) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Opportunities for walking and cycling access / Walking and cycling enhancement based on accessibility to facilities and Local Service Centre location. Open Space Category - Allotments Or Community Growing Spaces: 477 metres Recycling facilities Dereham Main Recycling Centre Plus: 6823 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Thatch Cottage (Grade II): 35 metres Listed Building Registered Park Pickenham Hall: 9018 metres Scheduled Moated site and fishponds immediately west of Park Monument Villas: 2140 metres Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** Yes The Broads SAC Catchment Area Ancient Woodland High Grove: 2373 metres Geodiversity site Newton-by-Castle Acre Chalk Pit: 13238 metres National Nature Foxley Wood: 17850 metres Reserve County Wildlife Site Land west of Crowshill: 1447 metres Local Nature Reserve Great Eastern Pingo Trail: 10799 metres Roydon Common: 28959 metres Ramsar **Special Protection** Breckland 9194 metres. (Site Beyond 1.5km, HRA unlikely to be required.) Area (SPA) Within Stone Curlew buffer: No SSSI Potter's Carr, Cranworth 4216 metres

Special Area of Conservation (SAC)	Norfolk Valley Fens: 5670 metres
Conservation (SAC)	
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Shipdham_Carbrooks Road. Likely to be sufficient capacity for growth of at least 310 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

291 - Church Lane, Shipdham **Alternative** Address: Land at Church Lane, Shipdham, IP25 7JY Greenfield Site area: 0.46ha Estimated capacity: 3 dwellings **Broad accessibility assessment** Settlement Hierarchy: Local Service Centre Beech House Dental Surgery: 6327 metres (R >) Dentist Doctor Shipdham Surgery: 163 metres (G <) Leisure Centre Dereham Leisure Centre: 6386 metres (R >) Dereham Library: 6354 metres (R >) Library Primary School Thomas Bullock Church of England Primary Academy: Secondary School 735 metres (G <) Dereham Neatherd High School: 7047 metres (R >) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Opportunities for walking and cycling access / Walking and cycling enhancement based on accessibility to facilities and Local Service Centre location. Open Space Category - Church: 81 metres Recycling facilities Dereham Main Recycling Centre Plus: 6029 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Shipdham Conservation Area Listed Building Tetherdown (Grade II): 68 metres Registered Park Pickenham Hall: 10050 metres Moated site and fishponds immediately west of Park Scheduled Monument Villas: 1366 metres Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** Yes The Broads SAC Catchment Area Ancient Woodland Stebbings Grove: 2907 metres Newton-by-Castle Acre Chalk Pit: 14005 metres Geodiversity site National Nature Foxley Wood: 17140 metres Reserve County Wildlife Site Ash Carr: 1471 metres Local Nature Reserve Great Eastern Pingo Trail: 11013 metres Redgrave & South Lopham Fens: 28770 metres Ramsar Special Protection Breckland 9936 metres. (Site Beyond 1.5km, HRA Area (SPA) unlikely to be required.) Within Stone Curlew buffer: No Potter's Carr, Cranworth 3661 metres SSSI

Special Area of Conservation (SAC)	Norfolk Valley Fens: 4986 metres
Conservation (SAC)	
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Shipdham_Carbrooks Road. Likely to be sufficient capacity for growth of at least 310 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

295 - Fieldfare Loke Phase 4, **Alternative** Shipdham Address: Phase 4 - Land off Fieldfare Loke, IP25 7YJ Estimated capacity: 40 Greenfield Site area: 8.61ha dwellings **Broad accessibility assessment** Settlement Hierarchy: Local Service Centre Beech House Dental Surgery: 5672 metres (R >) Dentist Shipdham Surgery: 481 metres (G <) Doctor Leisure Centre Dereham Leisure Centre: 5664 metres (R >) Library Dereham Library: 5695 metres (R >) Thomas Bullock Church of England Primary Academy: 60 Primary School Secondary School metres (G <) Dereham Neatherd High School: 6286 metres (R >) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Local Service Centre location. Category - Cemetery: 277 metres Open Space Recycling facilities Dereham Main Recycling Centre Plus: 5238 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Erwin Cottage, Villiers Cottage And An Unnamed Listed Building Cottage (Grade II): 144 metres Registered Park Pickenham Hall: 10691 metres Moated site and fishponds immediately west of Park Scheduled Villas: 810 metres Monument Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) Yes The Broads SAC **Nutrient Neutrality** Catchment Area Ancient Woodland Stebbings Grove: 2142 metres Newton-by-Castle Acre Chalk Pit: 14694 metres Geodiversity site National Nature Foxley Wood: 16386 metres Reserve County Wildlife Site Ash Carr: 748 metres Great Eastern Pingo Trail: 10974 metres Local Nature Reserve Redgrave & South Lopham Fens: 28270 metres Ramsar Special Protection Breckland 10329 metres. (Site Beyond 1.5km, HRA Area (SPA) unlikely to be required.) Within Stone Curlew buffer: No

SSSI	Potter's Carr, Cranworth 3067 metres
Special Area of	Norfolk Valley Fens: 4346 metres
Conservation (SAC)	
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Shipdham_Carbrooks Road. Likely to be sufficient capacity for growth of at least 310 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

296 - Fieldfare Loke Phase 5, **Alternative** Shipdham Address: Phase 5 - Land off Fieldfare Loke, IP25 7JY Estimated capacity: 25 Greenfield Site area: 6.94ha dwellings **Broad accessibility assessment** Settlement Hierarchy: Local Service Centre Beech House Dental Surgery: 5624 metres (R >) Dentist Shipdham Surgery: 629 metres (G <) Doctor Leisure Centre Dereham Leisure Centre: 5583 metres (R >) Library Dereham Library: 5645 metres (R >) Thomas Bullock Church of England Primary Academy: Primary School Secondary School 131 metres (G <) Dereham Neatherd High School: 6188 metres (R >) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Local Service Centre location. Category - Cemetery: 459 metres Open Space Recycling facilities Dereham Main Recycling Centre Plus: 5134 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Erwin Cottage, Villiers Cottage And An Unnamed Listed Building Cottage (Grade II): 230 metres Registered Park Kimberley Hall: 10492 metres Moated site and fishponds immediately west of Park Scheduled Villas: 900 metres Monument Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) Yes The Broads SAC **Nutrient Neutrality** Catchment Area Ancient Woodland Stebbings Grove: 2205 metres Geodiversity site Newton-by-Castle Acre Chalk Pit: 14812 metres National Nature Foxley Wood: 16276 metres Reserve County Wildlife Site Ash Carr: 829 metres Great Eastern Pingo Trail: 11065 metres Local Nature Reserve Redgrave & South Lopham Fens: 28350 metres Ramsar Special Protection Breckland 10469 metres. (Site Beyond 1.5km, HRA Area (SPA) unlikely to be required.) Within Stone Curlew buffer: No

SSSI	Potter's Carr, Cranworth 3147 metres
Special Area of	Norfolk Valley Fens: 4301 metres
Conservation (SAC)	
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Shipdham_Carbrooks Road. Likely to be sufficient capacity for growth of at least 310 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

141 - Land West of Rocklands Road, Alternative Shropham Address: Land to the west of Rocklands Road, NR17 1DU Estimated capacity: 24 Greenfield Site area: 1.21ha dwellings **Broad accessibility assessment** Settlement Hierarchy: Secondary village Rookwood Dental Practice: 6540 metres (R >) Dentist Attleborough Surgeries: 6588 metres (R >) Doctor Leisure Centre Attleborough Sports Hall: 6660 metres (R >) Library Attleborough Library: 6778 metres (R >) Primary School Rocklands Community Primary School: 3042 metres (R >) Secondary School Attleborough Academy: 6783 metres (R >) Overall ranking Red: No facilities within threshold distance accessibility 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Limited accessibility to facilities would require Walking and cycling substantial improvement to support walking and cycling accessibility. Open Space Category - General: 85 metres Recycling facilities Snetterton Part-time Recycling Centre: 4250 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Lodge To Manor Farm (Grade II): 177 metres Listed Building Registered Park Breccles Hall: 2175 metres Scheduled Wayside cross at the north end of Whitecross Drift, 670m south west of Swangey Farm: 2799 metres Monument **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Ancient Woodland Site Name Blank: 837 metres Geodiversity site Hockham: 3195 metres National Nature Brettenham Heath: 8472 metres Reserve County Wildlife Site Shropham Grove: 816 metres Great Eastern Pingo Trail: 5005 metres Local Nature Reserve Redgrave & South Lopham Fens: 14754 metres Ramsar **Special Protection** Breckland 3470 metres. (Site Beyond 1.5km, HRA Area (SPA) unlikely to be required.) Within Stone Curlew buffer: No Swangey Fen, Attleborough 2363 metres SSSI Special Area of Norfolk Valley Fens: 2363 metres Conservation (SAC)

Agricultural Land	Grade 3
-------------------	---------

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Shropham. Only very small scale growth likely to be accommodated.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

Oxygen Conservation 1. LPR/C4S/DEV/141: Land West of Rocklands Road

2. LPR/C4S/DEV/142: Land East of Rocklands Road We have previously confirmed that these sites remain available and we consider that they are suitable, in principle, for residential development. This is on the basis that they are contiguous with the existing settlement boundary and have no significant policy or delivery constraints.

We support the principle of residential development on the assumption that, as a sustainable village with existing facilities, Shropham may be required to accommodate a proportionate amount of growth in order to contribute to the District's housing target over the next plan period. We recognise that, cumulatively, the capacity of all three parcels is likely to exceed the growth target for that plan period. We assume that the previous landowner promoted them on the basis of providing alternative 'options' for the allocation of housing. Should the District Council pursue a development scenario that would require additional, proportionate, growth at Shropham, we would be pleased to work proactively with the District and Parish Councils, as well as other local stakeholders to help establish a preferred site for allocation. We consider that a sensitively designed development, at an appropriate scale, could be delivered alongside a comprehensive green infrastructure strategy that would not only complement our wider estate activities, but which could have wider amenity benefit for local residents.

Other objections

143 - Land North of Watton Road, Shropham

Alternative

Address: Land to the north of Watton Road, NR17 1DU

Greenfield Site area: 1.78ha Estimated capacity: 35 dwellings

Broad accessibility assessment

Settlement Hierarchy: Secondary village

	Section of the farcity: Secondary village		
•	Dentist	Rookwood Dental Practice: 6868 metres (R >)	
•	Doctor	Attleborough Surgeries: 6923 metres (R >)	
•	Leisure Centre	Attleborough Sports Hall: 6995 metres (R >)	
•	Library	Attleborough Library: 7110 metres (R >)	
•	Primary School	Great Hockham Primary School and Nursery: 2655	
•	Secondary School	metres (R >)	
		Attleborough Academy: 7117 metres (R >)	
О	verall ranking	Red: No facilities within threshold distance	
a	ccessibility		

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

Walking and cycling	Limited accessibility to facilities would require substantial improvement to support walking and cycling accessibility.	
Open Space	Category - General: 346 metres	
Recycling facilities	Snetterton Part-time Recycling Centre: 4406 metres	
Heritage (nearest design production)	nated heritage asset analysis – Heritage Impact Assessment in	
Conservation Area	Not within a CA	
Listed Building	Wall To Shropham House (Grade II): 95 metres	
Registered Park	Breccles Hall: 1887 metres	
Scheduled	Wayside cross at the north end of Whitecross Drift,	
Monument	670m south west of Swangey Farm: 3077 metres	
Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals)		
Nutrient Neutrality Catchment Area	No	
Ancient Woodland	Site Name Blank: 701 metres	
Geodiversity site	Hockham: 2711 metres	
National Nature Reserve	Brettenham Heath: 8130 metres	
County Wildlife Site	Shropham Grove: 638 metres	
Local Nature Reserve	Great Eastern Pingo Trail: 4666 metres	
Ramsar	Redgrave & South Lopham Fens: 14832 metres	
Special Protection Area (SPA)	Breckland 3031 metres. (Site Beyond 1.5km, HRA unlikely to be required.) Within Stone Curlew buffer: No	
SSSI	Swangey Fen, Attleborough 2687 metres	

Special Area of Conservation (SAC)	Norfolk Valley Fens: 2687 metres
Conservation (SAC)	
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%		
Flood Zone 2	Proportion of site area 0.00%		

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Shropham. Only very small scale growth likely to be accommodated.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

067 - Block Norton Road, South Lopham

Alternative

Address: Land to South of Block Norton Road, IP22 2HT

Greenfield Site area: 1.19ha Estimated capacity: 15 dwellings

Broad accessibility assessment

Settlement Hierarchy: Other settlement/village

_		outer sectioning ritings
•	Dentist	Rookwood Dental Practice: 13844 metres (R >)
•	Doctor	Kings Ride Surgery: 4888 metres (R >)
•	Leisure Centre	Attleborough Sports Hall: 14179 metres (R >)
•	Library	Attleborough Library: 14078 metres (R >)
•	Primary School	St Andrews C. of E. Primary School: 1239 metres (G <)
•	Secondary School	Old Buckenham High School: 10668 metres (R >)
C	Overall ranking	Amber: One to three core facilities within threshold
a	ccessibility	distance

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

SSSI

Walking and cycling	Opportunity to provide some accessibility to facilities through walking and cycling provision. May require significant infrastructure.	
Open Space	Category - Church: 283 metres	
Recycling facilities	Snetterton Part-time Recycling Centre: 9182 metres	
Heritage (nearest design production)	nated heritage asset analysis – Heritage Impact Assessment in	
Conservation Area	Not within a CA	
Listed Building	Pearce's Farmhouse (Grade II): 27 metres	
Registered Park	Shadwell Park: 10408 metres	
Scheduled	Tower of All Saints' Church: 3455 metres	
Monument		
Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals)		
Nutrient Neutrality Catchment Area	No	
Ancient Woodland	Hollands Wood: 1099 metres	
Geodiversity site	Hockham: 14090 metres	
National Nature	Redgrave & Lopham Fen: 1517 metres	
Reserve		
County Wildlife Site	Holland's Wood: 1096 metres	
Local Nature Reserve	Roydon Fen: 5916 metres	
Ramsar	Redgrave & South Lopham Fens: 1517 metres	
Special Protection	Breckland 5087 metres. (Site Beyond 1.5km, HRA	
Area (SPA)	unlikely to be required.)	
	Within Stone Curlew buffer: No	

Redgrave and Lopham Fens 1517 metres

Special Area of	Waveney & Little Ouse Valley Fens: 1517 metres
Conservation (SAC)	
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%		
Flood Zone 2	Proportion of site area 0.00%		

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Data for settlement not provided. Data for settlement not provided

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

063 - Land East of The Street, Sporle | Alternative Address: Land east of the street, PE32 2EA Greenfield Site area: 3.25ha Estimated capacity: 50 dwellings Broad accessibility assessment Settlement Hierarchy: Local Service Centre Mr J Holmes & Associates: 3445 metres (R >) Dentist Doctor Oak Farm Surgery: 3122 metres (R >) • Leisure Centre Swaffham Leisure Centre: 3905 metres (R >) Swaffham Library: 3451 metres (R >) Library • Primary School Sporle CofE Primary Academy: 588 metres (G <) The Nicholas Hammond Academy: 3955 metres (R >) Secondary School Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Local Service Centre location. Category - General: 147 metres Open Space Recycling facilities Ashill Recycling Centre: 6860 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Wolferton House (Grade II): 481 metres Listed Building Lexham Hall: 5855 metres Registered Park Scheduled Deserted medieval village, Great Palgrave: 1653 metres Monument **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Sporle Wood: 995 metres Ancient Woodland Geodiversity site Newton-by-Castle Acre Chalk Pit: 4080 metres National Nature Roydon Common: 18981 metres Reserve County Wildlife Site Sporle Wood: 989 metres Local Nature Reserve Litcham Common: 6574 metres Roydon Common: 18981 metres Ramsar Breckland 4693 metres. (Site Beyond 1.5km, HRA **Special Protection** Area (SPA) unlikely to be required.) Within Stone Curlew buffer: No SSSI River Nar 4438 metres Special Area of Norfolk Valley Fens: 8234 metres Conservation (SAC)

Agricultural Land	Grade 3
-------------------	---------

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Necton. Likely to be sufficient capacity for growth of at least 500 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

066 - Ladys Wood, Sporle Alternative			
Address: Ladys wood, PE32 2EA			
Greenfield	Site area: 1.20ha	Estimated	capacity: 1 dwellings
Broad accessibility as			
Settlement Hierarchy:			
• Dentist	Mr J Holmes & Associat		• •
• Doctor	Plowright Medical Cent		· · · · · · · · · · · · · · · · · · ·
Leisure Centre	Swaffham Leisure Cent		* *
• Library	Swaffham Library: 4303		
Primary School	Sporle CofE Primary Acc	_	
Secondary School	The Nicholas Hammond		
Overall ranking accessibility	Amber: One to three core facilities within threshold distance		
800m/10 minutes walking distant employment.	ce of the site in town centres; 1,200	Om elsewhere and	d 2,000m for school access and
 Green 4+ core services Amber 1 to 3 core servi Red 0 core services 			
Walking and cycling	Opportunities for walkir	ng and cyclir	ng access /
	enhancement based on		
	Local Service Centre loc		
Open Space	Category - Playing Field:	: 624 metres	5
Recycling facilities	Ashill Recycling Centre:	8283 metre	S
	ated heritage asset analysis –	Heritage Impa	act Assessment in
production) Conservation Area	Not within a CA		
Listed Building		F70 motros	
Registered Park	Old Vicarage (Grade II): Lexham Hall: 4613 metr		
Scheduled	Deserted medieval villa		larayo: 1102 motros
Monument	Deserted medieval villag	ge, dreat Pa	ngrave. 1192 metres
	(nearest designated geo / bio	diversity sites	and features. Local Plan
HRA will assess subsequen	t Local Plan policy and proposa	als)	
Nutrient Neutrality	No		
Catchment Area			
Ancient Woodland	Sporle Wood: 1026 met	res	
Geodiversity site	Newton-by-Castle Acre	Chalk Pit: 27	718 metres
National Nature	Roydon Common: 17969	9 metres	
Reserve			
County Wildlife Site	Sporle Wood: 1028 metres		
Local Nature Reserve	Litcham Common: 5541 metres		
Ramsar	Roydon Common: 17969	9 metres	
Special Protection	Breckland 5993 metres. (Site Beyond 1.5km, HRA		
Area (SPA)	unlikely to be required.)		
	Within Stone Curlew buffer: No		
SSSI	River Nar 3388 metres		
Special Area of	Norfolk Valley Fens: 967	71 metres	
Conservation (SAC)			

Agricultural Land	Grade 3
-------------------	---------

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Necton. Likely to be sufficient capacity for growth of at least 500 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

Alternative 076 - 114 The Street, Sporle Address: Land adjacent 114 the street, PE32 2DR Mostly Green Site area: 0.11ha Estimated capacity: 2 dwellings **Broad accessibility assessment** Settlement Hierarchy: Local Service Centre Mr J Holmes & Associates: 4317 metres (R >) Dentist Doctor Plowright Medical Centre: 3761 metres (R >) Leisure Centre Swaffham Leisure Centre: 4953 metres (R >) Swaffham Library: 4330 metres (R >) Library • Primary School Sporle CofE Primary Academy: 684 metres (G <) The Nicholas Hammond Academy: 4986 metres (R >) Secondary School Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Local Service Centre location. Category - Playing Field: 712 metres Open Space Recycling facilities Ashill Recycling Centre: 8373 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Not within a CA Conservation Area Old Vicarage (Grade II): 662 metres Listed Building Lexham Hall: 4722 metres Registered Park Scheduled Deserted medieval village, Great Palgrave: 1179 metres Monument **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Sporle Wood: 1115 metres Ancient Woodland Geodiversity site Newton-by-Castle Acre Chalk Pit: 2761 metres National Nature Roydon Common: 17991 metres Reserve County Wildlife Site Sporle Wood: 1117 metres Local Nature Reserve Litcham Common: 5659 metres Roydon Common: 17991 metres Ramsar Breckland 6051 metres. (Site Beyond 1.5km, HRA **Special Protection** Area (SPA) unlikely to be required.) Within Stone Curlew buffer: No SSSI River Nar 3408 metres Special Area of Norfolk Valley Fens: 9747 metres Conservation (SAC)

Agricultural Land	Grade 3
-------------------	---------

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Necton. Likely to be sufficient capacity for growth of at least 500 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

145 - Land West of The Street (Stud Farm) Site 1, Sporle

Alternative

Address: Land off the street, PE32 2EE

Mostly Green Site area: 3.95ha Estimated capacity: 80 dwellings

Broad accessibility assessment

Settlement Hierarchy: Local Service Centre

	Settlement increasely: Local Service Centre			
	•	Dentist	Mr J Holmes & Associates: 3154 metres (R >)	
	•	Doctor	Manor Farm Medical Centre: 2870 metres (R >)	
	•	Leisure Centre	Swaffham Leisure Centre: 3618 metres (R >)	
	•	Library	Swaffham Library: 3161 metres (R >)	
	•	Primary School	Sporle CofE Primary Academy: 821 metres (G <)	
	•	Secondary School	The Nicholas Hammond Academy: 3666 metres (R >)	
	O	verall ranking	Amber: One to three core facilities within threshold	
accessibility		cessibility	distance	

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

Area (SPA)

SSSI

The desired services		
Walking and cycling	Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Local Service Centre location.	
Open Space	Category - General: 305 metres	
Recycling facilities		
Heritage (nearest design production)	ated heritage asset analysis – Heritage Impact Assessment in	
Conservation Area	Not within a CA	
Listed Building	Wolferton House (Grade II): 386 metres	
Registered Park	Lexham Hall: 6139 metres	
Scheduled	Deserted medieval village, Great Palgrave: 1612 metres	
Monument		
Natural Environment HRA will assess subsequen	(nearest designated geo / biodiversity sites and features. Local Plan t Local Plan policy and proposals)	
Natural Environment HRA will assess subsequen Nutrient Neutrality Catchment Area	(nearest designated geo / biodiversity sites and features. Local Plant Local Plan policy and proposals) No	
HRA will assess subsequen Nutrient Neutrality	t Local Plan policy and proposals)	
HRA will assess subsequen Nutrient Neutrality Catchment Area	t Local Plan policy and proposals) No	
HRA will assess subsequen Nutrient Neutrality Catchment Area Ancient Woodland Geodiversity site National Nature	No Sporle Wood: 1288 metres	
HRA will assess subsequen Nutrient Neutrality Catchment Area Ancient Woodland Geodiversity site National Nature Reserve	No Sporle Wood: 1288 metres Newton-by-Castle Acre Chalk Pit: 4239 metres Roydon Common: 18930 metres	
HRA will assess subsequen Nutrient Neutrality Catchment Area Ancient Woodland Geodiversity site National Nature Reserve County Wildlife Site	No Sporle Wood: 1288 metres Newton-by-Castle Acre Chalk Pit: 4239 metres Roydon Common: 18930 metres Sporle Wood: 1282 metres	
HRA will assess subsequen Nutrient Neutrality Catchment Area Ancient Woodland Geodiversity site National Nature Reserve County Wildlife Site Local Nature Reserve	No Sporle Wood: 1288 metres Newton-by-Castle Acre Chalk Pit: 4239 metres Roydon Common: 18930 metres Sporle Wood: 1282 metres Litcham Common: 6873 metres	
HRA will assess subsequen Nutrient Neutrality Catchment Area Ancient Woodland Geodiversity site National Nature Reserve County Wildlife Site	No Sporle Wood: 1288 metres Newton-by-Castle Acre Chalk Pit: 4239 metres Roydon Common: 18930 metres Sporle Wood: 1282 metres	

unlikely to be required.)

River Nar 4443 metres

Within Stone Curlew buffer: No

Special Area of Conservation (SAC)	Norfolk Valley Fens: 8061 metres
Agricultural Land	Grade 2

Flood Zone 3	Proportion of site area 0.00%	
Flood Zone 2	Proportion of site area 0.00%	

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Necton. Likely to be sufficient capacity for growth of at least 500 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

147 - Land East of The Street, Sporle | Alternative Address: Land off the street, PE32 2DR Greenfield Site area: 2.63ha Estimated capacity: 100 dwellings **Broad accessibility assessment** Settlement Hierarchy: Local Service Centre Mr J Holmes & Associates: 4020 metres (R >) Dentist Doctor Plowright Medical Centre: 3594 metres (R >) • Leisure Centre Swaffham Leisure Centre: 4590 metres (R >) Swaffham Library: 4031 metres (R >) Library • Primary School Sporle CofE Primary Academy: 81 metres (G <) The Nicholas Hammond Academy: 4630 metres (R >) Secondary School Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Local Service Centre location. Category - Playing Field: 96 metres Open Space Recycling facilities Ashill Recycling Centre: 7704 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Not within a CA Conservation Area Old Vicarage (Grade II): 117 metres Listed Building Lexham Hall: 5082 metres Registered Park Scheduled Deserted medieval village, Great Palgrave: 1330 metres Monument **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Sporle Wood: 692 metres Ancient Woodland Geodiversity site Newton-by-Castle Acre Chalk Pit: 3310 metres National Nature Roydon Common: 18458 metres Reserve County Wildlife Site Sporle Wood: 690 metres Local Nature Reserve Litcham Common: 5863 metres Roydon Common: 18458 metres Ramsar Breckland 5558 metres. (Site Beyond 1.5km, HRA **Special Protection** unlikely to be required.) Area (SPA) Within Stone Curlew buffer: No SSSI River Nar 3871 metres Special Area of Norfolk Valley Fens: 9164 metres Conservation (SAC)

Agricultural Land	Grade 3
-------------------	---------

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Necton. Likely to be sufficient capacity for growth of at least 500 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

148 - Land East of Newton Road, Sporle

Alternative

Address: land to the east of newton road, PE32 2DR

Greenfield Site area: 0.81ha Estimated capacity: 40 dwellings

Broad accessibility assessment

Settlement Hierarchy: Local Service Centre

Section the file and the sections		
•	Dentist	Mr J Holmes & Associates: 4476 metres (R >)
•	Doctor	Plowright Medical Centre: 3837 metres (R >)
•	Leisure Centre	Swaffham Leisure Centre: 5151 metres (R >)
•	Library	Swaffham Library: 4490 metres (R >)
•	Primary School	Sporle CofE Primary Academy: 1092 metres (G <)
•	Secondary School	The Nicholas Hammond Academy: 5180 metres (R >)
O	verall ranking	Amber: One to three core facilities within threshold
ac	cessibility	distance

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

Ramsar

SSSI

Area (SPA)

Special Protection

Ned o core services		
Walking and cycling	Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Local Service Centre location.	
Open Space	Category - Playing Field: 1121 metres	
Recycling facilities	Ashill Recycling Centre: 8781 metres	
Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production)		
Conservation Area	Not within a CA	
Listed Building	Old Vicarage (Grade II): 1062 metres	
Registered Park	Lexham Hall: 4398 metres	
Scheduled	Deserted medieval village, Great Palgrave: 1128 metres	
Monument		
Natural Environment (nearest designated geo / biodiversity sites and features. Local F HRA will assess subsequent Local Plan policy and proposals)		
Nutrient Neutrality Catchment Area	No	
Ancient Woodland	Sporle Wood: 1387 metres	
Geodiversity site	Newton-by-Castle Acre Chalk Pit: 2337 metres	
National Nature	Roydon Common: 17610 metres	
Reserve		
County Wildlife Site	Osier Plantation: 956 metres	
Local Nature Reserve	Litcham Common: 5421 metres	

Roydon Common: 17610 metres

Within Stone Curlew buffer: No

unlikely to be required.)

River Nar 3039 metres

Breckland 6303 metres. (Site Beyond 1.5km, HRA

Special Area of Conservation (SAC)	Norfolk Valley Fens: 9788 metres
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%	
Flood Zone 2	Proportion of site area 0.00%	

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Necton. Likely to be sufficient capacity for growth of at least 500 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

Alternative 189 - West of Newton Road, Sporle Address: Land to the west of newton road, PE32 2EL Greenfield Site area: 0.52ha Estimated capacity: 6 dwellings Broad accessibility assessment Settlement Hierarchy: Local Service Centre Mr J Holmes & Associates: 4375 metres (R >) Dentist Doctor Plowright Medical Centre: 3745 metres (R >) • Leisure Centre Swaffham Leisure Centre: 5047 metres (R >) Swaffham Library: 4389 metres (R >) Library • Primary School Sporle CofE Primary Academy: 997 metres (G <) The Nicholas Hammond Academy: 5076 metres (R >) Secondary School Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Opportunities for walking and cycling access / Walking and cycling enhancement based on accessibility to facilities and Local Service Centre location. Category - Playing Field: 1026 metres Open Space Recycling facilities Ashill Recycling Centre: 8686 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Old Vicarage (Grade II): 968 metres Listed Building Lexham Hall: 4549 metres Registered Park Scheduled Deserted medieval village, Great Palgrave: 1064 metres Monument **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Sporle Wood: 1385 metres Ancient Woodland Newton-by-Castle Acre Chalk Pit: 2432 metres Geodiversity site National Nature Roydon Common: 17643 metres Reserve County Wildlife Site Osier Plantation: 1064 metres Local Nature Reserve Litcham Common: 5569 metres Roydon Common: 17643 metres Ramsar Breckland 6198 metres. (Site Beyond 1.5km, HRA **Special Protection** unlikely to be required.) Area (SPA) Within Stone Curlew buffer: No SSSI River Nar 3064 metres Special Area of Norfolk Valley Fens: 9788 metres

Conservation (SAC)

Agricultural	Land	Grade 2

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Necton. Likely to be sufficient capacity for growth of at least 500 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

299 - East Priory Close, Sporle **Alternative** Address: Land East of Priory Close, Sporle, PE32 2DU Greenfield Site area: 11.51ha Estimated capacity: 150 dwellings Broad accessibility assessment Settlement Hierarchy: Local Service Centre Mr J Holmes & Associates: 3824 metres (R >) Dentist Doctor Plowright Surgery: 3095 metres (R >) • Leisure Centre Swaffham Leisure Centre: 4325 metres (R >) Swaffham Library: 3832 metres (R >) Library • Primary School Sporle CofE Primary Academy: 179 metres (G <) The Nicholas Hammond Academy: 4371 metres (R >) Secondary School Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Local Service Centre location. Category - Playing Field: 0 metres Open Space Recycling facilities Ashill Recycling Centre: 7166 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Church Of St Mary (Grade I): 95 metres Listed Building Lexham Hall: 5216 metres Registered Park Scheduled Deserted medieval village, Great Palgrave: 1547 metres Monument **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Sporle Wood: 500 metres Ancient Woodland Geodiversity site Newton-by-Castle Acre Chalk Pit: 3586 metres National Nature Roydon Common: 18738 metres Reserve County Wildlife Site Sporle Wood: 496 metres Local Nature Reserve Litcham Common: 5930 metres Roydon Common: 18738 metres Ramsar Breckland 5156 metres. (Site Beyond 1.5km, HRA **Special Protection** Area (SPA) unlikely to be required.) Within Stone Curlew buffer: No SSSI River Nar 4152 metres Special Area of Norfolk Valley Fens: 8683 metres Conservation (SAC)

Agricultural Land	Grade 3
-------------------	---------

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Necton. Likely to be sufficient capacity for growth of at least 500 dwellings.

Other statutory consultees, agencies and organisations

Sport England: To the north west of the site lies playing pitches. Whilst the site would not be located on a playing field, development of the site should not prejudice the use of, all or any part of a playing field otherwise Sport England may raise an objection to the allocation of the site.

Natural England (Nutrient Neutrality): No comments

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

370 - Bunkers Hill (LHS), Sporle **Alternative** Address: Bunkers Hill left side, PE32 2UA Greenfield Site area: 8.86ha Estimated capacity: 225 dwellings Broad accessibility assessment Settlement Hierarchy: Local Service Centre Mr J Holmes & Associates: 3029 metres (R >) Dentist Doctor Plowright Medical Centre: 2714 metres (R >) • Leisure Centre Swaffham Leisure Centre: 3577 metres (R >) Swaffham Library: 3038 metres (R >) Library • Primary School Sporle CofE Primary Academy: 531 metres (G <) The Nicholas Hammond Academy: 3618 metres (R >) Secondary School Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Local Service Centre location. Category - General: 31 metres Open Space Recycling facilities Ashill Recycling Centre: 7121 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Sporle War Memorial (Grade II): 492 metres Listed Building Lexham Hall: 5864 metres Registered Park Scheduled Deserted medieval village, Great Palgrave: 1125 metres Monument **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Sporle Wood: 1283 metres Ancient Woodland Geodiversity site Newton-by-Castle Acre Chalk Pit: 3834 metres National Nature Roydon Common: 18443 metres Reserve County Wildlife Site Sporle Wood: 1278 metres Local Nature Reserve Litcham Common: 6689 metres Roydon Common: 18443 metres Ramsar Breckland 4586 metres. (Site Beyond 1.5km, HRA **Special Protection** Area (SPA) unlikely to be required.) Within Stone Curlew buffer: No SSSI River Nar 3958 metres Special Area of Norfolk Valley Fens: 8330 metres Conservation (SAC)

Agricultural	Land	Grade 2

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Necton. Likely to be sufficient capacity for growth of at least 500 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

389 - Sporle Elephant Castle Crossroads, Sporle

Alternative

Address: Elephant Castle Crossroads, Sporle,

Greenfield Site area: 0.06ha Estimated capacity: 30 dwellings

Broad accessibility assessment

Settlement Hierarchy: Local Service Centre

	Š	Section frier areny: Local Service Certific	
	•	Dentist	Mr J Holmes & Associates: 4389 metres (R >)
	•	Doctor	Plowright Medical Centre: 3793 metres (R >)
	•	Leisure Centre	Swaffham Leisure Centre: 5044 metres (R >)
	•	Library	Swaffham Library: 4403 metres (R >)
	•	Primary School	Sporle CofE Primary Academy: 875 metres (G <)
	•	Secondary School	The Nicholas Hammond Academy: 5075 metres (R >)
	O	verall ranking	Amber: One to three core facilities within threshold
accessibility		cessibility	distance
			1

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

i Red o core services	
Walking and cycling	Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Local Service Centre location.
Open Space	Category - Playing Field: 903 metres
Recycling facilities	Ashill Recycling Centre: 8564 metres
Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production)	
Conservation Area	Not within a CA
Listed Building	Old Vicarage (Grade II): 848 metres
Registered Park	Lexham Hall: 4621 metres
Scheduled Monument	Deserted medieval village, Great Palgrave: 1157 metres
Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals)	
Nutrient Neutrality	No

Nutrient Neutrality	No
Catchment Area	
Ancient Woodland	Sporle Wood: 1247 metres
Geodiversity site	Newton-by-Castle Acre Chalk Pit: 2625 metres
National Nature	Roydon Common: 17865 metres
Reserve	
County Wildlife Site	Sporle Wood: 1249 metres
Local Nature Reserve	Litcham Common: 5584 metres
Ramsar	Roydon Common: 17865 metres
Special Protection	Breckland 6185 metres. (Site Beyond 1.5km, HRA
Area (SPA)	unlikely to be required.)
	Within Stone Curlew buffer: No
SSSI	River Nar 3285 metres

Special Area of Conservation (SAC)	Norfolk Valley Fens: 9913 metres
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Necton. Likely to be sufficient capacity for growth of at least 500 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

390 - Sporle Elephant Castle Crossroads (100m), Sporle

Alternative

Address: Field 100m before Elephant Castle Crossroads,

Greenfield Site area: 3.95ha Estimated capacity: 30 dwellings

Broad accessibility assessment

Settlement Hierarchy: Local Service Centre

L	Settlement incrarcity. Local Service Centre	
	 Dentist 	Mr J Holmes & Associates: 4004 metres (R >)
	 Doctor 	Plowright Medical Centre: 3398 metres (R >)
	 Leisure Centre 	Swaffham Leisure Centre: 4671 metres (R >)
	 Library 	Swaffham Library: 4018 metres (R >)
	 Primary School 	Sporle CofE Primary Academy: 721 metres (G <)
	 Secondary School 	The Nicholas Hammond Academy: 4700 metres (R >)
	Overall ranking	Amber: One to three core facilities within threshold
	accessibility	distance

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

Red o Core Services		
Walking and cycling	Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Local Service Centre location.	
Open Space	Category - Playing Field: 749 metres	
Recycling facilities	Ashill Recycling Centre: 8411 metres	
Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production)		
Conservation Area	Not within a CA	
Listed Building	Old Vicarage (Grade II): 693 metres	
Registered Park	Lexham Hall: 4701 metres	
Scheduled	Deserted medieval village, Great Palgrave: 789 metres	
Monument		
Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals)		
Nutrient Neutrality	No	

Nutrient Neutrality	NO
Catchment Area	
Ancient Woodland	Sporle Wood: 1163 metres
Geodiversity site	Newton-by-Castle Acre Chalk Pit: 2665 metres
National Nature	Roydon Common: 17725 metres
Reserve	
County Wildlife Site	Sporle Wood: 1166 metres
Local Nature Reserve	Litcham Common: 5659 metres
Ramsar	Roydon Common: 17725 metres
Special Protection	Breckland 5821 metres. (Site Beyond 1.5km, HRA
Area (SPA)	unlikely to be required.)
	Within Stone Curlew buffer: No
SSSI	River Nar 3137 metres

Special Area of Conservation (SAC)	Norfolk Valley Fens: 9653 metres
Agricultural Land	Grade 2

Trisk'i issessificated 2021/	
Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Necton. Likely to be sufficient capacity for growth of at least 500 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

392 - Sporle 96 The Street (rear), **Sporle**

Alternative

Address: 96 The Street (Rear) Sporle, PE32 2DR

Estimated capacity: 5 dwellings Greenfield Site area: 0.51ha

Broad accessibility assessment

Settlement Hierarchy: Local Service Centre

í	Section for the fairly. Local Service Certific	
•	Dentist	Mr J Holmes & Associates: 4236 metres (R >)
•	Doctor	Plowright Medical Centre: 3762 metres (R >)
•	Leisure Centre	Swaffham Leisure Centre: 4830 metres (R >)
•	Library	Swaffham Library: 4247 metres (R >)
•	Primary School	Sporle CofE Primary Academy: 369 metres (G <)
•	Secondary School	The Nicholas Hammond Academy: 4868 metres (R >)
O	verall ranking	Amber: One to three core facilities within threshold
ac	cessibility	distance

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

Walking and cycling	Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Local Service Centre location.
Open Space	Category - Playing Field: 390 metres
Recycling facilities	Ashill Recycling Centre: 7998 metres
Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in	

production)

Conservation Area	Not within a CA
Listed Building	Old Vicarage (Grade II): 374 metres
Registered Park	Lexham Hall: 4900 metres
Scheduled	Deserted medieval village, Great Palgrave: 1370 metres
Monument	

Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals)

Nutrient Neutrality	No
Catchment Area	
Ancient Woodland	Sporle Wood: 715 metres
Geodiversity site	Newton-by-Castle Acre Chalk Pit: 3161 metres
National Nature	Roydon Common: 18386 metres
Reserve	
County Wildlife Site	Sporle Wood: 715 metres
Local Nature Reserve	Litcham Common: 5710 metres
Ramsar	Roydon Common: 18386 metres
Special Protection	Breckland 5837 metres. (Site Beyond 1.5km, HRA
Area (SPA)	unlikely to be required.)
	Within Stone Curlew buffer: No
SSSI	River Nar 3799 metres

Special Area of Conservation (SAC)	Norfolk Valley Fens: 9459 metres
Conservation (SAC)	
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Necton. Likely to be sufficient capacity for growth of at least 500 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

025 - Land west of South Pickenham Alternative Road.. Swaffham Address: Land West of South Pickenham Road, Swaffham, PE37 8DA Greenfield Site area: 2.65ha Estimated capacity: 90 dwellings **Broad accessibility assessment** Settlement Hierarchy: Market Town Dentist Mr J Holmes & Associates: 1465 metres (R >) Doctor The Campingland Surgery: 1390 metres (R >) Swaffham Leisure Centre: 728 metres (G <) Leisure Centre Swaffham Library: 1443 metres (R >) Library • Primary School Swaffham Church of England Junior School: 687 metres • Secondary School The Nicholas Hammond Academy: 785 metres (G <) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Opportunities for walking and cycling access / Walking and cycling enhancement based on accessibility to facilities and Market Town location. Open Space Category - General: 82 metres Recycling facilities Ashill Recycling Centre: 5478 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Carol House (Grade II): 377 metres Listed Building Registered Park Pickenham Hall: 4008 metres Scheduled Bowl barrow 840m south east of Forestry Lodge: 1632 Monument metres Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Ancient Woodland Sporle Wood: 5166 metres Geodiversity site Newton-by-Castle Acre Chalk Pit: 7355 metres National Nature Weeting Heath: 18143 metres Reserve County Wildlife Site North of the Club House: 1658 metres Litcham Common: 10758 metres Local Nature Reserve

Roydon Common: 19767 metres

Within Stone Curlew buffer: No

required.)

Breckland 875 metres. (Site Less than 1.5km, HRA

Ramsar

Area (SPA)

Special Protection

SSSI	Breckland Forest 875 metres
Special Area of	Norfolk Valley Fens: 5161 metres
Conservation (SAC)	
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Swaffham. Likely to be sufficient capacity for at least 600 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

Alternative 119 - The Antinghams, Swaffham Address: The Antinghams, Swaffham, PE37 7BF Greenfield Site area: 0.50ha Estimated capacity: 7 dwellings **Broad accessibility assessment** Settlement Hierarchy: Market Town Mr J Holmes & Associates: 214 metres (G <) Dentist Doctor The Campingland Surgery: 114 metres (G <) Leisure Centre Swaffham Leisure Centre: 774 metres (G <) Swaffham Library: 206 metres (G <) Library Primary School Swaffham VC Infant and Nursery School: 206 metres (G Secondary School The Nicholas Hammond Academy: 787 metres (G <) Green: At least four facilities within threshold distance Overall ranking accessibility 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Market Town location. Open Space Category - Church: 0 metres Recycling facilities Ashill Recycling Centre: 6730 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Swaffham Conservation Area Gradys Hotel (Grade II): 26 metres Listed Building Registered Park Pickenham Hall: 5447 metres Scheduled Bowl barrow 840m south east of Forestry Lodge: 3129 Monument metres Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Ancient Woodland Sporle Wood: 4443 metres Geodiversity site Newton-by-Castle Acre Chalk Pit: 6060 metres National Nature Roydon Common: 18536 metres Reserve County Wildlife Site North of the Club House: 2002 metres Local Nature Reserve Litcham Common: 9812 metres Ramsar Roydon Common: 18536 metres **Special Protection** Breckland 1967 metres. (Site Beyond 1.5km, HRA unlikely to be required.) Area (SPA) Within Stone Curlew buffer: No SSSI Breckland Forest 1967 metres Special Area of Norfolk Valley Fens: 6680 metres Conservation (SAC)

Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Swaffham. Likely to be sufficient capacity for at least 600 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

Alternative 137 - West Acre Road, Swaffham Address: Land off Westacre Road, PE37 7QD Greenfield Site area: 12.82ha Estimated capacity: 200 dwellings Broad accessibility assessment Settlement Hierarchy: Market Town Mr J Holmes & Associates: 807 metres (R >) Dentist Doctor Plowright Medical Centre: 231 metres (G <) • Leisure Centre Swaffham Leisure Centre: 1567 metres (R >) Swaffham Library: 828 metres (R >) Library • Primary School Sacred Heart School: 652 metres (G <) The Nicholas Hammond Academy: 1536 metres (G <) Secondary School Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Market Town location. Category - General: 139 metres Open Space Ashill Recycling Centre: 7777 metres Recycling facilities Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Baptist Chapel And Hall (Grade II): 384 metres Listed Building Narford Hall: 4314 metres Registered Park Scheduled Deserted medieval village, Great Palgrave: 2688 metres Monument **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Sporle Wood: 4584 metres Ancient Woodland Geodiversity site Newton-by-Castle Acre Chalk Pit: 5180 metres National Nature Roydon Common: 17015 metres Reserve County Wildlife Site Disused Railway: 1068 metres Local Nature Reserve Litcham Common: 9446 metres Roydon Common: 17015 metres Ramsar Breckland 2424 metres. (Site Beyond 1.5km, HRA **Special Protection** Area (SPA) unlikely to be required.) Within Stone Curlew buffer: No Breckland Forest 2424 metres SSSI Breckland: 7452 metres Special Area of Conservation (SAC)

Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice LLFA Assessment: No major surface water issues / constraints identified

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Swaffham. Likely to be sufficient capacity for at least 600 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

152 - Snails Pit Farm, Swaffham **Alternative** Address: Snails Pit Farm, Cley Road, PE37 8AE Greenfield Site area: 26.00ha Estimated capacity: 600 dwellings Broad accessibility assessment Settlement Hierarchy: Market Town Mr J Holmes & Associates: 1156 metres (R >) Dentist Doctor The Campingland Surgery: 1166 metres (R >) Leisure Centre Swaffham Leisure Centre: 601 metres (G <) Swaffham Library: 1139 metres (R >) Library Primary School Swaffham Church of England Junior School: 550 metres Secondary School (G <)The Nicholas Hammond Academy: 536 metres (G <) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Opportunities for walking and cycling access / Walking and cycling enhancement based on accessibility to facilities and Market Town location. Category - General: 105 metres Open Space Recycling facilities Ashill Recycling Centre: 6348 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Not within a CA Conservation Area Listed Building Boundary Wall South Of Number 62 (Holly House) (Grade II): 944 metres Pickenham Hall: 4672 metres Registered Park Scheduled Bowl barrow 810m SSE of Forestry Lodge: 1788 metres Monument Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Ancient Woodland Sporle Wood: 5751 metres Geodiversity site Newton-by-Castle Acre Chalk Pit: 7281 metres Weeting Heath: 17446 metres National Nature Reserve County Wildlife Site North of the Club House: 11 metres Local Nature Reserve Litcham Common: 11151 metres Roydon Common: 18870 metres Ramsar **Special Protection** Breckland 225 metres. (Site Less than 1.5km, HRA Area (SPA) required.) Within Stone Curlew buffer: No SSSI Breckland Forest 225 metres

Special Area of	Breckland: 5063 metres
Conservation (SAC)	
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Swaffham. Likely to be sufficient capacity for at least 600 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

Alternative 153 - Manor Farm, Swaffham Address: land off Lynn Road, PE37 7PT Greenfield Site area: 2.60ha Estimated capacity: 68 dwellings **Broad accessibility assessment** Settlement Hierarchy: Market Town Mr J Holmes & Associates: 966 metres (R >) Dentist Doctor Plowright Medical Centre: 866 metres (R >) Leisure Centre Swaffham Leisure Centre: 1433 metres (R >) Swaffham Library: 977 metres (R >) Library • Primary School Sacred Heart School: 991 metres (G <) The Nicholas Hammond Academy: 1376 metres (G <) Secondary School Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Opportunities for walking and cycling access / Walking and cycling enhancement based on accessibility to facilities and Market Town location. Category - Allotments Or Community Growing Spaces: 96 Open Space metres Ashill Recycling Centre: 7853 metres Recycling facilities Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Not within a CA Conservation Area Listed Building 4-16, Lynn Street (Grade II): 648 metres Registered Park Narford Hall: 4518 metres Deserted medieval village, Great Palgrave: 3505 metres Scheduled Monument Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Ancient Woodland Sporle Wood: 5238 metres Newton-by-Castle Acre Chalk Pit: 5997 metres Geodiversity site National Nature Roydon Common: 17342 metres Reserve County Wildlife Site Disused Railway: 792 metres Local Nature Reserve Litcham Common: 10244 metres Ramsar Roydon Common: 17342 metres Special Protection Breckland 1894 metres. (Site Beyond 1.5km, HRA Area (SPA) unlikely to be required.) Within Stone Curlew buffer: No Breckland Forest 1894 metres SSSI

Special Area of	Breckland: 7047 metres
Conservation (SAC)	
Agricultural Land	Grade 3

Trisk'i issessificated 2021/	
Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice LLFA Assessment: Moderate surface water issues / constraints identified which will require further assessment by LPA

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Swaffham. Likely to be sufficient capacity for at least 600 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Yaxham PC Elm Close - Yaxham already met allocation and site is not immediately adjacent to settlement boundary. Paper Street - Yaxham already met allocation, site is not immediately adjacent to settlement boundary and is over 5% policy limit. Provided information demonstrating discrepancies between RAG assessment Council provided and RAG assessment Yaxham PC has completed.

Landowner/Site promoter comment:

None

Other objections

1 as received

Alternative 181 - Beachamwell Road, Swaffham Address: Land off Beachamwell Road, PE37 7NT Greenfield Site area: 13.75ha Estimated capacity: 300 dwellings Broad accessibility assessment Settlement Hierarchy: Market Town Mr J Holmes & Associates: 494 metres (G <) Dentist Doctor The Campingland Surgery: 574 metres (G <) Leisure Centre Swaffham Leisure Centre: 703 metres (G <) Swaffham Library: 491 metres (G <) Library Primary School Swaffham VC Infant and Nursery School: 581 metres (G Secondary School The Nicholas Hammond Academy: 645 metres (G <) Green: At least four facilities within threshold distance Overall ranking accessibility 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Market Town location. Open Space Category - Other Sports Facility: 1 metres Recycling facilities Ashill Recycling Centre: 7132 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Not within a CA Conservation Area York House (Grade II): 313 metres Listed Building Registered Park Narford Hall: 4990 metres Scheduled Bowl barrow 840m south east of Forestry Lodge: 3069 Monument metres Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Ancient Woodland Sporle Wood: 5185 metres Geodiversity site Newton-by-Castle Acre Chalk Pit: 6448 metres National Nature Roydon Common: 17868 metres Reserve County Wildlife Site North of the Club House: 1076 metres Local Nature Reserve Litcham Common: 10443 metres Ramsar Roydon Common: 17868 metres **Special Protection** Breckland 1533 metres. (Site Beyond 1.5km, HRA unlikely to be required.) Area (SPA) Within Stone Curlew buffer: No SSSI Breckland Forest 1533 metres Special Area of Breckland: 6364 metres Conservation (SAC)

Agricultural Land	Grade 3
-------------------	---------

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Swaffham. Likely to be sufficient capacity for at least 600 dwellings.

Other statutory consultees, agencies and organisations

Sport England: To the site's west, there are allotments and a playing pitch. Although the site itself would not be situated on a playing field, any development should not hinder the use of any portion of the playing field. Failure to comply with this may result in objection from Sport England to the allocation of this site.

Natural England (Nutrient Neutrality): No comments

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

182 - Cley Road, Swaffham **Alternative** Address: Land to the west of cley road, PE37 7NT Greenfield Site area: 9.56ha Estimated capacity: 275 dwellings **Broad accessibility assessment** Settlement Hierarchy: Market Town Mr J Holmes & Associates: 628 metres (G <) Dentist Doctor The Campingland Surgery: 679 metres (G <) Leisure Centre Swaffham Leisure Centre: 481 metres (G <) Swaffham Library: 618 metres (G <) Library Primary School Swaffham Church of England Junior School: 450 metres Secondary School (G <)The Nicholas Hammond Academy: 408 metres (G <) Green: At least four facilities within threshold distance Overall ranking accessibility 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Market Town location. Open Space Category - Playing Field: 0 metres Recycling facilities Ashill Recycling Centre: 6777 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Not within a CA Conservation Area York House (Grade II): 478 metres Listed Building Registered Park Pickenham Hall: 5208 metres Scheduled Bowl barrow 840m south east of Forestry Lodge: 2467 Monument metres Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Ancient Woodland Sporle Wood: 5330 metres Geodiversity site Newton-by-Castle Acre Chalk Pit: 6677 metres National Nature Weeting Heath: 18272 metres Reserve County Wildlife Site North of the Club House: 817 metres Local Nature Reserve Litcham Common: 10634 metres Ramsar Roydon Common: 18289 metres **Special Protection** Breckland 947 metres. (Site Less than 1.5km, HRA Area (SPA) reauired.) Within Stone Curlew buffer: No SSSI Breckland Forest 947 metres Special Area of Breckland: 5794 metres Conservation (SAC)

Agricultural Land	Grade 3
-------------------	---------

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Swaffham. Likely to be sufficient capacity for at least 600 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

183 - (Submitted Site 139) Land West of Dulgate Lane., Swaffham

Alternative

Address: Dulgate Lane, Land at Dulgate Lane, North Pickenham Road, Swaffham PE37 8DB

Greenfield Site area: 16.06ha Estimated capacity: 250 dwellings

Broad accessibility assessment

Settlement Hierarchy: Market Town

ı	Section energials. Market 10WII		
	 Dentist 	Mr J Holmes & Associates: 695 metres (G <)	
	 Doctor 	The Campingland Surgery: 592 metres (G <)	
	 Leisure Centre 	Swaffham Leisure Centre: 533 metres (G <)	
	 Library 	Swaffham Library: 677 metres (G <)	
	 Primary School 	Swaffham VC Infant and Nursery School: 455 metres (G	
	 Secondary School 	<)	
		The Nicholas Hammond Academy: 606 metres (G <)	
	Overall ranking	Green: At least four facilities within threshold distance	
	accessibility		

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

Walking and cycling	Opportunities for walking and cycling access /
	enhancement based on accessibility to facilities and
	Market Town location.
Open Space	Category - General: 0 metres
Recycling facilities	Ashill Recycling Centre: 5594 metres

Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production)

Conservation Area	Not within a CA
Listed Building	Crown Cottage (Grade II): 201 metres
Registered Park	Pickenham Hall: 4151 metres
Scheduled	Bowl barrow 840m south east of Forestry Lodge: 1815
Monument	metres

Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals)

Nutrient Neutrality	No
Catchment Area	
Ancient Woodland	Sporle Wood: 4409 metres
Geodiversity site	Newton-by-Castle Acre Chalk Pit: 6467 metres
National Nature	Weeting Heath: 18376 metres
Reserve	
County Wildlife Site	North of the Club House: 1789 metres
Local Nature Reserve	Litcham Common: 9952 metres
Ramsar	Roydon Common: 19057 metres
Special Protection	Breckland 1104 metres. (Site Less than 1.5km, HRA
Area (SPA)	required.)
	Within Stone Curlew buffer: No
SSSI	Breckland Forest 1104 metres

Special Area of Conservation (SAC)	Norfolk Valley Fens: 5322 metres
Agricultural Land	Grade 2

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Swaffham. Likely to be sufficient capacity for at least 600 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

244 - Land off New Sporle Road Site **Alternative** 2, Swaffham Address: New Sporle Road, Swaffham, PE37 7RQ Estimated capacity: 20 Greenfield Site area: 0.90ha dwellings **Broad accessibility assessment** Settlement Hierarchy: Market Town Mr J Holmes & Associates: 373 metres (G <) Dentist Doctor Manor Farm Medical Centre: 88 metres (G <) Leisure Centre Swaffham Leisure Centre: 1081 metres (R >) Library Swaffham Library: 383 metres (G <) Primary School Sacred Heart School: 153 metres (G <) • Secondary School The Nicholas Hammond Academy: 1092 metres (G <) Overall ranking Green: At least four facilities within threshold distance accessibility 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Market Town location. Open Space Category - Church: 78 metres Recycling facilities Ashill Recycling Centre: 6937 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Swaffham Conservation Area Stable Block And Cart Shed North West Of Manor Listed Building Farmhouse (Grade II): 40 metres Narford Hall: 5603 metres Registered Park Scheduled Deserted medieval village, Great Palgrave: 2899 metres Monument Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Ancient Woodland Sporle Wood: 4199 metres Geodiversity site Newton-by-Castle Acre Chalk Pit: 5694 metres National Nature Roydon Common: 18252 metres Reserve County Wildlife Site Disused Railway: 2066 metres Litcham Common: 9498 metres Local Nature Reserve Roydon Common: 18252 metres Ramsar **Special Protection** Breckland 2275 metres. (Site Beyond 1.5km, HRA unlikely to be required.) Area (SPA) Within Stone Curlew buffer: No Breckland Forest 2275 metres SSSI

Special Area of	Norfolk Valley Fens: 6954 metres
Conservation (SAC)	
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Swaffham. Likely to be sufficient capacity for at least 600 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

281 - Land South of Princes Street, **Alternative Swaffham** Address: Land South of Princes Street, Estimated capacity: 90 Greenfield Site area: 2.05ha dwellings **Broad accessibility assessment** Settlement Hierarchy: Market Town Mr J Holmes & Associates: 467 metres (G <) Dentist The Campingland Surgery: 568 metres (G <) Doctor Leisure Centre Swaffham Leisure Centre: 981 metres (R >) Library Swaffham Library: 473 metres (G <) Sacred Heart School: 572 metres (G <) Primary School • Secondary School The Nicholas Hammond Academy: 936 metres (G <) Overall ranking Green: At least four facilities within threshold distance accessibility 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Market Town location. Category - Other Sports Facility: 0 metres Open Space Recycling facilities Ashill Recycling Centre: 7357 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Listed Building Gate Piers To Whitsands Road And Boundary Wall South-West Of 20 Market Place (Grade II): 210 metres Registered Park Narford Hall: 5045 metres Scheduled Bowl barrow 840m south east of Forestry Lodge: 3392 Monument metres Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** Catchment Area Ancient Woodland Sporle Wood: 5001 metres Newton-by-Castle Acre Chalk Pit: 6104 metres Geodiversity site National Nature Roydon Common: 17848 metres Reserve County Wildlife Site Disused Railway: 1293 metres Litcham Common: 10171 metres Local Nature Reserve Roydon Common: 17848 metres Ramsar **Special Protection** Breckland 1972 metres. (Site Beyond 1.5km, HRA unlikely to be required.) Area (SPA) Within Stone Curlew buffer: No Breckland Forest 1972 metres SSSI

Special Area of Conservation (SAC)	Breckland: 6822 metres
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%	
Flood Zone 2	Proportion of site area 0.00%	

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Swaffham. Likely to be sufficient capacity for at least 600 dwellings.

Other statutory consultees, agencies and organisations

Sport England: A playing field and bowling green lies to the south of the site. Whilst the site would not be located on a playing field, development of the site should not prejudice the use of, all or any part of a playing field otherwise Sport England may raise an objection to it.

Natural England (Nutrient Neutrality): No comments

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

Woods Hardwick on behalf on Haut Ltd LPR/CS4/DEV/281- discussion around criteria that was rated red and why this should be changed.

Other objections

315 - Land South of Norwich Road, Swaffham

Alternative

Address: Wood Farm, Norwich Road Swaffham, PE37 8DB

Greenfield Site area: 2.52ha Estimated capacity: 40 dwellings

Broad accessibility assessment

Settlement Hierarchy: Market Town

ı	Settlement incrarcity. Market rown		
	 Dentist 	Mr J Holmes & Associates: 803 metres (R >)	
	 Doctor 	Manor Farm Medical Centre: 651 metres (G <)	
	 Leisure Centre 	Swaffham Leisure Centre: 1129 metres (R >)	
	• Library	Swaffham Library: 803 metres (R >)	
	 Primary School 	Sacred Heart School: 712 metres (G <)	
l	 Secondary School 	The Nicholas Hammond Academy: 1177 metres (G <)	
	Overall ranking	Amber: One to three core facilities within threshold	
	accessibility	distance	

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

Geodiversity site
National Nature

County Wildlife Site

Special Protection

Local Nature Reserve

Reserve

Ramsar

SSSI

Area (SPA)

• Red o core services		
Walking and cycling	Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Market Town location.	
Open Space	Category - Playing Field: 392 metres	
Recycling facilities	Ashill Recycling Centre: 6280 metres	
Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production)		
Conservation Area	Not within a CA	
Listed Building	Wood Farmhouse (Grade II): 173 metres	
Registered Park	Pickenham Hall: 5137 metres	
Scheduled Monument	Deserted medieval village, Great Palgrave: 2938 metres	
Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals)		
Nutrient Neutrality Catchment Area	No	
Ancient Woodland	Sporle Wood: 3881 metres	

Roydon Common: 18760 metres

<u>Litcham Common: 9358 metres</u> Roydon Common: 18760 metres

Within Stone Curlew buffer: No

Breckland Forest 2223 metres

unlikely to be required.)

North of the Club House: 2487 metres

Newton-by-Castle Acre Chalk Pit: 5815 metres

Breckland 2223 metres. (Site Beyond 1.5km, HRA

Special Area of	Norfolk Valley Fens: 6536 metres
Conservation (SAC)	
Agricultural Land	Grade 2

Flood Zone 3	Proportion of site area 0.00%	
Flood Zone 2	Proportion of site area 0.00%	

Norfolk Local Lead Flood Authority advice LLFA Assessment: Moderate surface water issues / constraints

identified which will require further assessment by LPA • Given the surface water / flooding constraints, the LLFA consider that the site is unlikely to be capable of accommodating the number (40) of dwellings proposed.

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Swaffham. Likely to be sufficient capacity for at least 600 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

landowners of Land South of Norwich Road and West of Dulgate Lane in Swaffham Our client's sites lie to the south of the Norwich Road, and therefore have excellent access to the Excel bus service stops. The sites individually could deliver 50-200 new homes in a sustainable location within walking and cycling distance of Swaffham town centre. We have also promoted land for employment development in close proximity to the residential site, which could offer employment opportunities to new and existing residents, potentially increasing the sustainability of a residential allocation in this location. Please note that whilst the Land South of Norwich Road was split into two submissions in the call for sites process (ref LPR/CS4/DEV/136 & LPR/CS4/DEV/315) and an proportion promoted for employment we consider that both of these sites could be suitable for residential use.

Other objections

367 - Manor Farm Site 1, Swaffham Alternative			
•			Atternative
Address: Manor Farm site 1, PE37 7QR			
Greenfield	Site area: 0.99ha	Estimated dwellings	capacity: 18
Broad accessibility as	sessment	J	
Settlement Hierarchy:	Market Town		
 Dentist 	Mr J Holmes & Associat	es: 496 met	res (G <)
 Doctor 	Manor Farm Medical Ce	entre: 209 m	etres (G <)
 Leisure Centre 	Swaffham Leisure Cent		• •
 Library 	Swaffham Library: 508 i		
 Primary School 	Sacred Heart School: 27		•
 Secondary School 	The Nicholas Hammond		
Overall ranking accessibility	Green: At least four faci		
800m/10 minutes walking distan employment.	ce of the site in town centres; 1,200	Om elsewhere and	d 2,000m for school access and
 Green 4+ core services of Amber 1 to 3 core services Red 0 core services 			
Walking and cycling	Opportunities for walki		
	enhancement based on	accessibility	to facilities and
	Market Town location.	> 6 1 4	00 1
Open Space	Category - Public Park C		
Recycling facilities			
production)		· Heritage Impa	ict Assessment in
Conservation Area	Swaffham		
Listed Building	Manor House Including (Grade II*): 117 metres	Attached Se	rvice Range To East
Registered Park	Pickenham Hall: 5670 m	etres	
Scheduled			lgrave: 2808 metres
Monument			
	(nearest designated geo / bio		and features. Local Plan
_	t Local Plan policy and propos	als)	
Nutrient Neutrality Catchment Area	No		
Ancient Woodland	Sporle Wood: 4053 met	TAC	
Geodiversity site	Newton-by-Castle Acre		529 metres
National Nature	Roydon Common: 1832		AL A IIIEU E3
Reserve	Roydon Common. 10320	o med es	
County Wildlife Site	Disused Railway: 2187 n	netres	
Local Nature Reserve	Litcham Common: 9377		
Ramsar	Roydon Common: 1832		
Special Protection	Breckland 2399 metres.		d 1.5km, HRA
Area (SPA)	unlikely to be required.	•	,
	Within Stone Curlew bu	•	
SSSI	Breckland Forest 2399 r	metres	
Special Area of	Norfolk Valley Fens: 699	97 metres	
Conservation (SAC)			

Agricultural Land	Grade 3
-------------------	---------

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice LLFA Assessment: Moderate surface water issues / constraints identified which will require further assessment by LPA • Given the surface water / flooding constraints, the LLFA consider that the site is unlikely to be capable of accommodating the number (18) of dwellings proposed.

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Swaffham. Likely to be sufficient capacity for at least 600 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

369 - Manor Farm Site 2, Swaffham Alternative				
	•			
Address: Manor Farm s	Address: Manor Farm site 2, PE37 7QR			
Greenfield	Site area: 1.04ha	Estimated dwellings	capacity: 20	
Broad accessibility as	sessment			
Settlement Hierarchy:	Market Town			
 Dentist 	Mr J Holmes & Associat	es: 495 met	res (G <)	
 Doctor 	Manor Farm Medical Ce	entre: 354 m	etres (G <)	
 Leisure Centre 	Swaffham Leisure Cent	ге: 1017 me	tres (R >)	
 Library 	Swaffham Library: 494	metres (G <)		
 Primary School 	Sacred Heart School: 41	2 metres (G	i <)	
 Secondary School 	The Nicholas Hammond	l Academy: 1	1044 metres (G <)	
Overall ranking accessibility	Green: At least four faci			
800m/10 minutes walking distan employment.	ice of the site in town centres; 1,20	Om elsewhere and	d 2,000m for school access and	
 Green 4+ core services of the ser				
Walking and cycling	Opportunities for walki enhancement based on Market Town location.			
Open Space	Category - Church: 190	metres		
Recycling facilities	Ashill Recycling Centre:		S	
	nated heritage asset analysis –			
Conservation Area	Swaffham			
Listed Building	Manor House Including (Grade II*): 118 metres	Attached Se	ervice Range To East	
Registered Park	Pickenham Hall: 5448 m	etres		
Scheduled	Deserted medieval villa	ge, Great Pa	lgrave: 2952 metres	
Monument				
	(nearest designated geo / bio		and features. Local Plan	
	t Local Plan policy and propos	als)		
Nutrient Neutrality Catchment Area	No			
Ancient Woodland	Sporle Wood: 4109 met			
Geodiversity site			701 metres	
National Nature	Newton-by-Castle Acre Roydon Common: 1855		ו וווכנוכט	
Reserve	Roydon Common. 1655.	4 1116CLG3		
County Wildlife Site	North of the Club House	e: 2294 meti	res	
Local Nature Reserve	Litcham Common: 9483			
Ramsar	Roydon Common: 1855			
Special Protection	Breckland 2195 metres.		d 1.5km. HRA	
Area (SPA)	unlikely to be required.	•	,	
	Within Stone Curlew bu	•		
SSSI	Breckland Forest 2195 r	metres		
Special Area of	Norfolk Valley Fens: 670	69 metres	-	
Conservation (SAC)				

Agricultural Land	Grade 3
-------------------	---------

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice LLFA Assessment: Major surface water issues / constraints identified which will require further assessment by LPA

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Swaffham. Likely to be sufficient capacity for at least 600 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

051 - Woodgate Road 2, Swanton **Alternative** Morley Address: Land at Woodgate Road, NR20 4NU Greenfield Site area: 0.77ha Estimated capacity: 12 dwellings Broad accessibility assessment Settlement Hierarchy: Local Service Centre Norfolk PCT Dental Services: 3219 metres (R >) Dentist Swanton Morley PMS Practice: 463 metres (G <) Doctor Leisure Centre Dereham Leisure Centre: 4061 metres (R >) Library Dereham Library: 4175 metres (R >) Primary School Swanton Morley VC Primary School: 1287 metres (G <) • Secondary School Dereham Neatherd High School: 3391 metres (R >) Overall ranking Amber: One to three core facilities within threshold accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Opportunities for walking and cycling access / Walking and cycling enhancement based on accessibility to facilities and Local Service Centre location. Open Space Category - Playing Field: 642 metres Recycling facilities Dereham Main Recycling Centre Plus: 4427 metres **Heritage** (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Listed Building Angel Inn (Grade II): 652 metres Registered Park Elmham House: 5924 metres Three Pickett-Hamilton forts at Swanton Morley airfield: Scheduled Monument 3144 metres Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** Yes River Wensum SAC Catchment Area Ancient Woodland Hockering Wood: 4940 metres Geodiversity site Hempton Quarry: 16918 metres National Nature Foxley Wood: 6593 metres Reserve County Wildlife Site Woodgate Meadow: 711 metres Local Nature Reserve Litcham Common: 12858 metres Broadland: 23890 metres Ramsar **Special Protection** Breckland 20433 metres. (Site Beyond 1.5km, HRA

unlikely to be required.)

Within Stone Curlew buffer: No

River Wensum 1479 metres

Area (SPA)

SSSI

Special Area of Conservation (SAC)	River Wensum: 1479 metres
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Swanton Morley. Measures to reduce nutrients to be applied that will present challenges for future growth

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

052 - Land at Woodgate Road, Swanton Morley

Alternative

Address: Land at Woodgate Road, NR20 4NU

Greenfield Site area: 2.23ha Estimated capacity: 40 dwellings

Broad accessibility assessment

Settlement Hierarchy: Local Service Centre

L	Section in the charge Education vice defined	
ĺ	• Dentist	Norfolk PCT Dental Services: 2795 metres (R >)
	 Doctor 	Swanton Morley PMS Practice: 63 metres (G <)
	 Leisure Centre 	Dereham Leisure Centre: 3692 metres (R >)
	• Library	Dereham Library: 3782 metres (R >)
	 Primary School 	Swanton Morley VC Primary School: 1038 metres (G <)
	 Secondary School 	Dereham Neatherd High School: 3039 metres (R >)
	Overall ranking	Amber: One to three core facilities within threshold
	accessibility	distance

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

Walking and cycling	Opportunities for walking and cycling access /	
	enhancement based on accessibility to facilities and	
	Local Service Centre location.	
Open Space	Category - Playing Field: 252 metres	
Recycling facilities	Dereham Main Recycling Centre Plus: 4087 metres	
Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in		
production)		
Conservation Area	Not within a CA	
Listed Building	Angel Inn (Grade II): 257 metres	
Registered Park	Elmham House: 5626 metres	
Scheduled	Three Pickett-Hamilton forts at Swanton Morley airfield:	
Monument	2851 metres	
Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan		
	Local Plan policy and proposals)	
Nutrient Neutrality	Yes River Wensum SAC	
Catchment Area		
Ancient Woodland	Old Carr: 4711 metres	
Geodiversity site	Hempton Quarry: 16599 metres	
National Nature	Foxley Wood: 6789 metres	
Reserve		
County Wildlife Site	Woodgate Meadow: 1128 metres	
Local Nature Reserve	Litcham Common: 12459 metres	
Ramsar	Broadland: 24296 metres	
Special Protection	Breckland 20023 metres. (Site Beyond 1.5km, HRA	
Area (SPA)	unlikely to be required.)	
	Within Stone Curlew buffer: No	
SSSI	River Wensum 1574 metres	

Special Area of Conservation (SAC)	River Wensum: 1574 metres
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Swanton Morley. Measures to reduce nutrients to be applied that will present challenges for future growth

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

Lanpro on behalf of Glavenhill Proposes new RAG assessment for housing site off Woodgate Road, Swanton Morley - proposed development mixed residential and over 55s accommodation. Most phase 1 criteria proposed as green with exception of "built up area", and "settlement boundaries" proposed as amber, and as red for the sites greenfield status.

Other objections

121 - Lincoln House, Swanton Morley | Alternative Address: Land adjacent Lincoln House, Greenfield Estimated capacity: 36 Site area: 2.83ha dwellings Broad accessibility assessment Settlement Hierarchy: Local Service Centre Norfolk PCT Dental Services: 2502 metres (R >) Dentist Doctor Swanton Morley PMS Practice: 91 metres (G <) • Leisure Centre Dereham Leisure Centre: 3395 metres (R >) Dereham Library: 3498 metres (R >) Library • Primary School Swanton Morley VC Primary School: 1369 metres (G <) Secondary School Dereham Neatherd High School: 2736 metres (R >) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Local Service Centre location. Category - Playing Field: 266 metres Open Space Recycling facilities Dereham Main Recycling Centre Plus: 3781 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Angel Inn (Grade II): 375 metres Listed Building Elmham House: 5863 metres Registered Park Scheduled Three Pickett-Hamilton forts at Swanton Morley airfield: Monument 3108 metres **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) Yes River Wensum SAC **Nutrient Neutrality** Catchment Area Old Carr: 4431 metres Ancient Woodland Hempton Quarry: 16796 metres Geodiversity site National Nature Foxley Wood: 7202 metres Reserve County Wildlife Site Woodgate Meadow: 1327 metres Litcham Common: 12280 metres Local Nature Reserve Broadland: 24387 metres Ramsar Breckland 19730 metres. (Site Beyond 1.5km, HRA **Special Protection** unlikely to be required.) Area (SPA) Within Stone Curlew buffer: No SSSI River Wensum 1991 metres River Wensum: 1991 metres Special Area of Conservation (SAC)

Agricultural Land	Grade 3
-------------------	---------

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Swanton Morley. Measures to reduce nutrients to be applied that will present challenges for future growth

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

175 - West of Woodgate Road, Swanton Morley

Alternative

Address: Land to the West of Woodgate Lane,

Greenfield Site area: 2.66ha Estimated capacity: 75 dwellings

Broad accessibility assessment

Settlement Hierarchy: Local Service Centre

	5	Section for the farcity: Local Service Centre		
	•	Dentist	Norfolk PCT Dental Services: 2959 metres (R >)	
	•	Doctor	Swanton Morley PMS Practice: 375 metres (G <)	
	•	Leisure Centre	Dereham Leisure Centre: 3938 metres (R >)	
	•	Library	Dereham Library: 4003 metres (R >)	
	•	Primary School	Swanton Morley VC Primary School: 848 metres (G <)	
	•	Secondary School	Northgate High School: 3294 metres (R >)	
Overall ranking		verall ranking	Amber: One to three core facilities within threshold	
accessibility		cessibility	distance	

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

Walking and cycling	Opportunities for walking and cycling access /	
	enhancement based on accessibility to facilities and	
	Local Service Centre location.	
Open Space	Category - Bowling Green: 258 metres	
Recycling facilities	Dereham Main Recycling Centre Plus: 4353 metres	
Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment		
production)		
Conservation Area	Not within a CA	
Listed Building	The Gables (Grade II): 228 metres	
Registered Park	Elmham House: 5469 metres	
Scheduled	Three Pickett-Hamilton forts at Swanton Morley airfield:	
Monument	2690 metres	
Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan		
	t Local Plan policy and proposals)	
Nutrient Neutrality	Yes River Wensum SAC	
Catchment Area		
Ancient Woodland	Old Carr: 4786 metres	
Geodiversity site	Hempton Quarry: 16457 metres	
National Nature	Foxley Wood: 6583 metres	
Reserve		
County Wildlife Site	Swanton Morley Meadow: 913 metres	
Local Nature Reserve	Litcham Common: 12421 metres	
Ramsar	Broadland: 24252 metres	
Special Protection	Breckland 20163 metres. (Site Beyond 1.5km, HRA	
Area (SPA)	unlikely to be required.)	
	Within Stone Curlew buffer: No	
SSSI	River Wensum 1361 metres	

Special Area of Conservation (SAC)	River Wensum: 1361 metres
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Swanton Morley. Measures to reduce nutrients to be applied that will present challenges for future growth

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

Alternative 176 - East Woodgate Lane, Swanton Morley Address: Land to the east of woodgate lane, Greenfield Site area: 5.09ha Estimated capacity: 140 dwellings **Broad accessibility assessment** Settlement Hierarchy: Local Service Centre Norfolk PCT Dental Services: 3234 metres (R >) Dentist Swanton Morley PMS Practice: 679 metres (G <) Doctor Leisure Centre Dereham Leisure Centre: 4249 metres (R >) Dereham Library: 4305 metres (R >) Library Swanton Morley VC Primary School: 638 metres (G <) Primary School Northgate High School: 3574 metres (R >) • Secondary School Overall ranking Amber: One to three core facilities within threshold accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold

11 •

- Amber 1 to 3 core services
- Red 0 core services

Walking and cycling	Opportunities for walking and cycling access /
	enhancement based on accessibility to facilities and
	Local Service Centre location.
Open Space	Category - General: 14 metres
Recycling facilities	Dereham Main Recycling Centre Plus: 4669 metres
Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in	
production)	
Conservation Area	Not within a CA
Listed Building	Kesmark House (Grade II): 136 metres
Registered Park	Elmham House: 5273 metres
Scheduled	Three Pickett-Hamilton forts at Swanton Morley airfield:
Monument	2497 metres
Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan	
HRA will assess subsequent Local Plan policy and proposals)	
Nutrient Neutrality	Yes River Wensum SAC
Catchment Area	
Ancient Woodland	Sparham Grove: 4750 metres
Geodiversity site	Hempton Quarry: 16279 metres
National Nature	Foxley Wood: 6185 metres
Reserve	
County Wildlife Site	Swanton Morley Meadow: 527 metres
Local Nature Reserve	Litcham Common: 12489 metres
Ramsar	Broadland: 24048 metres
Special Protection	Breckland 20413 metres. (Site Beyond 1.5km, HRA
Area (SPA)	unlikely to be required.)
	Within Stone Curlew buffer: No
SSSI	River Wensum 967 metres

Special Area of	River Wensum: 967 metres
Conservation (SAC)	
Agricultural Land	Grade 3

Flood Zone 3 Proportion of site area 0.00%
Flood Zone 2 Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Swanton Morley. Measures to reduce nutrients to be applied that will present challenges for future growth

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

250 - Greengate House , Swanton Morley

Alternative

Address: Greengate House, Swanton Morley, NR20 4AD

Site area: 0.33ha Estimated capacity: 0 dwellings

Broad accessibility assessment

Settlement Hierarchy: Local Service Centre

)	Section of the fair city: Local Service Centre	
•	Dentist	Norfolk PCT Dental Services: 3205 metres (R >)
•	Doctor	Swanton Morley PMS Practice: 761 metres (G <)
•	Leisure Centre	Dereham Leisure Centre: 4272 metres (R >)
•	Library	Dereham Library: 4308 metres (R >)
•	Primary School	Swanton Morley VC Primary School: 625 metres (G <)
•	Secondary School	Northgate High School: 3548 metres (R >)
O	verall ranking	Amber: One to three core facilities within threshold
ac	cessibility	distance
l		

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

Walking and cycling	Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Local Service Centre location.
Open Space	Category - General: 164 metres
Recycling facilities	Dereham Main Recycling Centre Plus: 4709 metres
Heritage (nearest design production)	ated heritage asset analysis – Heritage Impact Assessment in
Conservation Area	Not within a CA
Listed Building	Kesmark House (Grade II): 276 metres
Registered Park	Elmham House: 5261 metres
Scheduled	Three Pickett-Hamilton forts at Swanton Morley airfield:
Monument	2481 metres
Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan	
HRA will assess subsequen	t Local Plan policy and proposals)
Nutrient Neutrality	Yes River Wensum SAC
Catchment Area	
Ancient Woodland	Old Carr: 4911 metres
Geodiversity site	Hempton Quarry: 16258 metres
National Nature	Foxley Wood: 6443 metres
Reserve	
County Wildlife Site	Swanton Morley Meadow: 760 metres
Local Nature Reserve	Litcham Common: 12397 metres
Ramsar	Broadland: 24348 metres
Special Protection	Breckland 20350 metres. (Site Beyond 1.5km, HRA
Area (SPA)	unlikely to be required.)
	Within Stone Curlew buffer: No
SSSI	River Wensum 1201 metres

Special Area of	River Wensum: 1201 metres
Conservation (SAC)	
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Swanton Morley. Measures to reduce nutrients to be applied that will present challenges for future growth

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

252 - Rectory Road, Swanton Morley **Alternative** Address: Rectory Road, Swanton Morley, NR20 4QB Greenfield Site area: 1.34ha Estimated capacity: 15 dwellings Broad accessibility assessment Settlement Hierarchy: Local Service Centre Norfolk PCT Dental Services: 3939 metres (R >) Dentist Doctor Swanton Morley PMS Practice: 1651 metres (R >) • Leisure Centre Dereham Leisure Centre: 5099 metres (R >) Dereham Library: 5103 metres (R >) Library Primary School Swanton Morley VC Primary School: 523 metres (G <) Secondary School Northgate High School: 4286 metres (R >) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Local Service Centre location. Category - General: 111 metres Open Space Recycling facilities Dereham Main Recycling Centre Plus: 5558 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Not within a CA Conservation Area Swanton Morley War Memorial (Grade II): 304 metres Listed Building Elmham House: 4501 metres Registered Park Scheduled Three Pickett-Hamilton forts at Swanton Morley airfield: Monument 1688 metres **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) Yes River Wensum SAC **Nutrient Neutrality** Catchment Area Great Wood: 4455 metres Ancient Woodland Geodiversity site Hempton Quarry: 15516 metres National Nature Foxley Wood: 5645 metres Reserve County Wildlife Site Swanton Morley Meadow: 406 metres Local Nature Reserve Litcham Common: 12386 metres Broadland: 24289 metres Ramsar Breckland 20887 metres. (Site Beyond 1.5km, HRA **Special Protection** unlikely to be required.) Area (SPA) Within Stone Curlew buffer: No SSSI River Wensum 474 metres River Wensum: 474 metres Special Area of Conservation (SAC)

Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Swanton Morley. Measures to reduce nutrients to be applied that will present challenges for future growth

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

254 - Coneyhills Farm. East of Robertson Barracks, Worthing Road, Swanton Morley

Alternative

Address: Coney Hills Farm, East of Robertsons Barracks, Swanton Morley, NR20 4QB

Greenfield Site area: 8.59ha Estimated capacity: 250 dwellings

Broad accessibility assessment

Settlement Hierarchy: Local Service Centre

)	Section enter the rainery. Local Service Center C	
•	Dentist	Norfolk PCT Dental Services: 4413 metres (R >)
•	Doctor	Swanton Morley PMS Practice: 2484 metres (R >)
•	Leisure Centre	Dereham Leisure Centre: 5703 metres (R >)
•	Library	Dereham Library: 5645 metres (R >)
•	Primary School	Swanton Morley VC Primary School: 1120 metres (G <)
•	Secondary School	Northgate High School: 4756 metres (R >)
ó	verall ranking	Amber: One to three core facilities within threshold
ac	cessibility	distance

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

Walking and cycling	Opportunities for walking and cycling access /	
	enhancement based on accessibility to facilities and Local Service Centre location.	
Open Space	Category - General: 611 metres	
Recycling facilities	Dereham Main Recycling Centre Plus: 6206 metres	
Heritage (nearest design production)	ated heritage asset analysis – Heritage Impact Assessment in	
Conservation Area	Not within a CA	
Listed Building	Bridge (Grade II): 540 metres	
Registered Park	Elmham House: 3618 metres	
Scheduled	Three Pickett-Hamilton forts at Swanton Morley airfield:	
Monument	772 metres	
Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan		
	t Local Plan policy and proposals)	
Nutrient Neutrality	Yes River Wensum SAC	
Catchment Area		
Ancient Woodland	Great Wood: 3817 metres	
Geodiversity site	Hempton Quarry: 14602 metres	
National Nature	Foxley Wood: 5019 metres	
Reserve		
County Wildlife Site	Swanton Morley Gravel Pits: 426 metres	
Local Nature Reserve	Litcham Common: 12093 metres	
Ramsar	Broadland: 24506 metres	
Special Protection	Breckland 21059 metres. (Site Beyond 1.5km, HRA	
Area (SPA)	unlikely to be required.)	
	Within Stone Curlew buffer: No	

SSSI	River Wensum 482 metres
Special Area of	River Wensum: 482 metres
Conservation (SAC)	
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Swanton Morley. Measures to reduce nutrients to be applied that will present challenges for future growth

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

373 - South of Elsing Road, Swanton **Alternative** Morley Address: South of Elsing Road, Swanton Morley, NR20 4NY Greenfield Site area: 2.83ha Estimated capacity: 60 dwellings **Broad accessibility assessment** Settlement Hierarchy: Local Service Centre Dentist Norfolk PCT Dental Services: 3712 metres (R >) Doctor Swanton Morley PMS Practice: 1178 metres (G <) Leisure Centre Dereham Leisure Centre: 4759 metres (R >) Dereham Library: 4807 metres (R >) Library • Primary School Swanton Morley VC Primary School: 705 metres (G <) Secondary School Northgate High School: 4055 metres (R >) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Local Service Centre location. Category - Public Park Or Garden: 128 metres Open Space Recycling facilities Dereham Main Recycling Centre Plus: 5182 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA 1 And 2, Elsing Road (Grade II): 48 metres Listed Building Registered Park Elmham House: 5164 metres Three Pickett-Hamilton forts at Swanton Morley airfield: Scheduled Monument 2363 metres **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) Yes River Wensum SAC **Nutrient Neutrality** Catchment Area Ancient Woodland Sparham Grove: 4355 metres Geodiversity site Hempton Quarry: 16181 metres National Nature Foxley Wood: 5761 metres Reserve County Wildlife Site Swanton Morley Meadow: 142 metres Local Nature Reserve Litcham Common: 12753 metres Ramsar Broadland: 23821 metres Special Protection Breckland 20847 metres. (Site Beyond 1.5km, HRA Area (SPA) unlikely to be required.) Within Stone Curlew buffer: No River Wensum 546 metres SSSI

Special Area of	River Wensum: 546 metres
Conservation (SAC)	
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%	
Flood Zone 2	Proportion of site area 0.00%	

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Swanton Morley. Measures to reduce nutrients to be applied that will present challenges for future growth

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

374 - Strudwick Dereham Road, Swanton Morley

Alternative

Address: Strudwick. Dereham Road, Swanton Morley, NR20 4LT

Mostly Green Site area: 0.27ha Estimated capacity: 9 dwellings

Broad accessibility assessment

Settlement Hierarchy: Local Service Centre

L	Detailement indicate by Local Del Flee Center C			
	•	Dentist	Norfolk PCT Dental Services: 2542 metres (R >)	
	•	Doctor	Swanton Morley PMS Practice: 184 metres (G <)	
	•	Leisure Centre	Dereham Leisure Centre: 3479 metres (R >)	
	•	Library	Dereham Library: 3556 metres (R >)	
	•	Primary School	Swanton Morley VC Primary School: 1321 metres (G <)	
	•	Secondary School	Dereham Neatherd High School: 2837 metres (R >)	
	Overall ranking		Amber: One to three core facilities within threshold	
	accessibility		distance	
- 1				

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

SSSI

Walking and cycling	Opportunities for walking and cycling access /	
	enhancement based on accessibility to facilities and	
	Local Service Centre location.	
Open Space	Category - Playing Field: 185 metres	
Recycling facilities	Dereham Main Recycling Centre Plus: 3889 metres	
Heritage (nearest design	nated heritage asset analysis – Heritage Impact Assessment in	
production)		
Conservation Area	Not within a CA	
Listed Building	Angel Inn (Grade II): 317 metres	
Registered Park	Elmham House: 5781 metres	
Scheduled	Three Pickett-Hamilton forts at Swanton Morley airfield:	
Monument	3032 metres	
Natural Environment	(nearest designated geo / biodiversity sites and features. Local Plan	
	t Local Plan policy and proposals)	
Nutrient Neutrality	Yes River Wensum SAC	
Catchment Area		
Ancient Woodland	Old Carr: 4438 metres	
Geodiversity site	Hempton Quarry: 16707 metres	
National Nature	Foxley Wood: 7224 metres	
Reserve		
County Wildlife Site	Woodgate Meadow: 1465 metres	
Local Nature Reserve	Litcham Common: 12246 metres	
Ramsar	Broadland: 24585 metres	
Special Protection	Breckland 19764 metres. (Site Beyond 1.5km, HRA	
Агеа (SPA)	unlikely to be required.)	
	Within Stone Curlew buffer: No	

River Wensum 2002 metres

Special Area of	River Wensum: 2002 metres
Conservation (SAC)	
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%	
Flood Zone 2	Proportion of site area 0.00%	

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Swanton Morley. Measures to reduce nutrients to be applied that will present challenges for future growth

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

282 - Abbey Estate, Thetford Alternative			Alternative
Address: Abbey Estate,			
Brownfield	Site area: 38.32ha	Estimated dwellings	capacity: 460
Broad accessibility as	sessment	,	
Settlement Hierarchy:			
 Dentist 	mydentist: 816 metres ((R >)	
 Doctor 	Thetford Health Living	Centre: 527	metres (G <)
 Leisure Centre 	Breckland Leisure Centi	re: 600 metr	es (G <)
 Library 	Thetford Library: 699 m	, ,	
 Primary School 	The Bishops CE Primary	Academy: 4	8 metres (G <)
 Secondary School 	Thetford Grammer Scho	ool: 433 met	res (G <)
Overall ranking	Green: At least four faci	lities within	threshold distance
accessibility			
800m/10 minutes walking distar employment.	ce of the site in town centres; 1,200	Om elsewhere and	d 2,000m for school access and
 Green 4+ core services Amber 1 to 3 core servi 			
Red 0 core services			
Walking and cycling	Opportunities for walking	ng and cyclir	ng access /
	enhancement based on		
	Market Town location.	_	
Open Space	Category - General: 0 mg	etres	
Recycling facilities	Thetford Main Recycling	g Centre Plu	s: 306 metres
Heritage (nearest design production)	ated heritage asset analysis –	Heritage Impa	act Assessment in
Conservation Area	Thetford		
Listed Building	Abbey Farm Cottage (Gr	rade I): 73 m	etres
Registered Park	Shadwell Park: 3899 me	•	
Scheduled	Thetford Cluniac priory:		
Monument	, ,		
	(nearest designated geo / bio		and features. Local Plan
Nutrient Neutrality	t Local Plan policy and proposa No	d(S)	
Catchment Area			
Ancient Woodland	Fakenham Wood: 7906 i	metres	
Geodiversity site	Hockham: 12478 metres		
National Nature	Thetford Heath: 2679 m		
Reserve			
County Wildlife Site	Alder Carr: 1352 metres	}	
Local Nature Reserve	Barnham Cross Commor		res
Ramsar	Redgrave & South Loph		
Special Protection	Breckland 217 metres. (
Area (SPA)	required.)		,
	Within Stone Curlew bu	ffer: No	
SSSI	Thetford Golf Course &	Marsh 217 r	netres
Special Area of	Breckland: 347 metres		
Conservation (SAC)			
Agricultural Land	Non Agricultural		

Flood Zone 3	Proportion of site area 0.59%
Flood Zone 2	Proportion of site area 1.71%

Norfolk Local Lead Flood Authority advice LLFA Assessment: Moderate surface water issues / constraints identified which will require further assessment by LPA

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Thetford. Available headroom for commitments and potential growth.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England The Abbey Estate (Thetford): The Abbey Estate in Thetford lies to the north of the scheduled area of Saxon Town and to the east of the scheduled Cluniac Priory as well as a number of grade I listed buildings (Priory remains, Abbey Farm Cottage, Farm Building and Priory Gatehouse). Thetford Conservation Area extends into the eastern part of the estate. Any redevelopment of the Abbey Estate will need to give careful consideration to any impacts upon the conservation area, scheduled monuments and listed buildings and their settings. An HIA is required.

Landowner/Site promoter comment:

Bidwells on behalf of Flagship Group In respect of The Abbey (Ref: LPR/CS4/DEV/282) the Site is rated Green against all criteria, with the

exception of three: trees and hedgerows (red), Brecks SPA buffer zone (amber) and (available).

In terms of the Site's impact on trees and hedgerows, whilst it is appreciated that some tree loss will be

unavoidable as part of any development, this will be relatively minor, and no protected trees will be lost.

Any scheme would also ensure that loss to hedges and trees are minimal, with any loss being offset

through a detailed landscaping strategy. Accordingly, it is considered that the Site should be rated as

Amber, which recognises that whilst there will potentially be an impact, it can be mitigated.

In terms of the rating against the Brecks SPA buffer zone, whilst it is acknowledged that the Site is within

the Buffer Zone any application can demonstrate that it will not have an adverse impact on the SPA.

The Site also rates Amber in relation to availability. Whilst a planning application has not yet been formally

submitted, proposals for regeneration are at an advanced stage, and have been subject to extensive

consultation. Based on their current programme, Flagship Group are seeking to submit an outline planning

application in Spring 2024. A Reserved Matters application for the first phase of development will be

worked up in parallel with the determination of the outline application, which will potentially enable new

homes to be delivered / occupied by 2028. Based on the initial phasing plan, the development will be

delivered during the plan period. Accordingly, the Site should be rated Green in relation to both

Available and Achievable.

Other objections

1 as received

108 - Land to the east of Watton Road, Thompson, Thompson

Alternative

Address: Land to the east of Watton Road, IP24 1PJ

Greenfield Site area: 1.78ha Estimated capacity: 30 dwellings

Broad accessibility assessment

Settlement Hierarchy: Secondary village

	 Dentist 	Together Dental: 3910 metres (R >)
	• Doctor	Watton Medical Practice: 3832 metres (R >)
	 Leisure Centre 	Watton Sports and Social Club: 4329 metres (R >)
	• Library	Watton Library: 3854 metres (R >)
	 Primary School 	Thompson Primary School: 439 metres (G <)
	 Secondary School 	Wayland Academy Norfolk: 3284 metres (R >)
	Overall ranking	Amber: One to three core facilities within threshold
accessibility		distance

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

Walking and cycling	Some accessible facilities create opportunity to enhance walking and cycling access.
Open Space	Category - Public Park Or Garden: 267 metres
Recycling facilities	Ashill Recycling Centre: 8551 metres
	nated heritage asset analysis – Heritage Impact Assessment in
production)	
Conservation Area	Not within a CA
Listed Building	1 And 2, High Houses (Grade II): 37 metres
Registered Park	Breccles Hall: 4671 metres
Scheduled	Group of tumuli on Sparrow Hill: 982 metres
Monument	
Natural Environment	(nearest designated geo / biodiversity sites and features. Local Plan
HRA will assess subsequen	t Local Plan policy and proposals)
Nutrient Neutrality	No
Catchment Area	
Ancient Woodland	Birch Wood: 510 metres
Geodiversity site	Hockham: 5450 metres
National Nature	Brettenham Heath: 10045 metres
Reserve	
County Wildlife Site	Sparrow Hill Meadow: 360 metres
Local Nature Reserve	Great Eastern Pingo Trail: 2089 metres
Ramsar	Redgrave & South Lopham Fens: 21079 metres
Special Protection	Breckland 1108 metres. (Site Less than 1.5km, HRA
Area (SPA)	required.)
	Within Stone Curlew buffer: Yes
SSSI	Stanford Training Area 1108 metres
Special Area of	Breckland: 1108 metres
Conservation (SAC)	

Agricultural Land Grade 4

Water management and flood risk (Further information, including surface water flood risk and cumulative impacts to be reported through Strategic Flood Risk Assessment, 2024)

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Thompson. Unlikely that there is sufficient capacity for growth.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Thompson Parish Council One site (reference LPR/CS4/DEV/140) which it is stated could accommodate 60 dwellings is assessed as "the site would be in keeping with scale of settlement" and would be "an extension to a lower tier settlement or part of a new lower tier settlement". As the houses within the settlement boundary at present number around 120 this represents a 50% increase – one wonders what percentage increase would be considered unacceptable. Together, the 4 sites being taken forward for further review (LPR/CS4/DEV/140, LPR/CS4/DEV/108, LPR/CS4/DEV/170 and LPR/CS4/DEV/171) would potentially contribute 100 houses, an increase of 83%. Two of the sites brought forward are away from the built area of the parish and do not involve the building of dwellings, the proposed activity on the sites being equestrian in nature. The four sites brought forward which do relate to development which is residential in nature (LPR/CS4/DEV/140, LPR/CS4/DEV/108, LPR/CS4/DEV/170 and LPR/CS4/DEV/171) would, if all are accepted at the next stage of the review process, potentially result in 100 new dwellings the majority of which would be in a high density arrangement. The initial evaluation of these sites appears to have been carried out as a desk exercise with no reference to the characteristics and sustainability of the lowdensity settlement which they would adjoin.

Landowner/Site promoter comment:

None

Other objections

1 as received

140 - Woodside Farm, Thompson **Alternative** Address: Thompson, IP24 1PJ Greenfield Site area: 3.29ha Estimated capacity: 60 dwellings Broad accessibility assessment Settlement Hierarchy: Secondary village Together Dental: 3853 metres (R >) Dentist Doctor Watton Medical Practice: 3766 metres (R >) Leisure Centre Watton Sports and Social Club: 4262 metres (R >) Watton Library: 3800 metres (R >) Library • Primary School Thompson Primary School: 289 metres (G <) Wayland Academy Norfolk: 3224 metres (R >) Secondary School Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Some accessible facilities create opportunity to enhance walking and cycling access. Open Space Category - Public Park Or Garden: 153 metres Recycling facilities Ashill Recycling Centre: 8539 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA 1 And 2, High Houses (Grade II): 15 metres Listed Building Registered Park Breccles Hall: 4503 metres Group of tumuli on Sparrow Hill: 974 metres Scheduled Monument **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Ancient Woodland Birch Wood: 493 metres Geodiversity site Hockham: 5332 metres National Nature Brettenham Heath: 10023 metres Reserve Pond by Hallfield Farm: 291 metres County Wildlife Site Local Nature Reserve Great Eastern Pingo Trail: 1915 metres Ramsar Redgrave & South Lopham Fens: 20969 metres **Special Protection** Breckland 1125 metres. (Site Less than 1.5km, HRA Area (SPA) reauired.) Within Stone Curlew buffer: Yes SSSI Thompson Water, Carr and Common 1085 metres Special Area of Norfolk Valley Fens: 1085 metres Conservation (SAC) Agricultural Land Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Thompson. Unlikely that there is sufficient capacity for growth.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Thompson Parish Council One site (reference LPR/CS4/DEV/140) which it is stated could accommodate 60 dwellings is assessed as "the site would be in keeping with scale of settlement" and would be "an extension to a lower tier settlement or part of a new lower tier settlement". As the houses within the settlement boundary at present number around 120 this represents a 50% increase – one wonders what percentage increase would be considered unacceptable. Together, the 4 sites being taken forward for further review (LPR/CS4/DEV/140, LPR/CS4/DEV/108, LPR/CS4/DEV/170 and LPR/CS4/DEV/171) would potentially contribute 100 houses, an increase of 83%. Two of the sites brought forward are away from the built area of the parish and do not involve the building of dwellings, the proposed activity on the sites being equestrian in nature. The four sites brought forward which do relate to development which is residential in nature (LPR/CS4/DEV/140, LPR/CS4/DEV/108, LPR/CS4/DEV/170 and LPR/CS4/DEV/171) would, if all are accepted at the next stage of the review process, potentially result in 100 new dwellings the majority of which would be in a high density arrangement. The initial evaluation of these sites appears to have been carried out as a desk exercise with no reference to the characteristics and sustainability of the lowdensity settlement which they would adjoin.

Landowner/Site promoter comment:

None

Other objections

1 as received

170 - Land Off Tottington Road, Thompson, Thompson

Alternative

Address: LAND OFF TOTTINGTON ROAD, THOMPSON,

Estimated capacity: 5 dwellings Greenfield Site area: 0.66ha

Broad accessibility assessment

Settlement Hierarchy: Secondary village

	Section in the artiful Section of Things	
•	Dentist	Together Dental: 4370 metres (R >)
•	Doctor	Watton Medical Practice: 4296 metres (R >)
•	Leisure Centre	Watton Sports and Social Club: 4793 metres (R >)
•	Library	Watton Library: 4313 metres (R >)
•	Primary School	Thompson Primary School: 323 metres (G <)
•	Secondary School	Wayland Academy Norfolk: 3746 metres (R >)
	Overall ranking	Amber: One to three core facilities within threshold
	accessibility	distance

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services

Area (SPA)

SSSI

Red 0 core services	
Walking and cycling	Some accessible facilities create opportunity to enhance walking and cycling access.
Open Space	Category - Public Park Or Garden: 35 metres
Recycling facilities	Ashill Recycling Centre: 8979 metres
Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production)	
Conservation Area	Not within a CA
Listed Building	Three Cottages 90 Yards Due East Redbrick Farmhouse (Grade II): 16 metres
Registered Park	Breccles Hall: 4432 metres
Scheduled Monument	Group of tumuli on Sparrow Hill: 1295 metres
Natural Environment HRA will assess subsequen	(nearest designated geo / biodiversity sites and features. Local Plan t Local Plan policy and proposals)
Nutrient Neutrality Catchment Area	No
Ancient Woodland	Birch Wood: 953 metres
Geodiversity site	Hockham: 5108 metres
National Nature Reserve	Brettenham Heath: 9634 metres
County Wildlife Site	Pond by Hallfield Farm: 104 metres
Local Nature Reserve	Great Eastern Pingo Trail: 1931 metres
Ramsar	Redgrave & South Lopham Fens: 20721 metres
Special Protection	Breckland 763 metres. (Site Less than 1.5km, HRA

Within Stone Curlew buffer: Yes Stanford Training Area 763 metres

required.)

Special Area of	Breckland: 763 metres
Conservation (SAC)	
Agricultural Land	Grade 3

Trisk / issessmente 2021/	
Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Thompson. Unlikely that there is sufficient capacity for growth.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Thompson Parish Council One site (reference LPR/CS4/DEV/140) which it is stated could accommodate 60 dwellings is assessed as "the site would be in keeping with scale of settlement" and would be "an extension to a lower tier settlement or part of a new lower tier settlement". As the houses within the settlement boundary at present number around 120 this represents a 50% increase – one wonders what percentage increase would be considered unacceptable. Together, the 4 sites being taken forward for further review (LPR/CS4/DEV/140, LPR/CS4/DEV/108, LPR/CS4/DEV/170 and LPR/CS4/DEV/171) would potentially contribute 100 houses, an increase of 83%. Two of the sites brought forward are away from the built area of the parish and do not involve the building of dwellings, the proposed activity on the sites being equestrian in nature. The four sites brought forward which do relate to development which is residential in nature (LPR/CS4/DEV/140, LPR/CS4/DEV/108, LPR/CS4/DEV/170 and LPR/CS4/DEV/171) would, if all are accepted at the next stage of the review process, potentially result in 100 new dwellings the majority of which would be in a high density arrangement. The initial evaluation of these sites appears to have been carried out as a desk exercise with no reference to the characteristics and sustainability of the lowdensity settlement which they would adjoin.

Landowner/Site promoter comment:

None

Other objections

1 as received

171 - Marlpit Road, Thompson **Alternative** Address: Thompson, LAND OFF MARLPIT ROAD, **THOMPSON** Greenfield Site area: 0.37ha Estimated capacity: 5 dwellings **Broad accessibility assessment** Settlement Hierarchy: Secondary village Together Dental: 4193 metres (R >) Dentist Watton Medical Practice: 4122 metres (R >) Doctor • Leisure Centre Watton Sports and Social Club: 4619 metres (R >) Library Watton Library: 4136 metres (R >) Primary School Thompson Primary School: 359 metres (G <) Wayland Academy Norfolk: 3570 metres (R >) Secondary School Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Some accessible facilities create opportunity to enhance Walking and cycling walking and cycling access. Category - Public Park Or Garden: 126 metres Open Space Recycling facilities Ashill Recycling Centre: 8806 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA The Thatched House (Grade II): 90 metres Listed Building Breccles Hall: 4550 metres Registered Park Scheduled Group of tumuli on Sparrow Hill: 1161 metres Monument Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Ancient Woodland Birch Wood: 774 metres Geodiversity site Hockham: 5268 metres Brettenham Heath: 9851 metres National Nature Reserve County Wildlife Site Pond by Hallfield Farm: 197 metres Local Nature Reserve Great Eastern Pingo Trail: 2031 metres Ramsar Redgrave & South Lopham Fens: 20892 metres Special Protection Breckland 947 metres. (Site Less than 1.5km, HRA Area (SPA) required.) Within Stone Curlew buffer: Yes SSSI Stanford Training Area 947 metres Special Area of Breckland: 947 metres Conservation (SAC) Agricultural Land Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Thompson. Unlikely that there is sufficient capacity for growth.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Thompson Parish Council One site (reference LPR/CS4/DEV/140) which it is stated could accommodate 60 dwellings is assessed as "the site would be in keeping with scale of settlement" and would be "an extension to a lower tier settlement or part of a new lower tier settlement". As the houses within the settlement boundary at present number around 120 this represents a 50% increase – one wonders what percentage increase would be considered unacceptable. Together, the 4 sites being taken forward for further review (LPR/CS4/DEV/140, LPR/CS4/DEV/108, LPR/CS4/DEV/170 and LPR/CS4/DEV/171) would potentially contribute 100 houses, an increase of 83%. Two of the sites brought forward are away from the built area of the parish and do not involve the building of dwellings, the proposed activity on the sites being equestrian in nature. The four sites brought forward which do relate to development which is residential in nature (LPR/CS4/DEV/140, LPR/CS4/DEV/108, LPR/CS4/DEV/170 and LPR/CS4/DEV/171) would, if all are accepted at the next stage of the review process, potentially result in 100 new dwellings the majority of which would be in a high density arrangement. The initial evaluation of these sites appears to have been carried out as a desk exercise with no reference to the characteristics and sustainability of the lowdensity settlement which they would adjoin.

Landowner/Site promoter comment:

None

Other objections

1 as received

004 - Willow Farm, Dereham Road, **Alternative** Watton Address: Willow Farm, Dereham Road, Watton, IP25 6HA Estimated capacity: 100 Mostly Green Site area: 26.25ha dwellings **Broad accessibility assessment** Settlement Hierarchy: Market Town Together Dental: 1070 metres (R >) Dentist Watton Medical Practice: 929 metres (R >) Doctor Leisure Centre Watton Sports and Social Club: 546 metres (G <) Watton Library: 1159 metres (R >) Library Watton Westfield Infant and Nursery School: 1385 Primary School Secondary School metres (G <) Wayland Academy Norfolk: 1487 metres (G <) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Opportunities for walking and cycling access / Walking and cycling enhancement based on accessibility to facilities and Market Town location. Category - General: 280 metres Open Space Recycling facilities Ashill Recycling Centre: 5131 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Stonecote (Grade II): 235 metres Listed Building Registered Park Pickenham Hall: 5909 metres Scheduled High Banks: 1717 metres Monument **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Ancient Woodland Wayland Wood: 1559 metres Geodiversity site Hockham: 9432 metres Brettenham Heath: 14776 metres National Nature Reserve County Wildlife Site Land east of Saham Toney: 572 metres Local Nature Reserve Great Eastern Pingo Trail: 5204 metres Ramsar Redgrave & South Lopham Fens: 24788 metres Special Protection Breckland 3106 metres. (Site Beyond 1.5km, HRA Area (SPA) unlikely to be required.) Within Stone Curlew buffer: No SSSI Wayland Wood, Watton 1559 metres

Special Area of	Norfolk Valley Fens: 4509 metres
Conservation (SAC)	
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 31.88%
Flood Zone 2	Proportion of site area 39.30%

Norfolk Local Lead Flood Authority advice Major surface water issues / constraints identified which will require further assessment by LPA

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Watton. Currently no available headroom, but permit awaited to increase capacity for growth to come forward.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

1147 - Chilech R	042 - Church Road, Watton Alternative			
Address: Watton, IP25 6RD			Atternative	
Address. Watton, IF 25	OND			
Greenfield	Site area: 3.87ha	Estimated	capacity: 9 dwellings	
Broad accessibility as				
Settlement Hierarchy:		. (5.)		
Dentist	Together Dental: 928 m	, ,	(6.)	
• Doctor	Watton Medical Practice			
Leisure Centre	Watton Sports and Soci		metres (G <)	
Library Daissans Cabasal	Watton Library: 1001 m		404 (C)	
Primary School Secondary School	Wayland Junior Academ	_		
Secondary School Overall spaking	Wayland Academy Norf Green: At least four faci		• •	
Overall ranking accessibility				
800m/10 minutes walking distar employment.	nce of the site in town centres; 1,200)m elsewhere and	d 2,000m for school access and	
 Green 4+ core services Amber 1 to 3 core servi Red 0 core services 				
Walking and cycling	Opportunities for walking enhancement based on Market Town location.			
Open Space	Category - Allotments C	Or Communi	ty Growing Spaces: 7	
Recycling facilities	Ashill Recycling Centre:	5761 metre	<u> </u>	
	nated heritage asset analysis –			
Conservation Area	Not within a CA			
Listed Building	Church Of St. Mary (Grad	de II*)· 119 r	metres	
Registered Park	Pickenham Hall: 6458 m		inceres	
Scheduled	High Banks: 2549 metre			
Monument		_		
Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan				
HRA will assess subsequen	t Local Plan policy and proposa	als)		
Nutrient Neutrality	No			
Catchment Area				
Ancient Woodland	Wayland Wood: 1085 mg	etres		
Geodiversity site	Hockham: 8990 metres	10 b		
National Nature	Brettenham Heath: 142	40 metres		
Reserve	Land oact of Caham Tan	ov: 1240 ~-	htroc	
County Wildlife Site Local Nature Reserve	Land east of Saham Ton Great Eastern Pingo Tra			
Ramsar	Redgrave & South Lopha			
Special Protection	Breckland 2797 metres.			
Area (SPA)	unlikely to be required.	•	O 1.JKIII, HKM	
, cu (51 A)	Within Stone Curlew bu	•		
SSSI	Wayland Wood, Watton		es	
Special Area of	Norfolk Valley Fens: 402			
Conservation (SAC)				

Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice LLFA Assessment: No major surface water issues / constraints identified

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Watton. Currently no available headroom, but permit awaited to increase capacity for growth to come forward.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

122 - St. Giles Road Car Park, Watton | Alternative Address: Watton, IP25 6XG Brownfield Site area: 0.14ha Estimated capacity: 8 dwellings Broad accessibility assessment Settlement Hierarchy: Market Town Together Dental: 122 metres (G <) Dentist Doctor Watton Medical Practice: 157 metres (G <) • Leisure Centre Watton Sports and Social Club: 539 metres (G <) Watton Library: 151 metres (G <) Library Primary School Watton Westfield Infant and Nursery School: 302 Secondary School metres (G <) Wayland Academy Norfolk: 512 metres (G <) Green: At least four facilities within threshold distance Overall ranking accessibility 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Market Town location. Open Space Category - General: 106 metres Recycling facilities Ashill Recycling Centre: 5379 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Watton 33, High Street (Grade II): 62 metres Listed Building Pickenham Hall: 5960 metres Registered Park Roman settlement at Woodcock Hall: 1868 metres Scheduled Monument Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Wayland Wood: 1131 metres Ancient Woodland Geodiversity site Hockham: 9012 metres National Nature Brettenham Heath: 14002 metres Reserve County Wildlife Site New Plantation: 882 metres Local Nature Reserve Great Eastern Pingo Trail: 4852 metres Ramsar Redgrave & South Lopham Fens: 24560 metres **Special Protection** Breckland 2025 metres. (Site Beyond 1.5km, HRA unlikely to be required.) Area (SPA) Within Stone Curlew buffer: No SSSI Wayland Wood, Watton 1130 metres Special Area of Breckland: 3667 metres Conservation (SAC)

Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice LLFA Assessment: No major surface water issues / constraints identified

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Watton. Currently no available headroom, but permit awaited to increase capacity for growth to come forward.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

289 - Land at Thetford Road, Watton, Watton

Alternative

Address: Land at Thetford Road, Watton, IP25 6BS

Greenfield Site area: 14.92ha Estimated capacity: 0 dwellings

Broad accessibility assessment

Settlement Hierarchy: Market Town

	Section in the farcity. Market 10WII		
•	Dentist	Together Dental: 803 metres (R >)	
•	Doctor	Watton Medical Practice: 780 metres (G <)	
•	Leisure Centre	Watton Sports and Social Club: 1264 metres (R >)	
•	Library	Watton Library: 748 metres (G <)	
•	 Primary School 	Wayland Junior Academy Watton: 180 metres (G <)	
•	 Secondary School 	Wayland Academy Norfolk: 209 metres (G <)	
Overall ranking		Green: At least four facilities within threshold distance	
	accessibility		

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

Walking and cycling	Opportunities for walking and cycling access /	
	enhancement based on accessibility to facilities and	
	Market Town location.	
Open Space	Category - General: 239 metres	
Recycling facilities	Ashill Recycling Centre: 5872 metres	
Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in		
production)		
Conservation Area	Not within a CA	
Listed Building	Watton War Memorial (Grade II): 720 metres	
Registered Park	Pickenham Hall: 6364 metres	
Scheduled	Roman settlement at Woodcock Hall: 1975 metres	
Monument		
Natural Environment (nearest designated geo / biodiversity sites and features Local Plan		

Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals)

The twitt dassess subsequente Educat I tall policy and proposats/			
Nutrient Neutrality Catchment Area	No		
Ancient Woodland	Wayland Wood: 383 metres		
Geodiversity site	Hockham: 7867 metres		
National Nature	Brettenham Heath: 12814 metres		
Reserve			
County Wildlife Site	New Plantation: 5 metres		
Local Nature Reserve	Great Eastern Pingo Trail: 3771 metres		
Ramsar	Redgrave & South Lopham Fens: 23455 metres		
Special Protection	Breckland 1209 metres. (Site Less than 1.5km, HRA		
Area (SPA)	required.)		
	Within Stone Curlew buffer: Yes		
SSSI	Wayland Wood, Watton 382 metres		
Special Area of	Breckland: 2817 metres		
Conservation (SAC)			

Agricultural Land	Grade 3
-------------------	---------

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Watton. Currently no available headroom, but permit awaited to increase capacity for growth to come forward.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

316 - Town Green Road, Watton Alternative				
·			Atternative	
Address: Town Green Road Watton, IP25 6RD				
Greenfield	Site area: 2.67ha	Estimated dwellings	capacity: 35	
Broad accessibility as	sessment	J		
Settlement Hierarchy:	Market Town			
 Dentist 	Together Dental: 963 m	• •		
• Doctor	Watton Medical Practice			
 Leisure Centre 	Watton Sports and Soci		metres (G <)	
• Library	Watton Library: 1029 m			
Primary School	Wayland Junior Academ	_		
Secondary School	Wayland Academy Norf		• •	
Overall ranking accessibility	Green: At least four faci			
800m/10 minutes walking distan employment.	ce of the site in town centres; 1,200)m elsewhere and	d 2,000m for school access and	
 Green 4+ core services Amber 1 to 3 core services Red 0 core services 				
Walking and cycling	Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Market Town location.			
Open Space	Category - Allotments C metres	Or Communi	ty Growing Spaces: 0	
Recycling facilities	Ashill Recycling Centre:	5905 metre	<u> </u>	
	ated heritage asset analysis –			
Conservation Area	Not within a CA			
Listed Building	Church Of St. Mary (Grad	de II*): 153 г	netres	
Registered Park	Pickenham Hall: 6590 m	etres		
Scheduled	Site of Commandry of SI	t John of Je	rusalem: 2679	
Monument	metres			
	(nearest designated geo / biod t Local Plan policy and proposa		and features. Local Plan	
Nutrient Neutrality	No No			
Catchment Area				
Ancient Woodland	Wayland Wood: 916 mel	tres		
Geodiversity site	Hockham: 8815 metres	-		
National Nature	Brettenham Heath: 1412	21 metres		
Reserve				
County Wildlife Site				
Local Nature Reserve				
Ramsar	Redgrave & South Lopha			
Special Protection	Breckland 2767 metres. (Site Beyond 1.5km, HRA			
Area (SPA)	unlikely to be required.)			
CCCI	Within Stone Curlew buffer: No			
SSSI Sanaial Assance	Wayland Wood, Watton			
Special Area of	Norfolk Valley Fens: 386	es metres		
Conservation (SAC)				

Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice LLFA Assessment: No major surface water issues / constraints identified

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Watton. Currently no available headroom, but permit awaited to increase capacity for growth to come forward.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

375 - Little Hudson Hall Farm, Watton

Alternative

Address: Little Hudson Hall Farm, Watton, IP25 6FE

Estimated capacity: 8 dwellings Greenfield Site area: 1.54ha

Broad accessibility assessment

Settlement Hierarchy: Market Town

L	Section of the facility. Market 10Wil			
	 Dentist 	Together Dental: 1345 metres (R >)		
 Doctor 		Watton Medical Practice: 1047 metres (R >)		
	 Leisure Centre 	Watton Sports and Social Club: 1356 metres (R >)		
• Library		Watton Library: 1376 metres (R >)		
 Primary School 		Wayland Junior Academy Watton: 1039 metres (G <)		
 Secondary School 		Wayland Academy Norfolk: 1030 metres (G <)		
Overall ranking		Amber: One to three core facilities within threshold		
accessibility		distance		

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

Walking and cycling	Opportunities for walking and cycling access / enhancement based on accessibility to facilities and	
	Market Town location.	
Open Space	Category - Play Space: 180 metres	
Recycling facilities	Ashill Recycling Centre: 6553 metres	
Heritage (nearest design production)	nated heritage asset analysis – Heritage Impact Assessment in	
Conservation Area	Not within a CA	
Listed Building	Vicarage (Grade II): 605 metres	
Registered Park	Breccles Hall: 6516 metres	
Scheduled	Site of Commandry of St John of Jerusalem: 2979	
Monument	metres	
Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan		
	t Local Plan policy and proposals)	
Nutrient Neutrality	No	
Catchment Area		
Ancient Woodland	Wayland Wood: 88 metres	
Geodiversity site	Hockham: 7993 metres	
National Nature	Brettenham Heath: 13295 metres	
Reserve		
County Wildlife Site	Milestone Grove: 1208 metres	
Local Nature Reserve	Great Eastern Pingo Trail: 3772 metres	
Ramsar Redgrave & South Lopham Fens: 23435 metre		
Special Protection	Breckland 2591 metres. (Site Beyond 1.5km, HRA	
Area (SPA)	unlikely to be required.)	
	Within Stone Curlew buffer: No	
SSSI	Wayland Wood, Watton 88 metres	

Special Area of Conservation (SAC)	Norfolk Valley Fens: 3035 metres
Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%		
Flood Zone 2	Proportion of site area 0.00%		

Norfolk Local Lead Flood Authority advice LLFA Assessment: No major surface water issues / constraints identified

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Watton. Currently no available headroom, but permit awaited to increase capacity for growth to come forward.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

378 - Bells Field, Watton Alternative				
Address: Bells Field, W	atton,			
Greenfield	Site area: 5.13ha	Estimated capacity: 30 dwellings		
Broad accessibility as	sessment			
Settlement Hierarchy:	Market Town			
• Dentist	Together Dental: 1403 i	metres (R >)		
 Doctor 	Watton Medical Practic	e: 1102 met	res (R >)	
 Leisure Centre 	Watton Sports and Soci	al Club: 139	3 metres (R >)	
• Library	Watton Library: 1436 m			
 Primary School 	Wayland Junior Academ	ny Watton: 1	121 metres (G <)	
 Secondary School 	Wayland Academy Norf	olk: 1109 m	etres (G <)	
Overall ranking	Amber: One to three co			
accessibility	distance			
800m/10 minutes walking distan employment.	ce of the site in town centres; 1,200	om elsewhere and	d 2,000m for school access and	
 Green 4+ core services v Amber 1 to 3 core services 				
Red 0 core services				
Walking and cycling	Opportunities for walking	ng and cyclir	ng access /	
	enhancement based on	accessibility	to facilities and	
	Market Town location.			
Open Space	Category - Play Space: 2			
Recycling facilities	Ashill Recycling Centre:			
Heritage (nearest design production)	ated heritage asset analysis –	Heritage Impa	act Assessment in	
Conservation Area	Not within a CA			
Listed Building	Vicarage (Grade II): 652	metres		
Registered Park	Breccles Hall: 6232 metr			
Scheduled	Site of Commandry of S	t John of Je	rusalem: 2789	
Monument	metres			
Natural Environment	(nearest designated geo / bio	diversity sites	and features. Local Plan	
HRA will assess subsequen	Local Plan policy and proposa			
Nutrient Neutrality	No			
Catchment Area				
Ancient Woodland	Wayland Wood: 124 me	tres		
Geodiversity site	Hockham: 7747 metres	10 .		
National Nature	Brettenham Heath: 131	40 metres		
	Reserve			
	County Wildlife Site South-west of Griston Hall: 1081 metres			
Local Nature Reserve	J			
Ramsar	Redgrave & South Lopha			
Special Protection	Breckland 2715 metres. (Site Beyond 1.5km, HRA			
Area (SPA)	unlikely to be required.)			
ccci	Within Stone Curlew buffer: No			
SSSI Special Access	Wayland Wood, Watton			
Special Area of	Norfolk Valley Fens: 282	y metres		
Conservation (SAC)				

Agricultural Land	Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice LLFA Assessment: No major surface water issues / constraints identified

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Watton. Currently no available headroom, but permit awaited to increase capacity for growth to come forward.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

Alternative 379 - South of Mallard Road, Watton Address: South of Mallard Road, Watton, IP25 6TT Greenfield Site area: 8.39ha Estimated capacity: 176 dwellings Broad accessibility assessment Settlement Hierarchy: Market Town Together Dental: 371 metres (G <) Dentist Doctor Watton Medical Practice: 605 metres (G <) • Leisure Centre Watton Sports and Social Club: 905 metres (R >) Watton Library: 283 metres (G <) Library Primary School Watton Westfield Infant and Nursery School: 135 Secondary School metres (G <) Wayland Academy Norfolk: 436 metres (G <) Green: At least four facilities within threshold distance Overall ranking accessibility 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Opportunities for walking and cycling access / enhancement based on accessibility to facilities and Market Town location. Open Space Category - Public Park Or Garden: 0 metres Recycling facilities Ashill Recycling Centre: 4942 metres **Heritage** (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA 77-83, High Street (Grade II): 227 metres Listed Building Pickenham Hall: 5411 metres Registered Park Roman settlement at Woodcock Hall: 1100 metres Scheduled Monument Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Wayland Wood: 1221 metres Ancient Woodland Geodiversity site Hockham: 8886 metres National Nature Brettenham Heath: 13709 metres Reserve County Wildlife Site Land east of Watton Fen: 157 metres Local Nature Reserve Great Eastern Pingo Trail: 4791 metres Ramsar Redgrave & South Lopham Fens: 24479 metres **Special Protection** Breckland 1338 metres. (Site Less than 1.5km, HRA Area (SPA) reauired.) Within Stone Curlew buffer: Yes SSSI Wayland Wood, Watton 1220 metres Special Area of Breckland: 2933 metres Conservation (SAC)

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Watton. Currently no available headroom, but permit awaited to increase capacity for growth to come forward.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

Armstrong Rigg on behalf of Orbit Homes LPR/CS4/DEV/379- consider criteria for assessing sites suitable and various comments made. Including noting the site should be considered as adjacent to and connected with existing settlement boundary, not separate from the boundary as assessed in Phase 1.

Other objections

380 - Pigeon Loft Swaffham Road, **Alternative** Watton Address: Pigeon Loft, Swaffham Road, Watton, IP25 6LA Estimated capacity: 30 Greenfield Site area: 0.92ha dwellings **Broad accessibility assessment** Settlement Hierarchy: Market Town Together Dental: 574 metres (G <) Dentist Watton Medical Practice: 883 metres (R >) Doctor Leisure Centre Watton Sports and Social Club: 901 metres (R >) Library Watton Library: 540 metres (G <) Watton Westfield Infant and Nursery School: 667 Primary School Secondary School metres (G <) Wayland Academy Norfolk: 1050 metres (G <) Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Opportunities for walking and cycling access / Walking and cycling enhancement based on accessibility to facilities and Market Town location. Category - Golf Course: 52 metres Open Space Recycling facilities Ashill Recycling Centre: 4654 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA 77-83, High Street (Grade II): 406 metres Listed Building Registered Park Pickenham Hall: 5190 metres Roman settlement at Woodcock Hall: 1113 metres Scheduled Monument **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** No Catchment Area Ancient Woodland Wayland Wood: 1820 metres Geodiversity site Hockham: 9513 metres Brettenham Heath: 14272 metres National Nature Reserve County Wildlife Site Land east of Watton Fen: 520 metres Local Nature Reserve Great Eastern Pingo Trail: 5429 metres Ramsar Redgrave & South Lopham Fens: 25113 metres Special Protection Breckland 1698 metres. (Site Beyond 1.5km, HRA Area (SPA) unlikely to be required.) Within Stone Curlew buffer: No Breckland Farmland 1698 metres SSSI

Special Area of	Breckland: 3366 metres
Conservation (SAC)	
Agricultural Land	Grade 4

Flood Zone 3	Proportion of site area 0.00%	
Flood Zone 2	Proportion of site area 0.00%	

Norfolk Local Lead Flood Authority advice LLFA Assessment: Moderate surface water issues / constraints identified which will require further assessment by LPA. Given the surface water / flooding constraints, the LLFA consider that the site is unlikely to be capable of accommodating the number (30) of dwellings proposed.

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Watton. Currently no available headroom, but permit awaited to increase capacity for growth to come forward.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

381 - Marley Road, Watton Alternative			
Address: Morley Farm, Watton,			
Greenfield	Site area: 2.20ha	Estimated capacity: 50 dwellings	
Broad accessibility as	sessment		
Settlement Hierarchy:			
 Dentist 	Together Dental: 248 m		
 Doctor 	Watton Medical Practice: 469 metres (G <) Watton Sports and Social Club: 413 metres (G <)		
 Leisure Centre 			
• Library	Watton Library: 288 me	• •	
 Primary School 	Watton Westfield Infan	t and Nurse	ry School: 534
 Secondary School 	metres (G <)		
- 11	Wayland Academy Norf		
Overall ranking	Green: At least four faci	lities within	threshold distance
accessibility 800m/10 minutes walking distant	ce of the site in town centres; 1,200)m elsewhere and	1 2 000m for school access and
employment.	ce of the site in town tentres, 1,200	on eisewhere and	2,000111 TOF SCHOOL access and
 Green 4+ core services Amber 1 to 3 core servi Red 0 core services 			
Walking and cycling	Opportunities for walki	ng and cyclir	ng access /
	enhancement based on		
	Market Town location.	,	
Open Space	Category - General: 0 mg	etres	
Recycling facilities	Ashill Recycling Centre:	4857 metre	S
Heritage (nearest design production)	aated heritage asset analysis –	Heritage Impa	act Assessment in
Conservation Area	Not within a CA		
Listed Building	77-83, High Street (Grac	le II): 217 mg	atroc
Registered Park	Pickenham Hall: 5440 m		בנוכז
Scheduled	Roman settlement at W		II: 1/82 matras
Monument	Noman section end at W	OOGCOCK I Ia	u. 1402 metres
	(nearest designated geo / bio	diversity sites	and features. Local Plan
HRA will assess subsequen	t Local Plan policy and proposa	als)	and reactives. Eocat ritain
Nutrient Neutrality	No		
Catchment Area			
Ancient Woodland	Wayland Wood: 1530 m	etres	
Geodiversity site	Hockham: 9409 metres		
National Nature	Brettenham Heath: 143	00 metres	
Reserve			
County Wildlife Site	County Wildlife Site Land east of Watton Fen: 789 metres		
Local Nature Reserve			
Ramsar	Redgrave & South Loph		
Special Protection	Breckland 2023 metres.	,	d 1.5km, HRA
Area (SPA)	Area (SPA) unlikely to be required.)		
CCCI	Within Stone Curlew bu		
SSSI Wayland Wood, Watton 1529 metres		<u>!S</u>	
Special Area of	·		
Conservation (SAC)			

Agricultural La	nd Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice LLFA Assessment: Moderate surface water issues / constraints identified which will require further assessment by LPA

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Watton. Currently no available headroom, but permit awaited to increase capacity for growth to come forward.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

376a - Bunker 25 Elworthy Close (Former RAF Watton Bunker - may not be mapped), Watton

Alternative

Address: A bunker Site 25 Elworthy Close, off Portal Avenue, Watton, Thetford, IP25 6UQ

Brownfield Site area: 0.63ha Estimated capacity: 26 dwellings

Broad accessibility assessment

Settlement Hierarchy: Market Town

L					
	•	Dentist	Together Dental: 2105 metres (R >)		
	•	Doctor	Watton Medical Practice: 1796 metres (R >)		
	•	• Leisure Centre Watton Sports and Social Club: 1983 metres (R >)			
	• Library Watton Library: 2150 metres (R >)		Watton Library: 2150 metres (R >)		
	Primary School		Wayland Junior Academy Watton: 1869 metres (G <)		
 Secondary School 		Secondary School	Wayland Academy Norfolk: 1858 metres (G <)		
Overall ranking		verall ranking	Amber: One to three core facilities within threshold		
accessibility		cessibility	distance		
ı					

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

Area (SPA)

Walking and cycling	Opportunities for walking and cycling access / enhancement based on accessibility to facilities and		
	Market Town location.		
Open Space	Category - General: 217 metres		
Recycling facilities	Ashill Recycling Centre: 7192 metres		
Heritage (nearest design production)	nated heritage asset analysis – Heritage Impact Assessment in		
Conservation Area	Not within a CA		
Listed Building	Rokeles Hall (Grade II): 774 metres		
Registered Park	Breccles Hall: 6267 metres		
Scheduled	Site of Commandry of St John of Jerusalem: 2285		
Monument	metres		
Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan			
Natural Environment	(nearest designated geo / biodiversity sites and features. Local Plan		
HRA will assess subsequen	t Local Plan policy and proposals)		
HRA will assess subsequen Nutrient Neutrality	(nearest designated geo / biodiversity sites and features. Local Plan t Local Plan policy and proposals) No		
HRA will assess subsequen Nutrient Neutrality Catchment Area	t Local Plan policy and proposals) No		
HRA will assess subsequen Nutrient Neutrality Catchment Area Ancient Woodland	No Wayland Wood: 752 metres		
HRA will assess subsequen Nutrient Neutrality Catchment Area Ancient Woodland Geodiversity site	t Local Plan policy and proposals) No		
HRA will assess subsequen Nutrient Neutrality Catchment Area Ancient Woodland	No Wayland Wood: 752 metres		
HRA will assess subsequen Nutrient Neutrality Catchment Area Ancient Woodland Geodiversity site	No Wayland Wood: 752 metres Hockham: 7925 metres		
HRA will assess subsequen Nutrient Neutrality Catchment Area Ancient Woodland Geodiversity site National Nature	No Wayland Wood: 752 metres Hockham: 7925 metres		
HRA will assess subsequen Nutrient Neutrality Catchment Area Ancient Woodland Geodiversity site National Nature Reserve	No Wayland Wood: 752 metres Hockham: 7925 metres Brettenham Heath: 13494 metres		
HRA will assess subsequen Nutrient Neutrality Catchment Area Ancient Woodland Geodiversity site National Nature Reserve County Wildlife Site	No Wayland Wood: 752 metres Hockham: 7925 metres Brettenham Heath: 13494 metres Watton Airfield (Army Training Area: 1177 metres		

unlikely to be required.)

Within Stone Curlew buffer: No

SSSI	Wayland Wood, Watton 752 metres
Special Area of	Norfolk Valley Fens: 3149 metres
Conservation (SAC)	
Agricultural Land	Non Agricultural

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice LLFA unable to identify site in data provided.

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Watton. Currently no available headroom, but permit awaited to increase capacity for growth to come forward.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): No comments **Natural England** (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

098 - Church Lane, Weasenham Alternative				
Address: Weasenham,	PE32 2SS			
Greenfield	Site area: 0.91ha	Estimated dwellings	capacity: 21	
Broad accessibility as	sessment	dwettings		
	Other settlement/village	<u> </u>		
Dentist	Bridge Street Dental Su		5 metres (R >)	
Doctor	Litcham Health Centre: 5349 metres (R >)			
Leisure Centre	Swaffham Leisure Centre: 13814 metres (R >)			
• Library	Fakenham Library: 1068		•	
Primary School	Weasenham Primary Ac	•	· ·	
 Secondary School 	Litcham School: 5416 m	-	, ,	
Overall ranking accessibility	Amber: One to three co distance	re facilities	within threshold	
800m/10 minutes walking distan employment.	L ce of the site in town centres; 1,200	Om elsewhere and	d 2,000m for school access and	
 Green 4+ core services v Amber 1 to 3 core services Red 0 core services 				
Walking and cycling Opportunity to provide some accessibility to facilities through walking and cycling provision. May require significant infrastructure.			_	
Open Space	Category - Church: 22 metres			
Recycling facilities	Dereham Main Recycling		ıs: 17240 metres	
Heritage (nearest design production)	ated heritage asset analysis –	Heritage Impa	act Assessment in	
Conservation Area	Not within a CA			
Listed Building	Jackson Family Tomb Ap Of Church (Grade II): 37	•	y 50 Metres To West	
Registered Park	Lexham Hall: 4052 metres			
Scheduled	Group of barrows in Weasenham Plantation: 1265			
Monument	metres			
Natural Environment HRA will assess subsequen	(nearest designated geo / bio t Local Plan policy and proposi	diversity sites als)	and features. Local Plan	
Nutrient Neutrality Catchment Area	Yes River Wensum SAC			
Ancient Woodland	Massingham Wood: 318	8 metres		
Geodiversity site			561 metres	
National Nature				
Reserve				
County Wildlife Site			· · · · · · · · · · · · · · · · · · ·	
Local Nature Reserve	Litcham Common: 5473	metres		
Ramsar	Roydon Common: 1482	7 metres		
Special Protection	Breckland 13711 metres		nd 1.5km, HRA	
Area (SPA) unlikely to be required.)				
Within Stone Curlew buffer: No				
SSSI	River Wensum 4277 me	tres		

Special Area of	River Wensum: 4277 metres
Conservation (SAC)	
Agricultural Land	Grade 3

Tribit 7 ibbebbinency 202 if		
Flood Zone 3	Proportion of site area 0.00%	
Flood Zone 2	Proportion of site area 0.00%	

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Weasenham St Peters, Weasenham All Saints. Area has 3 small WRCs - possible small scale growth may be feasible-but dependent upon location.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

227 - School Road (See also 245), **Alternative** Weasenham Address: Weasenham, Site area: 2.54ha Greenfield Estimated capacity: 10 dwellings **Broad accessibility assessment** Settlement Hierarchy: Other settlement/village Bridge Street Dental Surgery: 9901 metres (R >) Dentist Litcham Health Centre: 5464 metres (R >) Doctor Leisure Centre Swaffham Leisure Centre: 14276 metres (R >) Library Fakenham Library: 9968 metres (R >) Primary School Weasenham Primary Academy: 309 metres (G <) • Secondary School Litcham School: 5514 metres (R >) Overall ranking Amber: One to three core facilities within threshold accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Opportunity to provide some accessibility to facilities Walking and cycling through walking and cycling provision. May require significant infrastructure. Category - Public Park Or Garden: 25 metres Open Space Dereham Main Recycling Centre Plus: 17210 metres Recycling facilities Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Listed Building Weasenham War Memorial (Grade II): 55 metres Registered Park Ravnham Park: 3512 metres Group of barrows in Weasenham Plantation: 1733 Scheduled Monument metres Natural Environment (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) **Nutrient Neutrality** Yes River Wensum SAC Catchment Area Ancient Woodland Rabys Wood: 3276 metres Geodiversity site Newton-by-Castle Acre Chalk Pit: 7023 metres National Nature Roydon Common: 15096 metres Reserve County Wildlife Site Weasenham Plantation: 798 metres Local Nature Reserve Litcham Common: 5644 metres Roydon Common: 15096 metres Ramsar **Special Protection** Breckland 14237 metres. (Site Beyond 1.5km, HRA Area (SPA) unlikely to be required.) Within Stone Curlew buffer: No SSSI River Wensum 3612 metres

Special Area of	River Wensum: 3612 metres
Conservation (SAC)	
Agricultural Land	Grade 3

Trisky issessment 2021/		
Flood Zone 3	Proportion of site area 0.00%	
Flood Zone 2	Proportion of site area 0.00%	

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Weasenham St Peters, Weasenham All Saints. Area has 3 small WRCs - possible small scale growth may be feasible-but dependent upon location.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

080 - Elm Close, Yaxham Alternative			Alternative
Address: Yaxham, NR19 1RW			
Greenfield	Site area: 0.38ha	Estimated dwellings	capacity: 25
Broad accessibility as	sessment		
Settlement Hierarchy:			
• Dentist	Beech House Dental Su	rgery: 3249	metres (R >)
 Doctor 	Toftwood Medical Cent		
 Leisure Centre 	Dereham Leisure Centre	e: 2831 met	res (R >)
 Library 	Dereham Library: 3235	metres (R >)	
 Primary School 	Yaxham V A Primary Sch	nool: 1535 m	netres (G <)
 Secondary School 	Dereham Neatherd Hig	h School: 29	76 metres (R >)
Overall ranking accessibility	Amber: One to three co		
800m/10 minutes walking distant employment.	 ce of the site in town centres; 1,200	Om elsewhere and	d 2,000m for school access and
 Green 4+ core services Amber 1 to 3 core servi Red 0 core services 			
Walking and cycling	Some accessible facilitie	•	portunity to enhance
	walking and cycling acce		
Open Space	Category - General: 185		
Recycling facilities	Dereham Main Recycling		
	nated heritage asset analysis –	Heritage Impa	act Assessment in
production) Conservation Area	Not within a CA		
Listed Building	Boronia Cottage (Grade	II): 160 mot	roc
Registered Park	Kimberley Hall: 8590 me		162
Scheduled	Moated site W of Reyme		7 metres
Monument	Wolced site W of Reymo	er 30011. 4 017	illectes
	(nearest designated geo / bio	diversity sites	and features. Local Plan
HRA will assess subsequen	t Local Plan policy and proposa	als)	and reactives. Local ritari
Nutrient Neutrality	Yes The Broads SAC	•	
Catchment Area			
Ancient Woodland	Yaxham Wood: 1339 me	etres	
Geodiversity site	Newton-by-Castle Acre	Chalk Pit: 17	7518 metres
National Nature	Foxley Wood: 12301 me	tres	
Reserve			
County Wildlife Site	Look East Orchard: 336	metres	
Local Nature Reserve	Litcham Common: 1343	7 metres	
Ramsar	Broadland: 25877 metre	es	
Special Protection	Breckland 15363 metres	•	nd 1.5km, HRA
Area (SPA)	unlikely to be required.		
	Within Stone Curlew bu		
SSSI	Badley Moor 1105 metro		
Special Area of	Norfolk Valley Fens: 110)5 metres	
Conservation (SAC)	Cando 2		
Agricultural Land	Grade 3		

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Mattishall. Capacity for growth up to approximately 250 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Landowner/Site promoter comment:

None

Other objections

093 - Land at Beech Farm Norwich Road Clint Road, Yaxham

Alternative

Address: Yaxham,

Mostly Green Site area: 0.72ha Estimated capacity: 9 dwellings

Broad accessibility assessment

Settlement Hierarchy: Secondary village

ì	Section for the farency: Secondary village		
•	Dentist	Beech House Dental Surgery: 3731 metres (R >)	
•	Doctor	Toftwood Medical Centre: 3049 metres (R >)	
•	Leisure Centre	Dereham Leisure Centre: 3241 metres (R >)	
•	Library	Dereham Library: 3705 metres (R >)	
•	Primary School	Yaxham V A Primary School: 249 metres (G <)	
•	Secondary School	Dereham Neatherd High School: 3084 metres (R >)	
O	verall ranking	Amber: One to three core facilities within threshold	
ac	cessibility	distance	

800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment.

- Green 4+ core services within above threshold
- Amber 1 to 3 core services
- Red 0 core services

Walking and cycling	Some accessible facilities create opportunity to enhance walking and cycling access.
Open Space	Category - General: 951 metres
Recycling facilities	Dereham Main Recycling Centre Plus: 2758 metres
Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production)	
Conservation Area	Not within a CA
Listed Building	Yaxham House (Grade II): 1060 metres
Registered Park	Kimberley Hall: 7931 metres
Scheduled	Moated site W of Reymerston: 5213 metres
Monument	
	(nearest designated geo / biodiversity sites and features. Local Plan
	t Local Plan policy and proposals)
Nutrient Neutrality	Yes The Broads SAC
Catchment Area	
Ancient Woodland	Yaxham Wood: 1352 metres
Geodiversity site	Newton-by-Castle Acre Chalk Pit: 18552 metres
National Nature	Foxley Wood: 11404 metres
Reserve	
County Wildlife Site	Manor Farm Marsh: 597 metres
Local Nature Reserve	Toll's Meadow, Wymondham: 13217 metres
Ramsar	Broadland: 24606 metres
Special Protection	Breckland 16527 metres. (Site Beyond 1.5km, HRA
Area (SPA)	unlikely to be required.)
	Within Stone Curlew buffer: No
SSSI	Badley Moor 876 metres
Special Area of	Norfolk Valley Fens: 876 metres
Conservation (SAC)	

Agricultural Land	Grade 3
-------------------	---------

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Mattishall. Capacity for growth up to approximately 250 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Yaxham PC Beech Farm - RAG rated against policy, Yaxham already met allocation, site is not immediately adjacent, replacing with multiple buildings. Provided information demonstrating discrepancies between RAG assessment Council provided and RAG assessment Yaxham PC has completed.

Landowner/Site promoter comment:

None

Other objections

1 as received

Alternative 094 - Norwich Road, Yaxham Address: Yaxham, NR19 1RP Greenfield Site area: 3.92ha Estimated capacity: 90 dwellings **Broad accessibility assessment** Settlement Hierarchy: Secondary village Beech House Dental Surgery: 3174 metres (R >) Dentist Doctor Toftwood Medical Centre: 2268 metres (R >) • Leisure Centre Dereham Leisure Centre: 2721 metres (R >) Dereham Library: 3155 metres (R >) Library • Primary School Yaxham V A Primary School: 894 metres (G <) Dereham Neatherd High School: 2762 metres (R >) Secondary School Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Some accessible facilities create opportunity to enhance walking and cycling access. Open Space Category - General: 59 metres Recycling facilities Dereham Main Recycling Centre Plus: 2153 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Yaxham House (Grade II): 200 metres Listed Building Registered Park Kimberley Hall: 8281 metres Moated site W of Reymerston: 4863 metres Scheduled Monument **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) Yes The Broads SAC **Nutrient Neutrality** Catchment Area Ancient Woodland Yaxham Wood: 1206 metres Newton-by-Castle Acre Chalk Pit: 17727 metres Geodiversity site National Nature Foxley Wood: 11799 metres Reserve County Wildlife Site Manor Farm Marsh: 411 metres Local Nature Reserve Toll's Meadow, Wymondham: 13508 metres Broadland: 25263 metres Ramsar Breckland 15742 metres. (Site Beyond 1.5km, HRA **Special Protection** unlikely to be required.) Area (SPA) Within Stone Curlew buffer: No Badley Moor 750 metres SSSI Norfolk Valley Fens: 750 metres Special Area of Conservation (SAC) Agricultural Land Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Mattishall. Capacity for growth up to approximately 250 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Yaxham PC Norwich Road - land separating Yaxham and Clint Green, outside boundary, excessive density, greenfield site and lack of sewerage provision. Difference between Breckland Parish RAG rating and Yaxham PC rating - can this differences be considered. Provided information demonstrating discrepancies between RAG assessment Council provided and RAG assessment Yaxham PC has completed.

Landowner/Site promoter comment:

Lanpro on behalf of Glavenhill Glavenhill supports the allocation of site reference LPR/CS4/DEV/094 off Norwich Road, Yaxham for

90 new dwellings (in line with the Illustrative Concept Masterplan drawing reference 4555_0001(A)

previously submitted by Badger Homes in response to the earlier Local Plan call-for-sites process) in the

emerging Local Plan.

Glavenhill understands that Badger Homes will soon complete delivery of the permitted housing scheme

off Roundhouse Way and as such exhaust housing supply/delivery within the village. It is therefore clear

that additional housing land should be allocated in line with the Illustrative Concept Masterplan to meet

market demand and local affordable housing needs.

Glavenhill is also very concerned that site reference LPR/CS4/DEV/094 promoted by Badger Homes has not

been properly assessed in Site Assessment Phase 1 Site Profile assessment (prepared in December 2023)

for the following reasons:

• There would be no adverse visual and/or landscape impacts on the surrounding landscape as a

result of this site's allocation in the new Local Plan as the site is screened on all sides by existing

mature hedgerows and existing/committed built development along both Norwich Road and

Roundhouse Way. The lack of overall existing landscape quality and sensitivity in the area

surrounding the promoted site that is confirmed in the Appeal decision relating to the current

Roundhouse Way scheme is also not properly considered in the RAG scoring undertaken to-date.

As such it is not clear why this site was scored 'amber' as opposed to 'green' in the Site Assessment

Phase 1 Site Profile undertaken in December 2023;

• Furthermore as the promoted site is surrounded on three sites by existing built development within

the village of Yaxham it is further not clear why the site was this site was RAG scored "amber" as

opposed to 'green' in the "Built up area" scoring in the same Site Assessment Phase 1 Site Profile

prepared in December 2023;

• It is a planning fact that the promoted site is bounded on three sites by the existing defined

settlement boundary for the village of Yaxham. As such again it is not clear why the site was scored "amber" as opposed to 'green' in the "Settlement boundaries" scoring in the Site Assessment Phase

- 1 Site Profile prepared in December 2023; and
- Badger Homes is clearly well advanced in the construction of their consented dwellings off

Roundhouse Way and as they are already on-site it is further clear that the site is certainly

deliverable in the next 5-years. As an arable field with existing service connections from the

previous scheme the site is also free from any development constraints. As such it is not clear why

the site was scored "amber" as opposed to 'green' in the "Available (timeframe)" scoring in the Site

Assessment Phase 1 Site Profile prepared in December 2023.

This RAG assessment has also not had regard to the planned delivery of some 5.52 ha of new publicly

accessible open space under the scheme being promoted by Badger Homes. The Council will be aware that

such an approach would (1) offset nutrient neutrality to deliver a first phase of immediate housing delivery

to maintain employment levels within the site; and (2) further accords with the Government's community

health, well-being and biodiversity improvement objectives outlined in paragraphs 102 and 180 of the

National Planning Policy Framework.

As such, and for all the above reasons Glavenhill supports the Badger Homes proposal for the Norwich

Road site and contends it should be included as a housing site in the future preferred options version of the

emerging Local Plan.

Other objections

2 as received

Alternative 135 - Paper Street 2, Yaxham Address: Yaxham, NR19 1AB Greenfield Site area: 2.35ha Estimated capacity: 71 dwellings Broad accessibility assessment Settlement Hierarchy: Secondary village Beech House Dental Surgery: 3815 metres (R >) Dentist Doctor Mattishall Surgery: 2753 metres (R >) • Leisure Centre Dereham Leisure Centre: 3316 metres (R >) Dereham Library: 3784 metres (R >) Library • Primary School Yaxham V A Primary School: 267 metres (G <) Dereham Neatherd High School: 3023 metres (R >) Secondary School Amber: One to three core facilities within threshold Overall ranking accessibility distance 800m/10 minutes walking distance of the site in town centres; 1,200m elsewhere and 2,000m for school access and employment. Green 4+ core services within above threshold Amber 1 to 3 core services Red 0 core services Walking and cycling Some accessible facilities create opportunity to enhance walking and cycling access. Open Space Category - General: 1497 metres Recycling facilities Dereham Main Recycling Centre Plus: 2924 metres Heritage (nearest designated heritage asset analysis – Heritage Impact Assessment in production) Conservation Area Not within a CA Quaker House (Grade II): 932 metres Listed Building Registered Park Kimberley Hall: 7914 metres Moated site W of Reymerston: 5764 metres Scheduled Monument **Natural Environment** (nearest designated geo / biodiversity sites and features. Local Plan HRA will assess subsequent Local Plan policy and proposals) Yes The Broads SAC **Nutrient Neutrality** Catchment Area Ancient Woodland Yaxham Wood: 1851 metres Geodiversity site Newton-by-Castle Acre Chalk Pit: 18860 metres National Nature Foxley Wood: 10709 metres Reserve County Wildlife Site Manor Farm Marsh: 909 metres Local Nature Reserve Toll's Meadow, Wymondham: 13242 metres Broadland: 23965 metres Ramsar Breckland 17163 metres. (Site Beyond 1.5km, HRA **Special Protection** unlikely to be required.) Area (SPA) Within Stone Curlew buffer: No Mattishall Moor 207 metres SSSI Special Area of Norfolk Valley Fens: 686 metres Conservation (SAC) Agricultural Land Grade 3

Flood Zone 3	Proportion of site area 0.00%
Flood Zone 2	Proportion of site area 0.00%

Norfolk Local Lead Flood Authority advice Not reviewed

Water Management Alliance advice No comments

Anglian Water Water Recycling Centre - Mattishall. Capacity for growth up to approximately 250 dwellings.

Other statutory consultees, agencies and organisations

Sport England: No comments

Natural England (Nutrient Neutrality): HRA Required to show no adverse impact on designated sites. Natural England advise a plan-level nutrient budget is provided.

Natural England (Air Quality Screening): No comments

Historic England No site specific comment. HIA to inform Plan required, prepared in accordance with Historic England guidance.

Yaxham PC Paper Street - Yaxham already met allocation, site is not immediately adjacent to settlement boundary and is over 5% policy limit. Provided information demonstrating discrepancies between RAG assessment Council provided and RAG assessment Yaxham PC has completed.

Landowner/Site promoter comment:

None

Other objections

3 as received